

Integrating the Healthcare Enterprise



5

**IHE IT Infrastructure
Technical Framework**

**Volume 2b
(ITI TF-2b)**

10

**Transactions Part B –
Sections 3.29 – 3.64**

15

20

**Revision 12.1 – Final Text
April 22, 2016**

25

Please verify you have the most recent version of this document, which is published [here](#).

CONTENTS

	1	Introduction	6
30	1.1	Overview of the Technical Framework	6
	1.2	Overview of IT Infrastructure Technical Framework Volumes 2a, 2b, 2x, and 3.....	7
	1.3	Audience	8
	1.4	Relationship to Standards	8
	1.5	Relationship to Real-world Architectures.....	8
35	1.6	Comments	9
	1.7	Copyright Permission.....	9
	2	Conventions	10
	2.1	The Generic IHE Transaction Model.....	10
	2.2	HL7 Profiling Conventions.....	11
40	2.3	Use of Coded Entities and Coding Schemes.....	11
	3	IHE Transactions.....	12
	3.29	Intentionally Left Blank	12
	3.30	Patient Identity Management	12
	3.30.1	Scope	12
45	3.30.2	Use Case Roles	12
	3.30.3	Referenced Standards	13
	3.30.4	Message sets and options.....	13
	3.30.5	Common HL7 Message Segments	14
	3.30.6	Interactions	32
50	3.31	Patient Encounter Management	42
	3.31.1	Scope	42
	3.31.2	Use Case Roles	42
	3.31.3	Referenced Standards	42
	3.31.4	Definition of the concept “Movement”	42
55	3.31.5	Message sets and options.....	44
	3.31.6	Common HL7 Message Segments	52
	3.31.7	Interactions	53
	3.32	Distribute Document Set on Media.....	92
	3.32.1	Scope	92
60	3.32.2	Use Case Roles.....	92
	3.32.3	Referenced Standard	93
	3.32.4	Interaction Diagram.....	93
	3.33	Intentionally Left Blank	101
	3.34	Retrieve Form.....	102
65	3.34.1	Scope	102
	3.34.2	Use Case Roles.....	102
	3.34.3	Referenced Standards.....	102
	3.34.4	Interaction Diagram.....	103

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

	3.34.5 Protocol Requirements	108
70	3.35 Submit Form	111
	3.35.1 Scope	111
	3.35.2 Use Case Roles	111
	3.35.3 Referenced Standards	111
	3.35.4 Interaction Diagram	112
75	3.35.5 Protocol Requirements	113
	3.35.6 Security Considerations	116
	3.36 Archive Form	117
	3.36.1 Scope	117
	3.36.2 Use Case Roles	117
80	3.36.3 Referenced Standards	117
	3.36.4 Interaction Diagram	118
	3.36.5 Protocol Requirements	119
	3.36.6 Security Considerations	121
	3.37 Retrieve Clarifications	122
85	3.37.1 Scope	122
	3.37.2 Use Case Roles	122
	3.37.3 Referenced Standards	123
	3.37.4 Interaction Diagram	123
	3.37.5 Protocol Requirements	126
90	3.38 Cross Gateway Query	129
	3.38.1 Scope	129
	3.38.2 Use Case Roles	130
	3.38.3 Referenced Standard	130
	3.38.4 Interaction Diagram	131
95	3.38.5 Protocol Requirements	135
	3.39 Cross Gateway Retrieve	139
	3.39.1 Scope	139
	3.39.2 Use Case Roles	139
	3.39.3 Referenced Standard	140
100	3.39.4 Interaction Diagram	140
	3.39.5 Protocol Requirements	142
	3.40 Provide X-User Assertion	147
	3.40.1 Scope	147
	3.40.2 Use Case Roles	147
105	3.40.3 Referenced Standards	147
	3.40.4 Interaction Diagram	149
	3.41 Provide and Register Document Set-b	157
	3.41.1 Scope	157
	3.41.2 Actor Roles	157
110	3.41.3 Referenced Standards	157
	3.41.4 Interaction Diagrams	158

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

	3.41.5 Security Considerations.....	164
	3.42 Register Document Set-b	169
115	3.42.1 Scope	169
	3.42.2 Actor Roles.....	169
	3.42.3 Referenced Standards	169
	3.42.4 Interaction Diagram.....	170
	3.42.5 Security Considerations.....	176
	3.43 Retrieve Document Set	180
120	3.43.1 Scope	180
	3.43.2 Use Case Roles.....	180
	3.43.3 Referenced Standard	181
	3.43.4 Interaction Diagram.....	181
	3.43.5 Protocol Requirements	185
125	3.43.6 Security Considerations.....	193
	3.44 Patient Identity Feed HL7 V3	197
	3.44.1 Scope	197
	3.44.2 Use Case Roles.....	197
	3.44.3 Referenced Standards	198
130	3.44.4 Interaction Diagrams	198
	3.44.5 Security Requirements	219
	3.45 PIXV3 Query	223
	3.45.1 Scope	223
	3.45.2 Use Case Roles.....	223
135	3.45.3 Referenced Standards.....	223
	3.45.4 Interaction Diagrams	224
	3.45.5 Security Requirements	237
	3.46 PIXV3 Update Notification.....	241
	3.46.1 Scope	241
140	3.46.2 Use Case Roles.....	241
	3.46.3 Referenced Standards.....	241
	3.46.4 Interaction Diagrams	242
	3.46.5 Security Requirements	249
	3.47 Patient Demographics Query HL7 V3	251
145	3.47.1 Scope	251
	3.47.2 Use Case Roles.....	252
	3.47.3 Referenced Standards.....	252
	3.47.4 Interaction Diagrams	253
	3.47.5 Security Requirements	276
150	3.48 Retrieve Value Set.....	280
	3.48.1 Scope	280
	3.48.2 Use case roles.....	280
	3.48.3 Referenced Standards.....	280
	3.48.4 Interaction Diagram.....	281

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

155	3.48.5 Protocol Requirements	283
	3.48.6 Security Requirements	288
	3.49 Convey Printed Referral Request.....	291
	3.50 Request Referral.....	291
	3.51 Multi-Patient Stored Query	291
160	3.51.1 Scope	291
	3.51.2 Use Case Roles.....	292
	3.51.3 Referenced Standard	292
	3.51.4 Interaction Diagram.....	292
	3.51.5 Security Considerations.....	298
165	3.55 Cross Gateway Patient Discovery	301
	3.55.1 Scope	301
	3.55.2 Use Case Roles.....	303
	3.55.3 Referenced Standard	303
	3.55.4 Interaction Diagram.....	304
170	3.55.5 Security Considerations.....	329
	3.55.6 Protocol Requirements	332
	3.60 Retrieve Multiple Value Sets	338
	3.60.1 Scope	338
	3.60.2 Use case roles	338
175	3.60.3 Referenced Standards.....	338
	3.60.4 Interaction Diagram.....	339
	3.60.5 Protocol Requirements	344
	3.60.6 Security Requirements	346
	3.61 Register On-Demand Document Entry	347
180	3.61.1 Scope	347
	3.61.2 Use Case Roles.....	347
	3.61.3 Referenced Standard	347
	3.61.4 Interaction Diagram.....	348
	3.61.5 Protocol Requirements	351
185	3.61.7 Security Considerations.....	352
	3.62 Reserved for Delete Document Set	355
	3.63 Reserved for Cross Gateway Fetch.....	355
	3.64 Reserved for Notify XAP-PID Link Change	355
190		

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1 Introduction

Integrating the Healthcare Enterprise (IHE) is an initiative designed to stimulate the integration of the information systems that support modern healthcare institutions. Its fundamental objective is to ensure that in the care of patients all required information for medical decisions is both
195 correct and available to healthcare professionals. The IHE initiative is both a process and a forum for encouraging integration efforts. It defines a technical framework for the implementation of established messaging standards to achieve specific clinical goals. It includes a rigorous testing process for the implementation of this framework. And it organizes educational sessions and exhibits at major meetings of medical professionals to demonstrate the benefits of this
200 framework and encourage its adoption by industry and users.

The approach employed in the IHE initiative is to support the use of existing standards, e.g., HL7, ASTM, DICOM, ISO, IETF, OASIS and others as appropriate, rather than to define new standards. IHE profiles further constrain configuration choices where necessary in these standards to ensure that they can be used in their respective domains in an integrated manner
205 between different actors. When clarifications or extensions to existing standards are necessary, IHE refers recommendations to the relevant standards bodies.

This initiative has numerous sponsors and supporting organizations in different medical specialty domains and geographical regions. In North America the primary sponsors are the Healthcare Information and Management Systems Society (HIMSS) and the Radiological Society of North
210 America (RSNA). IHE Canada has also been formed. IHE Europe (IHE-EUR) is supported by a large coalition of organizations including the European Association of Radiology (EAR) and European Congress of Radiologists (ECR), the Coordination Committee of the Radiological and Electromedical Industries (COCIR), Deutsche Röntgengesellschaft (DRG), the EuroPACS Association, Groupement pour la Modernisation du Système d'Information Hospitalier
215 (GMSIH), Société Française de Radiologie (SFR), Società Italiana di Radiologia Medica (SIRM), and the European Institute for health Records (EuroRec). In Japan IHE-J is sponsored by the Ministry of Economy, Trade, and Industry (METI); the Ministry of Health, Labor, and Welfare; and MEDIS-DC; cooperating organizations include the Japan Industries Association of Radiological Systems (JIRA), the Japan Association of Healthcare Information Systems Industry
220 (JAHIS), Japan Radiological Society (JRS), Japan Society of Radiological Technology (JSRT), and the Japan Association of Medical Informatics (JAMI). Other organizations representing healthcare professionals are invited to join in the expansion of the IHE process across disciplinary and geographic boundaries.

1.1 Overview of the Technical Framework

225 This document, the IHE IT Infrastructure Technical Framework (ITI TF), defines specific implementations of established standards to achieve integration goals that promote appropriate sharing of medical information to support optimal patient care. It is expanded annually, after a period of public review, and maintained regularly through the identification and correction of errata. The current version, Rev. 12.1 for Final Text, specifies the IHE transactions defined and

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

230 implemented as of March 2016. The latest version of the document is always available via the Internet at http://ihe.net/Technical_Frameworks.

235 The IHE IT Infrastructure Technical Framework identifies a subset of the functional components of the healthcare enterprise, called IHE actors, and specifies their interactions in terms of a set of coordinated, standards-based transactions. It describes this body of transactions in progressively greater depth. Volume 1 (ITI TF-1) provides a high-level view of IHE functionality, showing the transactions organized into functional units called integration profiles that highlight their capacity to address specific IT Infrastructure requirements.

240 Volumes 2a, 2b, and 2x of the IT Infrastructure Technical Framework provides detailed technical descriptions of each IHE transaction used in the IT Infrastructure Integration Profiles. Volume 3 contains content specification and specifications used by multiple transactions. These volumes are consistent and can be used in conjunction with the Integration Profiles of other IHE domains.

The other domains within the IHE initiative also produce Technical Frameworks within their respective areas that together form the IHE Technical Framework. For example, the following IHE Technical Framework(s) are some of those which are available:

- 245
- IHE IT Infrastructure Technical Framework
 - IHE Cardiology Technical Framework
 - IHE Laboratory Technical Framework
 - IHE Patient Care Coordination Technical Framework
 - IHE Radiology Technical Framework

250 Where applicable, references are made to other technical frameworks. For the conventions on referencing other frameworks, see ITI TF-1: 1.6.3.

1.2 Overview of IT Infrastructure Technical Framework Volumes 2a, 2b, 2x, and 3

255 The remainder of Section 1 further describes the general nature, purpose and function of the Technical Framework. Section 2 presents the conventions used in this volume to define IHE transactions.

Section 3 defines transactions in detail, specifying the roles for each Actor, the standards employed, the information exchanged, and in some cases, implementation options for the transaction. Section 3 is divided into two parts:

- 260
- Volume 2a: Sections 3.1 - 3.28 corresponding to transactions [ITI-1] through [ITI-28].
 - Volume 2b: Sections 3.29 - 3.64 corresponding to transactions [ITI-29] through [ITI-64].

Volume 2x contains all appendices providing technical details associated with the transactions.

Volume 3, Section 4 contains specifications that are used by multiple transactions.

Volume 3, Section 5 contains Content Specifications.

265 **1.3 Audience**

The intended audience of this document is:

- IT departments of healthcare institutions
- Technical staff of vendors planning to participate in the IHE initiative
- Experts involved in standards development
- 270 • Those interested in integrating healthcare information systems and workflows

1.4 Relationship to Standards

The IHE Technical Framework identifies functional components of a distributed healthcare environment (referred to as IHE actors), solely from the point of view of their interactions in the healthcare enterprise. At its current level of development, it defines a coordinated set of
275 transactions based on ASTM, DICOM, HL7, IETF, ISO, OASIS and W3C standards. As the scope of the IHE initiative expands, transactions based on other standards may be included as required.

In some cases, IHE recommends selection of specific options supported by these standards; however, IHE does not introduce technical choices that contradict conformance to these
280 standards. If errors in or extensions to existing standards are identified, IHE's policy is to report them to the appropriate standards bodies for resolution within their conformance and standards evolution strategy.

IHE is therefore an implementation framework, not a standard. Conformance claims for products must still be made in direct reference to specific standards. In addition, vendors who have
285 implemented IHE integration capabilities in their products may publish IHE Integration Statements to communicate their products' capabilities. Vendors publishing IHE Integration Statements accept full responsibility for their content. By comparing the IHE Integration Statements from different products, a user familiar with the IHE concepts of actors and integration profiles can determine the level of integration between them. See ITI TF-2x:
290 Appendix C for the format of IHE Integration Statements.

1.5 Relationship to Real-world Architectures

The IHE actors and transactions described in the IHE Technical Framework are abstractions of the real-world healthcare information system environment. While some of the transactions are
295 traditionally performed by specific product categories (e.g., HIS, Clinical Data Repository, Radiology Information Systems, Clinical Information Systems or Cardiology Information Systems), the IHE Technical Framework intentionally avoids associating functions or actors with such product categories. For each Actor, the IHE Technical Framework defines only those functions associated with integrating information systems. The IHE definition of an Actor should therefore not be taken as the complete definition of any product that might implement it, nor

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

300 should the framework itself be taken to comprehensively describe the architecture of a healthcare information system.

The reason for defining actors and transactions is to provide a basis for defining the interactions among functional components of the healthcare information system environment. In situations where a single physical product implements multiple functions, only the interfaces between the product and external functions in the environment are considered to be significant by the IHE initiative. Therefore, the IHE initiative takes no position as to the relative merits of an integrated environment based on a single, all-encompassing information system versus one based on multiple systems that together achieve the same end. IHE demonstrations emphasize the integration of multiple vendors' systems based on the IHE Technical Framework.

310 **1.6 Comments**

IHE International welcomes comments on this document and the IHE initiative. They can be submitted using the Web-based comment form at [http://www.ihe.net/ITI Public Comments](http://www.ihe.net/ITI_Public_Comments) or by sending an email to the co-chairs and secretary of the IT Infrastructure domain committees at iti@ihe.net.

315 **1.7 Copyright Permission**

Health Level Seven, Inc., has granted permission to the IHE to reproduce tables from the HL7 standard. The HL7 tables in this document are copyrighted by Health Level Seven, Inc. All rights reserved. Material drawn from these documents is credited where used.

2 Conventions

320 This document has adopted the following conventions for representing the framework concepts
and specifying how the standards upon which the IHE IT Infrastructure Technical Framework is
based should be applied.


2.1 The Generic IHE Transaction Model

325 Transaction descriptions are provided in Section 3. In each transaction description, the actors, the
roles they play, and the transactions between them are presented as use cases.

The generic IHE transaction description includes the following components:


Scope: a brief description of the transaction.

Use case roles: textual definitions of the actors and their roles, with a simple diagram relating
them, e.g.,:



330 *Referenced Standards*: the standards (stating the specific parts, chapters or sections thereof)
to be used for the transaction.

335 *Interaction Diagram*: a graphical depiction of the actors and messages that support the
transaction, with related processing within an Actor shown as a rectangle and time
progressing downward, similar to:



340 The interaction diagrams used in the IHE IT Infrastructure Technical Framework are modeled after those described in Grady Booch, James Rumbaugh, and Ivar Jacobson, *The Unified Modeling Language User Guide*, ISBN 0-201-57168-4. Simple acknowledgment messages are often omitted from the diagrams for brevity. One or more messages may be required to satisfy a transaction. Each message is represented as an arrow starting from the Actor initiating the message.

345 *Message definitions:* descriptions of each message involved in the transaction, the events that trigger the message, its semantics, and the actions that the message triggers in the receiver.

2.2 HL7 Profiling Conventions

See ITI TF-2x: Appendix C for the HL7 profiling conventions as well as the networking implementation guidelines.

350 2.3 Use of Coded Entities and Coding Schemes

IHE does not produce, maintain or otherwise specify a coding scheme or other resource for controlled terminology (coded entities). Where applicable, coding schemes required by the HL7 and DICOM standards take precedence. In the cases where such resources are not explicitly identified by standards, implementations may utilize any resource (including proprietary or local) 355 provided any licensing/copyright requirements are satisfied.

3 IHE Transactions

This section defines each IHE transaction in detail, specifying the standards used, the information transferred, and the conditions under which the transaction is required or optional.

3.29 Intentionally Left Blank

360 3.30 Patient Identity Management

This section corresponds to transaction ITI-30, “Patient Identity Management” of the IHE IT Infrastructure Technical Framework. Transaction ITI-30 is used by the actors Patient Demographics Supplier and Patient Demographics Consumer.

3.30.1 Scope

365 This transaction transmits patient demographics in a patient identification domain (i.e., patient identifiers assigned by the same assigning authority).

The term “patient demographics” is intended to convey the patient identification and full identity and also information on persons related to this patient, such as primary caregiver, family doctor, guarantor, next of kin.


370 The transaction contains events for creating, updating, merging, linking and unlinking patients.

It enables the sending system to qualify the reliability of a patient identity, and the type of identity used (official name, alias for VIP, unknown patient).

The transaction can be used in acute care settings for both inpatients (i.e., those who are assigned a bed at the facility) and outpatients (i.e., those who are not assigned a bed at the facility).

375 The transaction can also be used in a pure ambulatory environment.

3.30.2 Use Case Roles



Actor: Patient Demographics Supplier

Role: Adds and modifies patient demographics.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

380 **Actor:** Patient Demographics Consumer

Role: Receives patient demographics.

Actor: Patient Identity Source

Role: Adds and modifies patient demographics.

Actor: Patient Identifier Cross-Reference Manager

385 **Role:** Receives patient demographics.

3.30.3 Referenced Standards

HL7 2.5 Chapters 2, 3, 6, 15

3.30.4 Message sets and options

390 Transaction ITI-30 supports two options, “Merge” and “Link/Unlink”, in order to accommodate the various methods used by healthcare organizations to reconcile duplicated identities.

Any Patient Demographics Supplier or Patient Demographics Consumer Actor SHALL support at least one of the two options “Merge” and “Link/Unlink” or both, according to the IHE national extensions of this transaction. Any implementation framework will mandate both actors to support the same option (see Sections 3.30.4.1 and 3.30.4.2).

395 Patient Identity Source and Patient Identity Cross-Reference Manager Actors may support the Pediatric Demographics Option (see Section 3.30.4.3).

3.30.4.1 Required message subset with option “Merge”

Event	Trigger	Message Static definition
Create new patient	A28	ADT^A28^ADT_A05
Update patient information	A31	ADT^A31^ADT_A05
Change Patient Identifier List	A47	ADT^A47^ADT_A30
Merge two patients	A40	ADT^A40^ADT_A39

400 3.30.4.2 Required message subset with option “Link/Unlink”

Event	Trigger	Message Static definition
Create new patient	A28	ADT^A28^ADT_A05
Update patient information	A31	ADT^A31^ADT_A05
Change Patient Identifier List	A47	ADT^A47^ADT_A30
Link Patient Information	A24	ADT^A24^ADT_A24
Unlink Patient Information	A37	ADT^A37^ADT_A37

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

3.30.4.3 Optionality of Pediatric Demographics Fields

405 The Pediatric Demographics Option does not require Patient Identity Source Actors to include any attributes not already required by the corresponding HL7 message (as is described in the following sections). This minimal set of requirements enables inclusion of the largest range of Patient Identity Source Actor systems.

410 The Pediatric Demographics Option does place additional requirements on the Patient Identifier Cross-reference Manager Actor, requiring them to accept and consider in matching* a set of HL7 attributes beyond what is required by standard PIX. See Table 3.30.4.3-1 for a description of these additional requirements. For example, we would expect that two patients with all furnished data elements identical except the First Name (e.g., “Maria” vs. “Marina”), and consecutive Birth Order values would not be automatically linked or merged by the Patient Identifier Cross-Reference Manager.

3.30.4.4 Acknowledgement Support

415 An actor that claims support for the Acknowledgement Support Option shall be capable of using the enhanced acknowledgement mode as defined in the HL7 v2.x standard. See HL7 Volume 2C, Section C.2.3 for further details.

3.30.4.5 Ambulatory Patient Data

420 If the Patient Demographics Supplier supports the Ambulatory Patient Data Option, it SHALL supply the patient address in field PID-11 for ambulatory patients whenever this address is known.

3.30.5 Common HL7 Message Segments

This section describes the common HL7 message segments used in transaction ITI-30.

425 Each table represents a segment. Fields for which a precise usage description is needed, particularly those having usage C (conditional), are commented on below the table. The optional fields are usually not commented on.

3.30.5.1 MSH - Message Header Segment

Standard Reference: HL7 Version 2.5, Chapter 2 (Section 2.15, “Message control”)

430 This segment defines the intent, supplier, destination, and some specifics of the syntax of the message. It also uniquely identifies the message itself and dates its production.

Table 3.30-1: MSH - Message Header

SEQ	LEN	DT	Usage	Card.	TBL #	ITEM#	Element name
1	1	ST	R	[1..1]		00001	Field Separator
2	4	ST	R	[1..1]		00002	Encoding Characters

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

SEQ	LEN	DT	Usage	Card.	TBL #	ITEM#	Element name
3	227	HD	R	[1..1]		00003	Sending Application
4	227	HD	R	[1..1]		00004	Sending Facility
5	227	HD	R	[1..1]		00005	Receiving Application
6	227	HD	R	[1..1]		00006	Receiving Facility
7	26	TS	R	[1..1]		00007	Date/Time of Message
8	40	ST	X	[0..0]		00008	Security
9	15	MSG	R	[1..1]		00009	Message Type
10	20	ST	R	[1..1]		00010	Message Control Id
11	3	PT	R	[1..1]		00011	Processing Id
12	60	VID	R	[1..1]		00012	Version ID
13	15	NM	O	[0..1]		00013	Sequence Number
14	180	ST	X	[0..0]		00014	Continuation Pointer
15	2	ID	O	[0..1]	0155	00015	Accept Acknowledgement Type
16	2	ID	O	[0..1]	0155	00016	Application Acknowledgement Type
17	3	ID	RE	[1..1]	0399	00017	Country Code
18	16	ID	C	[0..1]	0211	00692	Character Set
19	250	CE	RE	[0..1]		00693	Principal Language of Message
20	20	ID	X	[0..0]	0356	01317	Alternate Character Set Handling Scheme
21	427	EI	RE	[0..*]		01598	Message Profile Identifier

435 **MSH-1 Field Separator**, required: This Technical Framework requires that applications support as the recommended value specified in the HL7 standard, which is | (ASCII 124). See volume 2x: Appendix C.

440 **MSH-2 Encoding Characters**, required: This field contains the four characters in the following order: the component separator, repetition separator, escape character, and subcomponent separator. This Technical Framework requires that applications support the recommended values for encoding characters as specified in the HL7 standard. The values are ^~\& (ASCII 94, 126, 92, and 38, respectively). See ITI TF-2x: Appendix C.

MSH-3 Sending Application (HD) and **MSH-5 Receiving Application (HD)**, required. See the constrainable profile definition of data type HD.

445 **MSH-4 Sending Facility (HD)** and **MSH-6 Receiving Facility (HD)**, required. See the constrainable profile definition of data type HD.

MSH-9 Message Type (MSG), required:

Components: <Message Code (ID)> ^ <Trigger Event (ID)> ^ <Message Structure (ID)>

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

Definition: This field contains the message type, trigger event, and the message structure ID for the message. All three components are required.

450 **MSH-10 Message Control Id (ST)**, required:

Definition: This field contains a number or other identifier that uniquely identifies the message in the context of exchange between trading partners. Each message should be given a unique identifier by the sending system. The receiving system will echo this ID back to the sending system in the Message Acknowledgment segment (MSA). The combination of this identifier and the name of the sending application (MSH-3) should be unique across the healthcare enterprise.

455

MSH-12 Version ID (VID), required:

Components: <Version ID (ID)> ^ <Internationalization Code (CE)> ^ <International Version ID (CE)>

Definition: This field is matched by the receiving system to its own version to be sure the message will be interpreted correctly.

460

The first component SHALL be populated with the value "2.5" representing HL7 Version 2.5.

MSH-15 Accept Acknowledgment Type (ID), optional.

As a minimal requirement for all actors, the Original Acknowledgement Mode shall be supported, in which case this field of the message will remain empty.

465 If an actor declares the “Acknowledgement Support” Option, it shall be able to use Enhanced Acknowledgement Mode.

MSH-16 Application Acknowledgment Type (ID), optional.

As a minimal requirement for all actors, the Original Acknowledgement Mode shall be supported, in which case this field of the message will remain empty.

470 If an actor declares the “Acknowledgement Support” Option, it shall be able to use Enhanced Acknowledgement Mode.

MSH-17 Country Code (ID), required if available.

Definition: This field contains the country of origin for the message. The values to be used are those of ISO 3166, using the 3-character alphabetic form. Refer to *HL7 Table 0399 - Country code*.

475

Examples of valid values:

JPN = Japan, USA = United States, GBR = United Kingdom, ITA = Italy, FRA = France, NLD = Netherlands.

MSH-18 Character Set (ID), conditional.

480 Definition: This field contains the character set for the entire message. Refer to *HL7 Table 0211 - Alternate character sets* for valid values.

Examples of valid values:

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

ASCII: The printable 7-bit ASCII character set.

485 8859/1: The printable characters from the ISO 8859/1 Character set used by Western Europe. This character set can still be used, but 8859/15 should be used by preference. This character set is the forward-compatible version of 8859/1 and includes new characters such as the Euro currency symbol.

ISO IR87: Code for the Japanese Graphic Character set for information interchange (JIS X 0208-1990).

490 UNICODE UTF-8: UCS Transformation Format, 8-bit form.

Condition predicate: This field shall only be valued if the message uses a character set other than the 7-bit ASCII character set. Though the field is repeatable in HL7, IHE authorizes only one occurrence (i.e., one character set). The character set specified in this field is used for the encoding of all of the characters within the message.

495 **MSH-19 Principal Language of Message (CE)**, required if available. Coded from ISO 639.

Examples: DE = German, EN = English, ES=Spanish, JA = Japanese, FR = French, NL = Dutch, IT = Italian

MSH-20 Alternate Character Set Handling Scheme (ID), not supported: Character set switching is not allowed here.

500 **MSH-21 Message Profile Identifier (EI)**, required if available.

This field shall be valued in the messages for which a Message Profile has been officially registered with HL7, and is recommended to be valued for all messages in accordance with IHE Technical Framework transactions. See volume 2x: Appendix C.

3.30.5.2 EVN – Event Type Segment

505 Standard Reference: HL7 Version 2.5, Chapter 3, Section 3.4.1

This segment is used to provide generic properties of the trigger event.

Table 3.30-2: EVN – Event Type segment

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
1	3	ID	X	[0..0]	0003	00099	Event Type Code
2	26	TS	R	[1..1]		00100	Recorded Date Time
3	26	TS	C	[0..1]		00101	Date/Time Planned Event
4	3	IS	O	[0..1]	0062	00102	Event Reason Code
5	250	XCN	O	[0..*]	0188	00103	Operator ID
6	26	TS	C	[0..1]		01278	Event Occurred
7	241	HD	RE	[0..1]		01534	Event Facility

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

510 **EVN-1 Event Type Code (ID):** Not supported (deprecated in HL7 2.5). The Event Type Code is given in MSH-9 of segment MSH.

EVN-2 Recorded Date Time (TS): Required. Date/time when the event was recorded.

EVN-3 Date/Time Planned Event (TS): Conditional. Date/time when the event was planned.

Condition predicate:

- 515
- This field shall be populated in events “Pending Transfer” (A15) and “Cancel Pending Transfer” (A26), which are supported by transaction ITI-31.
 - The update of a pending transfer uses message A08 and leaves this field empty. The update of the planned date/time of the transfer is only possible through the ZBE segment in message Z99, when using the option “Historic Movement Management” of transaction ITI-31.
- 520
- Other planned events of transaction ITI-31, such as “Pending Admit”, “Pending Discharge” and the cancels thereof, use a specific field of segment PV2 to give the date/time of the planned event. For consistency of use, IHE recommends that the content of the specific field of PV2 be also copied to EVN-3.

525 National extensions of this transaction may extend the condition above.

EVN-6 Event Occurred (TS): Conditional. This field contains the date/time that the event really occurred.

Condition predicate:

- 530
- This field shall not be populated in messages communicating pending events and their cancellations.
 - In messages communicating effective events (inserts and updates), this field shall be populated with the real date/time of the notified event.
 - In messages communicating cancellations, this field shall be populated with the date/time that was sent in the message that originally communicated the event being cancelled.

535 **EVN-7 Event Facility (HD):** Required if known to the sender. This field identifies the actual facility where the event occurred as distinct from the sending facility (MSH-4).

3.30.5.3 PID - Patient Identification segment

Standard Reference: HL7 Version 2.5, Chapter 3 (Section 3.4.2)

540 The PID segment is used by all applications as the primary means of communicating patient identification information. This segment contains permanent patient identifying and demographic information that, for the most part, is not likely to change frequently.

Table 3.30-3: PID - Patient Identification segment

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
1	4	SI	O	[0..1]		00104	Set ID - PID
2	20	CX	X	[0..0]		00105	Patient ID
3	250	CX	R	[1..*]		00106	Patient Identifier List
4	20	CX	X	[0..0]		00107	Alternate Patient ID - PID
5	250	XPN	R	[1..*]		00108	Patient Name
6	250	XPN	O (Note 1)	[0..1]		00109	Mother's Maiden Name
7	26	TS	CE (Note 1)	[0..1]		00110	Date/Time of Birth
8	1	IS	CE (Note 1)	[1..1]	0001	00111	Administrative Sex
9	250	XPN	X	[0..1]		00112	Patient Alias
10	250	CE	O	[0..1]	0005	00113	Race
11	250	XAD	CE (Note 1)	[0..*]		00114	Patient Address
12	4	IS	X	[0..1]	0289	00115	County Code
13	250	XTN	O (Note 1)	[0..*]		00116	Phone Number - Home
14	250	XTN	O	[0..*]		00117	Phone Number - Business
15	250	CE	O	[0..1]	0296	00118	Primary Language
16	250	CE	O	[0..1]	0002	00119	Marital Status
17	250	CE	O	[0..1]	0006	00120	Religion
18	250	CX	C	[0..1]		00121	Patient Account Number
19	16	ST	X	[0..1]		00122	SSN Number - Patient
20	25	DLN	X	[0..1]		00123	Driver's License Number - Patient
21	250	CX	O	[0..*]		00124	Mother's Identifier
22	250	CE	O	[0..1]	0189	00125	Ethnic Group
23	250	ST	O	[0..1]		00126	Birth Place
24	1	ID	O (Note 1)	[0..1]	0136	00127	Multiple Birth Indicator
25	2	NM	O (Note 1)	[0..1]		00128	Birth Order
26	250	CE	O	[0..1]	0171	00129	Citizenship
27	250	CE	O	[0..1]	0172	00130	Veterans Military Status
28	250	CE	X	[0..0]	0212	00739	Nationality
29	26	TS	CE	[0..1]		00740	Patient Death Date and Time
30	1	ID	C	[0..1]	0136	00741	Patient Death Indicator
31	1	ID	CE	[0..1]	0136	01535	Identity Unknown Indicator
32	20	IS	CE	[0..*]	0445	01536	Identity Reliability Code

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
33	26	TS	CE (Note 1)	[0..1]		01537	Last Update Date/Time
34	241	HD	O (Note 1)	[0..1]		01538	Last Update Facility
35	250	CE	CE	[0..1]	0446	01539	Species Code
36	250	CE	C	[0..1]	0447	01540	Breed Code
37	80	ST	O	[0..1]		01541	Strain
38	250	CE	O	[0..2]		01542	Production Class Code
39	250	CWE	O	[0..*]		01840	Tribal Citizenship

545 Note 1: If the Pediatric Demographics Option is supported, this element in the table above shall be R2 for the Patient Identifier Cross-Reference Manager.

In accord with the HL7 Version 2.5 usage of this segment, fields PID-2 (Patient ID), PID-4 (Alternate Patient ID), PID-19 (SSN patient number) and PID-20 (Driver's license number) are superseded by field PID-3, as shown below; field PID-28 (Nationality) is superseded by field
550 PID-26 (Citizenship).

PID-3 – Patient Identifier List (CX), required. This field contains a list of identifiers (one or more) used by the healthcare facility to uniquely identify a patient.

As shown in the constrained profile definition of data type CX in ITI TF-2x: Appendix N.1, subfields CX-1 “ID number”, CX-4 “Assigning authority” are required, and CX-5 “Identifier
555 Type Code” is required if known for each identifier.

This field may be populated with various identifiers assigned to the patient by various assigning authorities.

The authorized values for subfield CX-5 “Identifier Type Code” are given in HL7 Table 0203 (HL7 Version 2.5, Chapter 2A, Section 2A.17.5).

560 Values commonly used for Identifier Type Code in the context of PID-3 are as follows:

BC	Bank card number. Assigning authority is the bank.
BR	Birth Certificate number. Assigning authority is the birth state or national government that issues the Birth Certificate.
DL	Driver's license number. Assigning authority is the state
565 NH	National Health Plan Identifier. Assigning authority at the national level.
PE	Living Subject Enterprise Number. Assigning authority is the enterprise.
PI	Patient Internal Identifier assigned by the healthcare organization.
PPN	Passport number.
PRC	Permanent Resident Card Number

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

570 SS Social Security Number.

PID-5 – Patient Name (XPN), required. This field contains one or more names for the patient. At least one name must be provided, with at least the first subfield “Family Name” valued. See the constrained profile definition of data type XPN.

575 **PID-6 – Mother’s Maiden Name (XPN)**, conditional:

Condition predicate:

This field is required if known for the Pediatrics Demographic Option. It serves to help link records when other demographic data and search criteria are not exactly the same.

PID-7 – Date/Time of Birth (TS), conditional.

580 Condition predicate:

- This field is required if available (i.e., known to the sender) in the following messages: Creation of a new patient (A28 in ITI-30), inpatient admitted (A01 in ITI-31), registration of an outpatient (A04 in ITI-31), update patient demographics (A31 in ITI-30), update patient demographics in the context of an encounter (A08 in ITI-31).

585 • In all other messages, it is optional.

- If the exact date of birth is not known, it can be truncated to the year of birth (e.g., 1954) or to the year and month of birth (e.g., 195411).

PID-8 – Administrative Sex (IS), conditional.

Condition predicate:

590 • This field is required if available in the following messages: Creation of a new patient (A28 in ITI-30), inpatient admitted (A01 in ITI-31), registration of an outpatient (A04 in ITI-31), update patient demographics (A31 in ITI-30).

• In all other messages, it is optional.

- The authorized values are these, taken from HL7 User-defined Table 0001:

595

User-defined Table 0001: Administrative Sex

Value	Description	Comment
F	Female	
M	Male	
O	Other	
U	Unknown	
A	Ambiguous	
N	Not applicable	

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PID-10 – Race (CE), optional: The patient race is information of critical medical importance in practices such as imaging. Therefore this information shall be present if known, except where prohibited. For example, France prohibits inclusion of Patient Race.

600

PID-11 – Patient Address (XAD), conditional:

Condition predicate:

- This field is required if available (if known to the sender) in the following messages: Creation of a new patient (A28 in ITI-30), inpatient admitted (A01 in ITI-31), registration of an outpatient (A04 in ITI-31), update patient demographics (A31 in ITI-30).
- In all other messages, it is optional.

605

PID-13 – Home Phone Number (XTN), conditional.

Condition predicate:

This field is required if known for the Pediatrics Demographic Option. It serves to help locate records when other demographic data and search criteria are not exactly the same.

610

PID-18 – Patient Account Number (CX): Conditional.

HL7 Definition: This field contains the patient account number assigned by accounting to which all charges, payments, etc., are recorded. It is used to identify the patient's account.

Relationship to encounter: A patient account can span more than one enterprise encounter.

Condition predicate: At least one of the fields PID-18 “Patient Account Number” or PV1-19 “Visit Number” shall be valued in the messages of transaction ITI-31 that use the PV1 segment. Additional requirements for the presence of value in these fields may be documented in national extensions of this transaction.

615

PID-24 – Multiple Birth Indicator (ID), conditional.

Condition predicate:

This field is required if known for the Pediatrics Demographic Option. It serves to help avoid linking records for twins, which are often nearly identical.

620

PID-25 – Birth Order (NM), conditional.

Condition predicate:

This field is required if known for the Pediatrics Demographic Option. It serves to help avoid linking records for twins, which are often nearly identical.

625

PID-29 – Patient Death Date and Time (TS), conditional:

Condition predicate:

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- 630
- This field is required in the Patient Discharge message of transaction ITI-31 if the encounter is terminated by the patient’s death and the death date is known. It provides the date/time of the patient’s death.
 - In all other Patient Discharge messages, it shall not be populated.

PID-30 – Patient Death Indicator (ID), conditional:

Condition predicate:

- 635
- This field is required to be populated with value “Y” in the Patient Discharge message of transaction ITI-31 when the encounter is terminated by the patient’s death.
 - Otherwise it is optional.

PID-31 – Identity Unknown Indicator (ID), conditional:

Condition predicate:

- 640
- This field is required if available (i.e., known to the sender) in the following messages: Creation of a new patient (A28 in ITI-30), inpatient admitted (A01 in ITI-31), registration of an outpatient (A04 in ITI-31), update patient demographics (A31 in ITI-30), update patient demographics in the context of an encounter (A08 in ITI-31).
 - In all other messages, it is optional.

645 The possible values are “Y”, and “N” which is the default.

The value “Y” means that the patient identity is unknown. In this case the field PID-3 shall contain one single patient identifier, which is a temporary identifier, and the field PID-32 will contain the value “AL” indicating that the patient name is an alias.

PID-32 – Identity Reliability Code (IS), conditional:

650 Condition predicate:

- This field is required if available (i.e., known to the sender) in the following messages: Creation of a new patient (A28 in ITI-30), inpatient admitted (A01 in ITI-31), registration of an outpatient (A04 in ITI-31), update patient demographics (A31 in ITI-30) , update patient demographics in the context of an encounter (A08 in ITI-31).
 - In all other messages, it is optional.
- 655

The field is repeatable. The possible values are taken from HL7 user-defined Table 0445:

User-defined Table 0445: Identity Reliability Code

Value	Description	Comment (added by IHE for this profile)
AL	Patient/Person Name is an Alias	Used in case of an unidentified patient (e.g., trauma case)

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

660 **PID-33 – Last Update Date/Time (TS)**, conditional:

Condition predicate:

- This field is required if available (i.e., known to the sender) in the following messages: Creation of a new patient (A28 in ITI-30), inpatient admitted (A01 in ITI-31), registration of an outpatient (A04 in ITI-31), update patient demographics (A31 in ITI-30), update patient demographics in the context of an encounter (A08 in ITI-31).
- In the cases of messages A08 and A31, the content of this field is equal to the value in EVN-6-event occurred.

670 Note: This field is required if known for the Pediatrics Demographic Option. The condition predicate above satisfies this requirement. It serves to help avoid linking records for twins, which are often nearly identical. It is used in conjunction with PID-34.

PID-34 – Last Update Facility (HD), conditional.

Condition predicate:

675 This field is required if known for the Pediatrics Demographic Option. It serves to help avoid linking records for twins, whose records are often nearly identical, when used in conjunction with PID-33.

PID-35 – Species Code (CE) and **PID-36 – Breed Code (CE)**, conditional:

Condition predicate:

- Required if known to the sender, when the patient is a non-human living subject, in the following messages: Creation of a new patient (A28 in ITI-30), inpatient admitted (A01 in ITI-31), registration of an outpatient (A04 in ITI-31), update patient demographics (A31 in ITI-30), update patient demographics in the context of an encounter (A08 in ITI-31).

3.30.5.4 PV1 - Patient Visit segment

Standard Reference: HL7 Version 2.5, Chapter 3 (Section 3.4.3)

685 The PV1 segment is used by Registration/Patient Administration applications to communicate information on an account or visit-specific basis.

Table 3.30-4: PV1 - Patient Visit segment

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	ELEMENT NAME
1	4	SI	O	[0..1]		00131	Set ID - PV1
2	1	IS	R	[1..1]	0004	00132	Patient Class
3	80	PL	C	[0..1]		00133	Assigned Patient Location
4	2	IS	O	[0..1]	0007	00134	Admission Type
5	250	CX	O	[0..1]		00135	Preadmit Number
6	80	PL	C	[0..1]		00136	Prior Patient Location
7	250	XC N	O	[0..*]	0010	00137	Attending Doctor
8	250	XC N	O	[0..*]	0010	00138	Referring Doctor
9	250	XC N	X	[0..0]	0010	00139	Consulting Doctor
10	3	IS	O	[0..1]	0069	00140	Hospital Service
11	80	PL	C	[0..1]		00141	Temporary Location
12	2	IS	O	[0..1]	0087	00142	Preadmit Test Indicator
13	2	IS	O	[0..1]	0092	00143	Re-admission Indicator
14	6	IS	O	[0..1]	0023	00144	Admit Supplier
15	2	IS	O	[0..*]	0009	00145	Ambulatory Status
16	2	IS	O	[0..1]	0099	00146	VIP Indicator
17	250	XC N	O	[0..*]	0010	00147	Admitting Doctor
18	2	IS	O	[0..1]	0018	00148	Patient Type
19	250	CX	C	[0..1]		00149	Visit Number
20	50	FC	O	[0..*]	0064	00150	Financial Class
21	2	IS	O	[0..1]	0032	00151	Charge Price Indicator
22	2	IS	O	[0..1]	0045	00152	Courtesy Code
23	2	IS	O	[0..1]	0046	00153	Credit Rating
24	2	IS	O	[0..*]	0044	00154	Contract Code
25	8	DT	O	[0..*]		00155	Contract Effective Date
26	12	NM	O	[0..*]		00156	Contract Amount
27	3	NM	O	[0..*]		00157	Contract Period
28	2	IS	O	[0..1]	0073	00158	Interest Code
29	4	IS	O	[0..1]	0110	00159	Transfer to Bad Debt Code
30	8	DT	O	[0..1]		00160	Transfer to Bad Debt Date
31	10	IS	O	[0..1]	0021	00161	Bad Debt Agency Code
32	12	NM	O	[0..1]		00162	Bad Debt Transfer Amount
33	12	NM	O	[0..1]		00163	Bad Debt Recovery Amount
34	1	IS	O	[0..1]	0111	00164	Delete Account Indicator
35	8	DT	O	[0..1]		00165	Delete Account Date

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	ELEMENT NAME
36	3	IS	O	[0..1]	0112	00166	Discharge Disposition
37	47	DL D	O	[0..1]	0113	00167	Discharged to Location
38	250	CE	O	[0..1]	0114	00168	Diet Type
39	2	IS	O	[0..1]	0115	00169	Servicing Facility
40	1	IS	X	[0..1]	0116	00170	Bed Status
41	2	IS	O	[0..1]	0117	00171	Account Status
42	80	PL	C	[0..1]		00172	Pending Location
43	80	PL	O	[0..1]		00173	Prior Temporary Location
44	26	TS	RE	[0..1]		00174	Admit Date/Time
45	26	TS	RE	[0..1]		00175	Discharge Date/Time
46	12	NM	O	[0..1]		00176	Current Patient Balance
47	12	NM	O	[0..1]		00177	Total Charges
48	12	NM	O	[0..1]		00178	Total Adjustments
49	12	NM	O	[0..1]		00179	Total Payments
50	250	CX	O	[0..1]	0203	00180	Alternate Visit ID
51	1	IS	C	[0..1]	0326	01226	Visit Indicator
52	250	XC N	X	[0..*]	0010	01274	Other Healthcare Provider

690 **General conditions of use:**

- All messages of transaction ITI-30 that use this segment, actually use a pseudo-PV1, which is empty. The only field populated is PV1-2 “Patient Class” values “N” (Not Applicable).
- The condition predicates described below only apply to the use of this segment in the context of transaction ITI-31.

695

PV1-2 – Patient Class (IS), required:

Definition: This field is used by systems to categorize patients by site. It does not have a consistent industry-wide definition. It is subject to site-specific variations. Refer to *User-defined Table 0004 - Patient Class* for suggested values.

700

User-defined Table 0004: Patient Class

Value	Description	Comment
E	Emergency	
I	Inpatient	
O	Outpatient	
P	Preadmit	

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Value	Description	Comment
R	Recurring patient	
B	Obstetrics	
C	Commercial Account	
N	Not Applicable	
U	Unknown	

National extensions of the PAM Profile may add further values to this table.

705 Messages of transaction ITI-31 may use any of the above values. The four first values (“E” Emergency, “I” Inpatient, “O” Outpatient, “P” Preadmit) are in common use in most countries.

Conditions of use:

- Transaction ITI-30 uses only the value “N” (Not Applicable) in all messages that contain the PV1 segment.
- In transaction ITI-31
 - 710 • Change to inpatient (A06) uses value I or another value representing an inpatient.
 - Change to outpatient (A07) uses value O or another value representing an outpatient (i.e., not assigned to an inpatient bed).

PV1-3 – Assigned Patient Location (PL), conditional:

Condition predicate:

- 715 • This field is required in the Transfer (A02) and Cancel Transfer (A12) messages.
- In all other messages of transaction ITI-31, it is required if known to the sender.

PV1-6 – Prior Patient Location (PL), conditional:

Condition predicate:

- 720 • This field is required in the Transfer (A02)
- In all other messages of transaction ITI-31, it is optional.

PV1-7 – Attending Doctor (XCN), optional. It is recommended that when this field is populated, the segment PV1/PV2 be followed by a ROL segment containing the details on the role assumed by the attending doctor.

725 **PV1-8 – Referring Doctor (XCN), optional.** It is recommended that when this field is populated, the segment PV1/PV2 be followed by a ROL segment containing the details on the role assumed by the referring doctor.

PV1-9 – Consulting Doctor (XCN), not supported (deprecated by HL7). The consulting doctor(s) are entirely described in the appropriate ROL segments following the PV1/PV2.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PV1-11 – Temporary Location (PL), conditional:

730 Condition predicate: This field is used by the option “Temporary Patient Transfers Tracking” of transaction ITI-31 (messages A09, A10, A32, A33).

PV1-19 – Visit Number (CX), Conditional. This fields contains the unique identifier assigned to the encounter.

735 Condition predicate: At least one of the fields PID-18 “Patient Account Number” or PV1-19 “Visit Number” shall be valued in the messages of transaction ITI-31 that use the PV1 segment. Additional requirements for the presence of values in these fields may be documented in national extensions of this transaction.

PV1-42 – Pending Location (PL), conditional.

Condition predicate:

- 740
- This field is required in the Pending Transfer (A15) and Cancel Pending Transfer (A26) messages.
 - In all other messages of transaction ITI-31, it is optional.

PV1-44 – Admit Date / Time (TS), required if available. This field contains the date/time of the beginning of the encounter.

745 **PV1-45 – Discharge Date / Time (TS)**, required if available. This field contains the date/time of the discharge (end of the encounter).

PV1-51 – Visit Indicator (IS), Conditional.

750 This field specifies the level on which data are being sent. It is the indicator used to send data at two levels, visit and account. HL7 recommends sending an ‘A’ or no value when the data in the message are at the account level, or ‘V’ to indicate that the data sent in the message are at the visit level.

Condition predicate: This field SHALL be valued with value “V” if the field PV1-19 “Visit Number” is present. The field MAY be omitted otherwise.

3.30.5.5 MRG – Merge segment

755 Standard Reference: HL7 Version 2.5, Chapter 3 (Section 3.4.9)

This segment contains the supplier patient identifiers list to be merged.

Table 3.30-5: MRG - Merge segment

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
1	250	CX	R	[1..*]		00211	Prior Patient Identifier List
2	250	CX	X	[0..0]		00212	Prior Alternate Patient ID
3	250	CX	O	[0..1]		00213	Prior Patient Account Number

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
4	250	CX	X	[0..0]		00214	Prior Patient ID
5	250	CX	X	[0..0]		01279	Prior Visit Number
6	250	CX	X	[0..0]		01280	Prior Alternate Visit ID
7	250	XPN	O	[0..*]		01281	Prior Patient Name

760 Each of the patient identifiers appearing in the MRG-1 is to be merged with a target patient identifier of the same type in the PID-3.

The type of identifier is a code given by the 5th component of the CX data type. See the commonly used identifier types in the description of the PID segment above. See also the definition of data type CX in the “Common Data Types” section.

765 3.30.5.6 ROL – Role segment

Standard Reference: HL7 Version 2.5, Chapter 15 (Section 15.4.7)

The ROL segment communicates information on persons related to the patient.

Table 3.30-6: ROL Segment

SEQ	LEN	DT	Usage	Card.	TBL #	ITEM #	ELEMENT NAME
1	60	EI	C	[0..1]		01206	Role Instance ID
2	2	ID	R	[1..1]	0287	00816	Action Code
3	250	CE	R	[1..1]	0443	01197	Role-ROL
4	250	XCN	R	[1..*]		01198	Role Person
5	26	TS	O	[0..1]		01199	Role Begin Date/Time
6	26	TS	O	[0..1]		01200	Role End Date/Time
7	250	CE	O	[0..1]		01201	Role Duration
8	250	CE	O	[0..1]		01205	Role Action Reason
9	250	CE	O	[0..*]		01510	Provider Type
10	250	CE	O	[0..1]	0406	01461	Organization Unit Type
11	250	XAD	O	[0..*]		00679	Office/Home Address/Birthplace
12	250	XTN	O	[0..*]		00678	Phone

770

ROL-1 – Role Instance ID (EI), optional. This field is in fact optional in the context of ADT messages.

ROL-2 – Action Code (ID), required

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

775 **ROL-3 – Role-ROL (CE)**, required. This field defines the functional involvement of the person. Values are given in *User-defined Table 0443*:

User-defined Table 0443: Provider role

Value	Description	Used with
AD	Admitting	PV1-17 Admitting doctor
AT	Attending	PV1-7 Attending doctor
CP	Consulting Provider	
FHCP	Family Health Care Professional	
PP	Primary Care Provider	
RP	Referring Provider	PV1-8 Referring doctor
RT	Referred to Provider	

ROL-4 – Role Person (XCN), required. Identification of the person playing the role.

780 **3.30.5.7 OBX – Observation/Result segment**

Standard Reference: HL7 Version 2.5, Chapter 7 (Section 7.4.2)

In transactions ITI-30 and ITI-31, the OBX segment is primarily used to convey patient height and patient weight. For this reason, this segment is described in this section, although it always appears as optional in transactions ITI-30 and ITI-31.

785

Table 3.30-7: OBX Segment

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
1	4	SI	O	[0..1]		00569	Set ID – OBX
2	2	ID	C	[1..1]	0125	00570	Value Type
3	250	CE	R	[1..1]		00571	Observation Identifier
4	20	ST	C	[0..1]		00572	Observation Sub-ID
5	99999	Varies	C	[1..1]		00573	Observation Value
6	250	CE	O	[0..1]		00574	Units
7	60	ST	O	[0..1]		00575	References Range
8	5	IS	O	[0..1]	0078	00576	Abnormal Flags
9	5	NM	O	[0..1]		00577	Probability
10	2	ID	O	[0..1]	0080	00578	Nature of Abnormal Test
11	1	ID	R	[0..1]	0085	00579	Observation Result Status
12	26	TS	O	[0..1]		00580	Effective Date of Reference Range
13	20	ST	O	[0..1]		00581	User Defined Access Checks
14	26	TS	O	[0..1]		00582	Date/Time of the Observation

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
15	250	CE	O	[0..1]		00583	Producer's ID
16	250	XCN	O	[0..1]		00584	Responsible Observer
17	250	CE	O	[0..1]		00936	Observation Method
18	22	EI	O	[0..1]		01479	Equipment Instance Identifier
19	26	TS	O	[0..1]		01480	Date/Time of the Analysis

OBX-2 Value Type (ID), conditional.

This field contains the type of observation.

790 Example: “NM” for a numeric observation such as patient weight or patient height.

Condition predicate: This field SHALL be valued if OBX-5 “Observation Value” is present. It MAY be valued otherwise.

OBX-3 Observation Identifier (CE), required

795 The usage of LOINC® vocabulary is strongly recommended. Details of this free vocabulary can be found at <http://www.loinc.org>. The first and third sub-fields, “Identifier” and “Name of Coding System” are required in all transactions. The value of the “Name of Coding System” in the case of LOINC is “LN”.

Example of the code used with the patient weight: 3142-7^BODY WEIGHT (STATED)^LN

OBX-4 Observation Sub-ID (CE), conditional

800 This field is used to distinguish between multiple OBX segments with the same observation ID.

Condition predicate: When field OBX-3 “Observation Identifier” has an identical value in two or more OBX segments of the message, field OBX-4 “Observation Sub-ID” SHALL be populated with a distinct value in each of these OBX segments.

OBX-5 Observation Value (Varies), conditional.

805 This field contains the value of the observation itself.

Condition predicate: This field SHALL be valued if OBX-11 “Observation Result Status” has another value than “X”, “D”, “N” or “I” and if OBX-8 “Abnormal Flags” is empty. In all other cases this field MAY be valued.

OBX-11 Observation Result Status (ID), required.

810 This field contains the status of the results. In messages of transactions ITI-30 and ITI-31, this status is most commonly “F” (Final).

Example of use of the OBX segment to carry the patient weight and height:

```
OBX|1|NM|3142-7^BODY WEIGHT (STATED)^LN||62|kg|||||F
```

```
OBX|2|NM|8303-0^BODY HEIGHT^LN||1.70|m|||||F
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

815 **3.30.5.8 AL1 – Patient Allergy Information segment**

Standard Reference: HL7 Version 2.5, Chapter 3, Section 3.4.6

In transactions ITI-30 and ITI-31, the AL1 segment is used to inform the receiver of patient allergies. For this reason, this segment is described in this section, although it always appears as optional in transactions ITI-30 and ITI-31.

820

Table 3.30-8: AL1 Segment


SEQ	LEN	DT	Usage	Card.	TBL#	ITEM#	Element name
1	4	SI	R	[1..1]		00203	Set ID – AL1
2	250	CE	O	[0..1]	0127	00204	Allergen Type Code
3	250	CE	R	[1..1]		00205	Allergen Code/Mnemonic/Description
4	250	CE	O	[0..1]	0128	00206	Allergen Severity Code
5	15	ST	O	[0..*]		00207	Allergen Reaction Code
6	8	DT	X	[0..0]		00208	Identification Date

One or more AL1 segments may appear in the messages of transactions ITI-30 and ITI-31 if any allergies have been identified for the patient at time of registration.

825 **3.30.6 Interactions**

All messages of this transaction shall be acknowledged by the ACK message as stated in ITI TF-2x: Appendix C. For better readability, the acknowledgement messages are not shown on the interaction diagrams of this transaction.

3.30.6.1 Interaction diagram



830

Figure 3.30-1: Interactions of Transaction ITI-30

3.30.6.2 Create New Patient - ADT^A28^ADT_A05

3.30.6.2.1 Trigger Event

835 This message is sent by a Patient Demographics Supplier to a Patient Demographics Consumer to communicate the demographics of a new patient, as well as related information.

MSH-9 is valued **ADT^A28^ADT_A05**.

3.30.6.2.2 Message Static Definition

840

Table 3.30-9: Static definition of ADT^A28^ADT_A05

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	X	[0..0]	3
ROL	Role	X	[0..0]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6

3.30.6.2.3 Comments on segment usage

The ROL segment following the PID/PD1 segments is used to communicate “person level” providers having an ongoing relationship with the patient, such as “family health care provider” and “primary care provider”.

845 The PV1 segment in this message is required in the HL7 message structure, but it is a pseudo PV1 carrying the only required field PV1-2 “Patient Class” with the value “N” meaning “Not applicable”. This message does not convey any visit information.

The PV2 segment is not supported here, for the same reason.

The ROL segment following the PV1/PV2 segments is not supported here, for the same reason.

850 One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

The ROL segment following the IN1/IN2/IN3 segments serves to communicate providers related to a specific insurance carrier.

3.30.6.2.4 Expected actions

855 The receiver shall add this new patient to its database, and shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

3.30.6.3 Update patient information - ADT^A31^ADT_A05

3.30.6.3.1 Trigger Event

860 This message is sent by a Patient Demographics Supplier to a Patient Demographics Consumer to update the demographics of an existing patient.

MSH-9 is valued ADT^A31^ADT_A05.

3.30.6.3.2 Message Static Definition

Table 3.30-10: Static definition of ADT^A31^ADT_A05

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	X	[0..0]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6

865 **3.30.6.3.3 Comments on segment usage**

To accommodate the situation in which the receiver does not know the patient, this message is populated with complete up-to-date demographics for the patient.

870 The ROL segment following the PID/PD1 segments is used to communicate “person level” providers having an ongoing relationship with the patient, such as “family health care provider” and “primary care provider”.

The PV1 segment in this message is required in the HL7 message structure, but it is a pseudo PV1 carrying the only required field PV1-2 “Patient Class” with the value “N” meaning “Not applicable”. This message does not convey any visit information.

The PV2 segment is not supported here, for the same reason.

875 The ROL segment following the PV1/PV2 segments is not supported here, for the same reason.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

The ROL segment following the IN1/IN2/IN3 segments serves to communicate providers related to a specific insurance carrier.

880 **3.30.6.3.4 Expected actions**

The receiver shall update the patient record in its database, and shall report the result of this operation (success / error) in an acknowledgment message returned to the sender. If the receiver did not previously have a record for this patient, it shall insert this patient into its database.

3.30.6.4 Merge two patients - ADT^A40^ADT_A39

885 This message is to be supported with the “Merge” Option of transaction ITI-30.

3.30.6.4.1 Trigger Event

890 The Patient Demographics Supplier notifies to a Patient Demographics Consumer, the merge of records for a patient that was incorrectly filed under two different identifiers. This message is only used to merge two patient identifiers of the same type, or two lists of patient identifiers. It is not used to update other patient demographics information. The A31 trigger event should be used for this purpose.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

MSH-9 is valued ADT^A40^ADT_A39.

3.30.6.4.2 Message Static Definition

895

Table 3.30-11: Static definition of ADT^A40^ADT_A39

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
---	--- PATIENT begin	R	[1..1]	
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
MRG	Merge Information	R	[1..1]	3
PV1	Patient Visit	X	[0..0]	3

3.30.6.4.3 Comments on segment usage

This transaction makes unrepeatable the PATIENT segment group: The message can communicate only one merge operation for one patient.

900 The “incorrect supplier identifier” identified in the MRG segment (*MRG-1 - Prior Patient Identifier List*) is to be merged with the required “correct target identifier” of the same “identifier type code” component identified in the PID segment (*PID-3 - Patient Identifier List*). The “incorrect supplier identifier” would then logically never be referenced in future transactions.

The PV1 segment is not supported by IHE in this message.

3.30.6.4.4 Expected actions

905 The receiver shall merge the two patients in its database, and shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

If the receiver does not recognize the target patient identifiers, it shall perform a Change Patient Identifier List instead of a Merge. This situation is not an error.

910 If the receiver does not recognize the supplier patient identifiers to be merged, it shall take no action. This situation is not an error.

If the receiver does not support the Merge Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.30.6.5 Change Patient Identifier List - ADT^A47^ADT_A30

3.30.6.5.1 Trigger Event

915 The Patient Demographics Supplier notifies the change of a patient identifier list for a patient. That is, a single *PID-3-patient identifier list value* has been found to be incorrect and has been changed.

This message is not used to update other patient demographics information. The A31 trigger event should be used for this purpose.

920 MSH-9 is valued **ADT^A47^ADT_A30**.

3.30.6.5.2 Message Static Definition

Table 3.30-12: Static definition of ADT^A47^ADT_A30

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
---	--- PATIENT begin	R	[1..1]	
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
MRG	Merge Information	R	[1..1]	3

3.30.6.5.3 Comments on segment usage

925 The “incorrect supplier identifier” value is stored in the MRG segment (*MRG-1-Prior Patient Identifier List*) and is to be changed to the “correct target patient ID” value stored in the PID segment (*PID-3-Patient Identifier List*).

3.30.6.5.4 Expected actions

930 The receiver shall correct the identifier in its database, and shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

If the receiver already associates the target patient identifiers with another patient in its database, this is an error condition: A merge (A40) should have been sent instead of a change.

If the receiver does not recognize the supplier patient identifiers to be merged, no further action is required and no error condition exists.

935 3.30.6.6 Link Patient Information List - ADT^A24^ADT_A24

This message is to be supported with the “Link/Unlink” Option of transaction ITI-30.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.30.6.6.1 Trigger Event

940 The Patient Demographics Supplier notifies the link of one patient identifier list (the first PID segment) to another one (the second PID segment). Linking two or more patients does not require the actual merging of patient information; following a link event, the affected patient data records should remain distinct.

This message is not used to update other patient demographics information. The A31 trigger event should be used for that purpose.

MSH-9 is valued to **ADT^A24^ADT_A24**.

945 3.30.6.6.2 Message Static Definition**Table 3.30-13: Static definition of ADT^A24^ADT_A24**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	X	[0..1]	3
PV1	Patient Visit	X	[0..1]	3
DB1	Disability Information	X	[0..1]	3
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	X	[0..1]	3
PV1	Patient Visit	X	[0..1]	3
DB1	Disability Information	X	[0..1]	3

3.30.6.6.3 Comments on segment usage

950 The patient identifier list stored in the first PID segment (*PID-3–Patient Identifier List*) is to be linked with the patient identifier list stored in the second PID segment (*PID-3–Patient Identifier List*).

Transaction ITI-30 restricts the use of this message to only the purpose of linking two patient identifier lists. This is why segments PD1, PV1 and DB1 are not supported in this message.

3.30.6.6.4 Expected actions

955 The receiver links the identifier lists in its database, and reports the result of this operation (success / error) in an acknowledgment message returned to the sender. In case of success, each patient record persists with all its associated information (encounter, clinical, care, insurance, next of kin, etc.).

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

960 In case the receiver did not recognize one or both of the patient identifier lists, the linking is still performed (the receiver will record the link without creating any missing patient record) and no error condition exists.

If the receiver does not support the Link/Unlink Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.30.6.7 Unlink Patient Information List - ADT^A37^ADT_A37

965 3.30.6.7.1 Trigger Event

The Patient Demographics Supplier notifies the receiving system of the unlinking of one patient identifier list (the first PID segment) from another one (the second PID segment).

MSH-9 is valued ADT^A37^ADT_A37.

3.30.6.7.2 Message Static Definition

970

Table 3.30-14: Static definition of ADT^A37^ADT_A37

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	X	[0..1]	3
PV1	Patient Visit	X	[0..1]	3
DB1	Disability Information	X	[0..1]	3
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	X	[0..1]	3
PV1	Patient Visit	X	[0..1]	3
DB1	Disability Information	X	[0..1]	3

3.30.6.7.3 Comments on segment usage

The patient identifier lists stored in the two PID segments (*PID-3–Patient Identifier List*) are to be unlinked.

975 Transaction ITI-30 restricts the use of this message to only the purpose of unlinking two patient identifier lists. This is why segments PD1, PV1 and DB1 are not supported in this message.

3.30.6.7.4 Expected actions

The receiver unlinks the identifier lists in its database, and reports the result of this operation (success / error) in an acknowledgment message returned to the sender.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

980 In case of success the two patient records are unlinked, each of them keeping its own related information (encounter, clinical, next of kin, insurance...).

In case the receiver did not recognize the link between these two patient identifier lists, no action is performed and no error condition exists.

985 If the receiver does not support the Link/Unlink Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31 Patient Encounter Management

This section corresponds to transaction ITI-31 “Patient Encounter Management” of the IHE IT Infrastructure Technical Framework. Transaction ITI-31 is used by the actors Patient Encounter Supplier and Patient Encounter Consumer.


3.31.1 Scope

This transaction enables systems to share encounter information within acute care settings for both inpatients (i.e., those who are assigned an inpatient bed at the facility) and outpatients (i.e., those who are not assigned an inpatient bed at the facility).

The transaction carries events for creating, updating, and canceling patient encounters as well as the movements that take place within these encounters.

The capabilities of this transaction are organized into several optional subsets to address a wide range of needs from the simplest one that only shares the basic encounter information to the most sophisticated one that tracks all patient temporary moves in the healthcare facility.

3.31.2 Use Case Roles



Actor: Patient Encounter Supplier

Role: Sends inserts, cancels and updates of patient encounters and movements.

Actor: Patient Encounter Consumer

Role: Receives patient encounters and movement messages, and takes the appropriate actions.

3.31.3 Referenced Standards

HL7 2.5 Chapters 2, 3, 6, 15

3.31.4 Definition of the concept “Movement”

As stated in Volume 1, a “Movement” is any change of the situation of the patient (location, patient class, attending doctor, etc.) in the context of the encounter.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

The concept of “Movement” is a superset of the concept of “Transfer”. Like a transfer, a movement is an event that can be planned (pending) and executed (effective). Errors detected in the recording of these pending and effective events can later be corrected through cancellations or updates, which are distinct events. Three actions are associated with Movements:


- 1015 • **Insert:** This action is the first recording of the Movement.
- **Update:** This action corrects some attributes of a Movement formerly inserted. This action is possible only with the option “Historic Movement Management” of transaction ITI-30.
- 1020 • **Cancel:** This action cancels a Movement that was erroneously recorded, and requests the receiver to delete this Movement from its database. Only the current Movement can be cancelled.

In some acute care settings, both the billing process and care provision process require precise knowledge of the movements of the inpatient during his or her stay in the hospital. Applications acting as Patient Encounter Supplier or Patient Encounter Consumer, divide the period of the encounter into “sub-encounters” delimited by the Movements. Each of these “sub-encounters” provides a specific context to record and invoice the acts produced within this period. However, if applications on both ends manage sub-encounters, which are periods of time, the messages of transaction ITI-31 communicate Movements as events. Hence, applications manage periods of time, but the messages carry the discrete events that delimit these periods of time.

1030 Illustration:

- Patient received at Emergency room by attending doctor U. (A04 / patient class E).
- Doctor U admits the patient (A06 / patient class = I), into location BB, referring him to attending Doctor X.
- The patient is moved to location GG (A02Transfer), keeping X for attending doctor.
- 1035 • The patient is healed and leaves the hospital (A03: Discharge).

These 4 real world events are expressed with 5 trigger events / messages, two of which occur at the same time (step 2). Here the encounter will be divided into 3 sub-encounters:



HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1040 **3.31.5 Message sets and options**

All messages of this transaction shall be acknowledged by the ACK message as described in ITI TF-2x: Appendix C. For better readability, the acknowledgement messages are not shown on the interaction diagrams of this transaction.

3.31.5.1 Basic Subset

1045

Table 3.31-1: Message Basic Subset for Transaction ITI-31

Category of event	Trigger / Action			
	insert		cancel	
Admit inpatient	A01	ADT^A01^ADT_A01	A11	ADT^A11^ADT_A09
Register outpatient	A04	ADT^A04^ADT_A01		
Discharge patient	A03	ADT^A03^ADT_A03	A13	ADT^A13^ADT_A01

The Basic Subset of transaction ITI-31 is composed of the above events and related messages. A system implementing either Patient Encounter Supplier or Patient Encounter Consumer, shall support these 5 trigger events and messages.

1050




Figure 3.31-1: Interaction Diagram for the Basic Subset

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.5.2 Inpatient/Outpatient Encounter Management Option

1055 This option adds support for management of patient class (Outpatient, Emergency, Inpatient, Pre-admitted, etc.) and of patient location (point of care, room, bed, etc.).

The following is the required message set to support the “Inpatient/Outpatient Encounter Management” Option:

1060 **Table 3.31-2: Message Subset for Inpatient/outpatient Encounter Management Option**

Category of event	Trigger / Action			
	insert		cancel	
Admit inpatient	A01	ADT^A01^ADT_A01	A11	ADT^A11^ADT_A09
Register outpatient	A04	ADT^A04^ADT_A01		
Discharge patient	A03	ADT^A03^ADT_A03	A13	ADT^A13^ADT_A01
Pre-admit patient	A05	ADT^A05^ADT_A05	A38	ADT^A38^ADT_A38
Change patient class to inpatient	A06	ADT^A06^ADT_A06		
Change patient class to outpatient	A07	ADT^A07^ADT_A06		
Transfer patient	A02	ADT^A02^ADT_A02	A12	ADT^A12^ADT_A12

A system implementing this option shall support these 11 trigger events and messages. Figure 3.31-2 depicts the messages added by this option to the basic subset.

1065

1070

1075

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.




Figure 3.31-2: Additional Interactions for “Inpatient/Outpatient Encounter Management” Option

1080

3.31.5.3 Pending Event Management Option

This option adds support for management of pending events. This option also requires the “Inpatient/Outpatient Encounter Management” Option.

1085 The following is the required message set to support the “Pending Event Management” Option:

Table 3.31-3: Message Subset for Pending Event Management Option

Category of event	Trigger / Action			
		insert		cancel
Admit inpatient	A01	ADT^A01^ADT_A01	A11	ADT^A11^ADT_A09
Register outpatient	A04	ADT^A04^ADT_A01		
Discharge patient	A03	ADT^A03^ADT_A03	A13	ADT^A13^ADT_A01
Pre-admit patient	A05	ADT^A05^ADT_A05	A38	ADT^A38^ADT_A38
Change patient class to inpatient	A06	ADT^A06^ADT_A06		
Change patient class to outpatient	A07	ADT^A07^ADT_A06		
Transfer patient	A02	ADT^A02^ADT_A02	A12	ADT^A12^ADT_A12

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Category of event	Trigger / Action			
	insert		cancel	
Pending admit	A14	ADT^A14^ADT_A05	A27	ADT^A27^ADT_A21
Pending transfer	A15	ADT^A15^ADT_A15	A26	ADT^A26^ADT_A21
Pending discharge	A16	ADT^A16^ADT_A16	A25	ADT^A25^ADT_A21

A system implementing this option shall support these 17 trigger events and messages.

1090 Figure 3.31-3 below depicts the messages added by this option to the basic subset and the Inpatient/Outpatient Encounter Management Option.




Figure 3.31-3: Additional Interactions for “Pending Event Management” Option

1095 **3.31.5.4 Advanced Encounter Management Option**

This option provides support to manage changes of attending doctor, leaves of absence, and accounts.

The following is the required message set to support the “Advanced Encounter Management” Option:

1100

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Table 3.31-4: Message Subset for Advanced Encounter Management Option

Category of event	Trigger / Action			
		insert		cancel
Admit inpatient	A01	ADT^A01^ADT_A01	A11	ADT^A11^ADT_A09
Register outpatient	A04	ADT^A04^ADT_A01		
Discharge patient	A03	ADT^A03^ADT_A03	A13	ADT^A13^ADT_A01
Change attending doctor	A54	ADT^A54^ADT_A54	A55	ADT^A55^ADT_A52
Leave of absence	A21	ADT^A21^ADT_A21	A52	ADT^A52^ADT_A52
Return from leave of absence	A22	ADT^A22^ADT_A21	A53	ADT^A53^ADT_A52
Move account information	A44	ADT^A44^ADT_A43		

A system implementing this option shall support these 12 trigger events and messages.

1105 Figure 3.31-4 below depicts the messages added by this option to the basic subset.




Figure 3.31-4: Additional Interactions for “Advanced Encounter Management” Option

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.5.5 Temporary Patient Transfers Tracking Option

1110 This option tracks patient moves to and from temporary locations such as radiotherapy, scanner, EKG, and dialysis.


The following is the required message set to support the “Temporary Patient Transfers Tracking” Option:

1115 **Table 3.31-5: Message Subset for Temporary Patient Transfers Tracking Option**

Category of event	Trigger / Action			
	insert		cancel	
Admit inpatient	A01	ADT^A01^ADT_A01	A11	ADT^A11^ADT_A09
Register outpatient	A04	ADT^A04^ADT_A01		
Discharge patient	A03	ADT^A03^ADT_A03	A13	ADT^A13^ADT_A01
Patient departing - Tracking	A09	ADT^A09^ADT_A09	A33	ADT^A33^ADT_A21
Patient arriving - Tracking	A10	ADT^A10^ADT_A09	A32	ADT^A32^ADT_A21

A system implementing this option shall support these 9 trigger events and messages.

Figure 3.31-5 below depicts the messages added by this option to the basic subset.



1120 **Figure 3.31-5: Additional Interactions for “Temporary Patient Transfers Tracking” Option**

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.5.6 Historic Movement Management

This option adds the capability to cancel or update safely any Movement.

1125 The Movement updated can be the current Movement (currently active or pending) or a Movement in the past (i.e., historic Movement).

The Movement canceled can only be the current Movement (currently active or pending).

1130 This capability is supported by the addition of segment ZBE below PV1/PV2. With this option, this ZBE segment is required at this position in the messages associated with the following trigger events: A01, A02, A03, A04, A05, A06, A07, A11, A12, A13, A14, A15, A16, A21, A22, A25, A26, A27, A38, A52, A53, A54, A55, Z99. In the following sections the ZBE segment is only shown in the message associated with trigger Z99 which is dedicated to the Historic Movement Management Option. In the other messages, this segment will appear whenever this option is active.

This segment ZBE brings the following features:

- 1135
 - It enables unique identification of the Movement (including admission and discharge).
 - It carries an action code that describes the action to be performed on this Movement: The three possible actions are:
 - **INSERT**: The receiver must interpret the content of this message as a new Movement.
 - 1140 • **CANCEL**: This action code is always associated with a “cancel” trigger event. The receiver shall delete the corresponding Movement (matched with its unique identifier). Only the current Movement can be cancelled.
 - 1145 • **UPDATE**: This action code is associated with the dedicated trigger event Z99 described in Section 3.31.7.30. The receiver shall update the corresponding Movement (matched with its unique identifier), which can be the current Movement or a historic Movement.
 - In the case of UPDATE or CANCEL, the ZBE segment carries the code of the original trigger event that was associated with the action INSERT of the related Movement.
 - 1150 • It carries an indicator “Historic Movement” informing whether the action to perform is about the current Movement or a Historic one.
 - It provides the starting date/time of the “sub-encounter” that this Movement initiates.
 - It carries the ward to which this patient is assigned during this sub-encounter.

This option may apply to any combination of the previous subsets, except Temporary Patient Transfers Tracking (Temporary Patient Transfers do not need to be uniquely identified).

1155 **Implementation note:** The Patient Encounter Consumer must support transaction log update to maintain integrity of the Movement records.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

3.31.5.7 Acknowledgement Support

1160 An actor that claims support for the Acknowledgement Support Option shall be capable of using the enhanced acknowledgement mode as defined in the HL7 v2.x standard. See HL7 Volume 2C, Section C.2.3 for further details.

3.31.5.8 Ambulatory Patient Data

If the Patient Encounter Supplier supports the Ambulatory Patient Data Option, it SHALL supply:

- 1165 the patient address in field PID-11 for ambulatory patients whenever this address is known
- the referring doctor in field PV1-8, if known, when registering an outpatient (MSH-9 Message Type is ADT^A04) or when pre-registering a patient (MSH-9 Message Type is ADT^A05)
- the ambulatory status of the patient into field PV1-15 if this information is known.

3.31.5.9 Maintain Demographics Option

1170 This option adds support to manage “Update patient information” and “Merge patient identifier list” in the context of an encounter.

The following is the required message set to support the “Maintain Demographics Option”:

Category of event	Trigger / Action			
	insert		cancel	
Admit inpatient	A01	ADT^A01^ADT_A01	A11	ADT^A11^ADT_A09
Register outpatient	A04	ADT^A04^ADT_A01		
Discharge patient	A03	ADT^A03^ADT_A03	A13	ADT^A13^ADT_A01
Update patient information	A08	ADT^A08^ADT_A01		
Merge patient identifier list	A40	ADT^A40^ADT_A39		

1175 A Patient Encounter Supplier or Patient Encounter Consumer supporting the Maintain Demographics Option shall support these 7 trigger events and messages.

Figure 3.31-6 depicts the messages added by this option to the basic subset.




Figure 3.31-6: Additional Interactions for “Maintain Demographics” Option

1180

3.31.6 Common HL7 Message Segments

Messages in transaction ITI-31 use the same common HL7 message segments as those in transaction ITI-30; refer to Section 3.30.5. In addition, messages in transaction ITI-31 use the ZBE segment, described below.

1185 3.31.6.1 ZBE – Movement Action segment

The ZBE segment was introduced in the German extension of the IHE Radiology Technical Framework. It is extended here with three additional fields: ZBE-5, ZBE-6 and ZBE-7. This ZBE segment is required with the “Historic Movement” Option of transaction ITI-31.

1190 The purpose of this segment is to uniquely identify any movement at creation time (action INSERT), so that any further correction brought to this movement (action UPDATE) or cancellation of it (action CANCEL) can be achieved safely and consistently between the two actors Patient Encounter Supplier and Patient Encounter Consumer.

1195 Another security feature offered by this segment is to clearly distinguish current events from events that address a historic (past) movement to avoid any misinterpretation on the part of the receiving application.

Table 3.31-6: ZBE segment description

SEQ	LEN	DT	Usage	Card.	ELEMENT NAME
1		EI	R	[1..*]	Movement ID
2		TS	R	[1..1]	Start Movement Date/Time
3		TS	O	[0..1]	End Movement Date/Time
4		ID	R	[1..1]	Movement Action (INSERT / UPDATE / CANCEL)
5		ID	R	[1..1]	Historical Movement Indicator (values: Y / N)
6		ID	C	[0..1]	Original trigger event code [in the case of an UPDATE of the movement (trigger A08), this field conveys the original trigger event that was sent with the INSERT]
7		XO	O	[0..1]	Responsible Ward (Medical or Nursing Ward, depending of the

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

SEQ	LEN	DT	Usage	Card.	ELEMENT NAME
		N			trigger event of the message)

1200 **ZBE-1 – Movement ID (EI):** required and repeatable to support cooperative Movement Management. The Movement Identifier list is created with the action INSERT, and then recalled with further actions such as UPDATE or CANCEL.

ZBE-2 – Start Movement Date/Time (TS): Required. It is the date/time of the creation of the Movement, i.e., the effective date time of the event that used action INSERT with this Movement.

1205 **ZBE-3 – End Movement Date/Time (TS):** Optional.

ZBE-4 – Action (ID): Required. Three possible values:

- INSERT: With any trigger event that inserts a movement.
- UPDATE: With trigger event Z99
- CANCEL: With any “cancel” trigger event.

1210 **ZBE-5 –Historic Indicator (ID):** Required. Values:

- ‘Y’ when the message is related to a Historic Movement.
- ‘N’ when the message is related to the current (last or next) movement.

ZBE-6 – Original Trigger (ID): Conditional.

1215 Condition predicate: This field shall be populated when ZBE-4 contains action UPDATE or CANCEL. In this case, this field is populated with the trigger event that inserted (action INSERT) the movement being currently updated or canceled.

ZBE-7 – Responsible Ward (XON): Optional. This field may be further constrained in national extensions of this transaction. It will, for example, be associated with usage ‘RE’ in the French extension.

1220 3.31.7 Interactions

The following sections contain the static definitions of the messages belonging to the various optional sets described above.

The Historic Movement Management Option is not shown in these message tables. The reader is reminded that this option adds the ZBE segment below PV1/PV2.

1225 **3.31.7.1 Admit/Visit Notification (ADT^A01^ADT_A01)****3.31.7.1.1 Trigger Event**

This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient has arrived at a healthcare facility for an episode of care in which the patient is assigned to an inpatient bed. Such an episode is commonly referred to as “inpatient” care.

1230 MSH-9 is valued ADT^A01^ADT_A01.

3.31.7.1.2 Message Static Definition**Table 3.31-7: Static definition of message ADT^A01^ADT_A01**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

3.31.7.1.3 Comments on segment usage

1235 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments. Providers specific to a particular insurance carrier may be communicated in ROL segments immediately following the IN1/IN2/IN3 segments.

1240 One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.1.4 Expected actions

The receiver shall update the patient’s status to indicate that the patient has been admitted.

1245 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement (new admission) conflicts with an existing current movement for the patient (an admission is already opened for this patient) the message is discarded and an error condition is raised.

3.31.7.2 Cancel Admit/Visit Notification – ADT^A11^ADT_A09

1250 **3.31.7.2.1 Trigger Event**

This message is sent by a Patient Encounter Supplier to cancel a previous notification to a Patient Encounter Consumer as a notification that a patient has been admitted for an inpatient stay (via trigger event A01) or registered for an outpatient visit (via trigger event A04). See Section 3.31.5.8 for the message to be used to cancel a pre-admit notification, and Section 3.31.5.14 for the message to be used to cancel a pending admit notification.

1255

MSH-9 is valued ADT^A11^ADT_A09.

3.31.7.2.2 Message Static Definition

Table 3.31-8: Static definition of message ADT^A11^ADT_A09

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
DG1	Diagnosis Information	X	[0..0]	6

1260 **3.31.7.2.3 Comments on segment usage**

None.

3.31.7.2.4 Expected actions

The receiver shall reset the patient’s status in its system to the value existing immediately before the admit or visit notification was received.

1265 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (i.e., no inpatient nor outpatient visit has been opened for this patient) the message is discarded but no error condition is raised.

1270 **3.31.7.3 Register a Patient (ADT^A04^ADT_A01)**

3.31.7.3.1 Trigger Event

This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient has arrived at a healthcare facility for an episode of care in which the patient is not assigned to a bed. Examples of such episodes include outpatient visits, ambulatory care encounters, and emergency room visits.

1275

MSH-9 is valued **ADT^A04^ADT_A01**.

3.31.7.3.2 Message Static Definition

Table 3.31-9: Static definition of message ADT^A04^ADT_A01

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

1280 3.31.7.3.3 Comments on segment usage

Field *PV1-44-admit date/time* is used to carry the date and time that the encounter started.

1285 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments. Providers specific to a particular insurance carrier may be communicated in ROL segments immediately following the IN1/IN2/IN3 segments.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.3.4 Expected actions

1290 The receiver shall update the patient’s status to indicate that the visit has started.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case an inpatient encounter is already opened, the outpatient encounter is still recorded by the receiver. This is not a situation of conflict and no error condition is raised.

1295 3.31.7.4 Discharge/End Visit (ADT^A03^ADT_A03)

3.31.7.4.1 Trigger Event

1300 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient's stay at a healthcare facility has ended. Inpatient encounters are generally closed by an A03. Outpatient encounters may or may not be closed by an A03, depending on the healthcare organization policies.

MSH-9 is valued **ADT^A03^ADT_A03**.

3.31.7.4.2 Message Static Definition

Table 3.31-10: Static definition of message ADT^A03^ADT_A03

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	X	[0..0]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
OBX	Observation/Result	O	[0..*]	7
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

1305 3.31.7.4.3 Comments on segment usage

Field *PV1-3-assigned patient location* is used to indicate the patient's last location prior to discharge (or end of visit).

Field *PV1-45-discharge date/time* is used to carry either the date and time of discharge (for an inpatient) or the date and time that the visit ended (for an outpatient).

1310 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments. Providers specific to a particular insurance carrier may be communicated in ROL segments immediately following the IN1/IN2/IN3 segments.

1315 Within a Patient Discharge message, if the encounter has been terminated by the patient's death, then the field PID-30 Patient Death Indicator shall be populated. In this case PID-29 Patient Death Date and Time shall be populated as well, provided that the value is known..

3.31.7.4.4 Expected actions

The receiver shall update the patient's status to "discharged" (or "visit ended").

1320 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no inpatient nor outpatient visit opened for this patient) the message is discarded but no error condition is raised.

3.31.7.5 Cancel Discharge/End Visit – ADT^A13^ADT_A01

1325 3.31.7.5.1 Trigger Event

This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A03) that a patient's stay at a healthcare facility had ended.

MSH-9 is valued **ADT^A13^ADT_A01**.

1330 3.31.7.5.2 Message Static Definition

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

Table 3.31-11: Static definition of message ADT^A13^ADT_A01

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

3.31.7.5.3 Comments on segment usage

1335 Field *PV1-3-patient location* shall contain the patient's location after the cancellation has been processed. This may be different from the patient's location prior to the discharge/end visit notification.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.7.5.4 Expected actions

The receiver shall reset the patient’s status to its value prior to the receipt of the discharge/end visit message, and shall update the patient’s location to the value in field PV1-3-patient location.

1340 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no prior discharge received) the message is discarded but no error condition is raised.

3.31.7.6 Update Patient Information (ADT^A08^ADT_A01)

1345 3.31.7.6.1 Trigger Event

This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that some non-movement-related information (such as address, date of birth, etc.) has changed for a patient. It is used when information about the patient has changed not related to any other trigger event.

1350 MSH-9 is valued ADT^A08^ADT_A01.

3.31.7.6.2 Message Static Definition

Table 3.31-12: Static definition of message ADT^A08^ADT_A01

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

3.31.7.6.3 Comments on segment usage

- 1355 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments. Providers specific to a particular insurance carrier may be communicated in ROL segments immediately following the IN1/IN2/IN3 segments.
- 1360 One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.6.4 Expected actions

The receiver shall update the patient record in its database to contain the information in the message.

- 1365 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no active encounter for this patient, or the patient is unknown) the message is discarded but no error condition is raised.

3.31.7.7 Pre-Admit (ADT^A05^ADT_A05)

- 1370 **3.31.7.7.1 Trigger Event**

This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to communicate information that has been collected about a patient to be admitted as an inpatient (or to be registered as an outpatient).

MSH-9 is valued **ADT^A05^ADT_A05**.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1375 **3.31.7.7.2 Message Static Definition****Table 3.31-13: Static definition of message ADT^A05^ADT_A05**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	X	[0..0]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

3.31.7.7.3 Comments on segment usage

1380 Field *PV2-8-expected admit date/time* is used to carry the expected date and time when the patient is to be admitted (or registered).

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1385 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments. Providers specific to a particular insurance carrier may be communicated in ROL segments immediately following the IN1/IN2/IN3 segments.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.7.4 Expected actions

The receiver shall update the patient’s status to pre-admitted.

1390 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

There is no particular potential conflict between this Movement and any previously received message related to the same patient.

1395 If the receiver does not support the Inpatient/Outpatient Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.8 Cancel Pre-Admit – ADT^A38^ADT_A38

3.31.7.8.1 Trigger Event

1400 This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A08) that a patient was to be updated to pre-admitted (or pre-registered) status.

MSH-9 is valued **ADT^A38^ADT_A38**.

3.31.7.8.2 Message Static Definition

Table 3.31-14: Static definition of message ADT^A38^ADT_A38

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
DG1	Diagnosis Information	O	[0..*]	6

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
DRG	Diagnosis Related Group	O	[0..*]	6

1405 **3.31.7.8.3 Comments on segment usage**

None.

3.31.7.8.4 Expected actions

The receiver shall reset the patient’s status to its value prior to the receipt of the pre-admit message.

1410 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no pre-admit registered for this patient, or the patient is unknown) the message is discarded but no error condition is raised.

1415 If the receiver does not support the Inpatient/Outpatient Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.9 Change Outpatient to Inpatient (ADT^A06^ADT_A06)

3.31.7.9.1 Trigger Event

1420 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that it has been decided to admit a patient that was formerly in a non-admitted status, such as Emergency.

MSH-9 is valued ADT^A06^ADT_A06.

3.31.7.9.2 Message Static Definition

1425 **Table 3.31-15: Static definition of message ADT^A06^ADT_A06**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
MRG	Merge Information	C	[0..1]	3
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	X	[0..0]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6

3.31.7.9.3 Comments on segment usage

The new patient location should appear in *PV1-3 - Assigned Patient Location* while the old patient location (if different) should appear in *PV1-6 - Prior Patient Location*.

Condition predicate on use of the segment MRG:

- 1430 A change from outpatient to inpatient status may be accompanied by the closing of the outpatient account and the opening of an inpatient account. This may be expressed by populating the outpatient account number into *MRG-3-prior account number* and the inpatient account number into *PID-18-patient account number*. The use of the MRG segment in this case is strictly conventional and is not intended to communicate an actual merge.
- 1435

- 1440 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments. Providers specific to a particular insurance carrier may be communicated in ROL segments immediately following the IN1/IN2/IN3 segments.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.7.9.4 Expected actions

1445 The receiver shall update the patient’s class to “inpatient,” and if necessary shall update the patient’s location to the value in field *PV1-3-patient location*.

If the MRG segment is included, the receiver shall update the patient’s account number from the value in *MRG-3-prior account number* to the value in *PID-18-patient account number*.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1450 In case this Movement conflicts with the current situation of the patient (no active outpatient encounter is known for this patient, or the patient is unknown) the message is still processed and initiates a new inpatient encounter for a possibly new patient, and no error condition is raised.

If the receiver does not support the Inpatient/Outpatient Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

1455 **3.31.7.10 Change Inpatient to Outpatient (ADT^A07^ADT_A06)**

3.31.7.10.1 Trigger Event

This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient is no longer in an “admitted” status, but is still being seen for an episode of care.

MSH-9 is valued **ADT^A07^ADT_A06**.

1460 **3.31.7.10.2 Message Static Definition**

Table 3.31-16: Static definition of message ADT^A07^ADT_A06

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
MRG	Merge Information	C	[0..1]	3
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	X	[0..0]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6

3.31.7.10.3 Comments on segment usage

1465 The new patient location should appear in *PV1-3 - Assigned Patient Location* while the old patient location (if different) should appear in *PV1-6 - Prior Patient Location*.

Condition predicate on use of the segment MRG:

1470 A change from inpatient to outpatient status may be accompanied by the closing of the inpatient account and the opening of an outpatient account. This may be expressed by populating the inpatient account number into *MRG-3-prior account number* and the outpatient account number into *PID-18-patient account number*. The use of the MRG segment in this case is strictly conventional and is not intended to communicate an actual merge.

1475 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments. Providers specific to a particular insurance carrier may be communicated in ROL segments immediately following the IN1/IN2/IN3 segments.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

1480 3.31.7.10.4 Expected actions

The receiver shall update the patient’s class to “outpatient,” and if necessary shall update the patient’s location to the value in field *PV1-3-patient location*.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

If the MRG segment is included, the receiver shall update the patient’s account number from the value in *MRG-3-prior account number* to the value in *PID-18-patient account number*.

1485 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no active inpatient encounter is known for this patient, or the patient is unknown) the message is still processed and initiates a new outpatient encounter for a possibly new patient, and no error condition is raised.

1490 If the receiver does not support the Inpatient/Outpatient Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.11 Transfer a Patient (ADT^A02^ADT_A02)

3.31.7.11.1 Trigger Event

1495 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient is being transferred from one location to another. The new location will be reflected in the institution’s bed census.

MSH-9 is valued **ADT^A02^ADT_A02**.

3.31.7.11.2 Message Static Definition

1500 **Table 3.31-17: Static definition of message ADT^A02^ADT_A02**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
PDA	Patient Death and Autopsy	O	[0..1]	3

3.31.7.11.3 Comments on segment usage

The new patient location should appear in *PV1-3 - Assigned Patient Location* while the old patient location should appear in *PV1-6 - Prior Patient Location*.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1505 Providers with an ongoing relationship with the patient may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

1510 Segment DG1 should be used to communicate diagnosis information only if it is necessary to communicate with a receiver that is using a version of HL7 prior to V2.5.

3.31.7.11.4 Expected actions

The receiver shall update the patient’s location to the value in field *PV1-3-patient location*.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1515 In case this Movement conflicts with the current situation of the patient (no active inpatient encounter is known for this patient, or the patient is unknown or the known patient location was not the one declared in PV1-6) the message is still processed, the new situation is registered (the encounter and the patient are created if needed) and no error condition is raised.

1520 If the receiver does not support the Inpatient/Outpatient Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.12 Cancel Transfer – ADT^A12^ADT_A12

3.31.7.12.1 Trigger Event

1525 This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A02) that a patient was being moved from one location to another.

MSH-9 is valued **ADT^A12^ADT_A12**.

3.31.7.12.2 Message Static Definition

Table 3.31-18: Static definition of message ADT^A12^ADT_A12

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
OBX	Observation/Result	O	[0..*]	7
DG1	Diagnosis Information	X	[0..0]	6

1530 3.31.7.12.3 Comments on segment usage

Field *PVI-3-patient location* shall contain the patient's location prior to the transfer.

3.31.7.12.4 Expected actions

The receiver shall reset the patient's location to the value in field *PVI-11-temporary location* or to the value in field *PVI-3-patient location*, as appropriate.

1535 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no transfer previously notified, or encounter unknown, or patient unknown) the message is discarded, and no error condition is raised.

1540 If the receiver does not support the Inpatient/Outpatient Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.13 Pending Admit (ADT^A14^ADT_A05)

3.31.7.13.1 Trigger Event

1545 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that it is planned to admit a patient.

MSH-9 is valued **ADT^A14^ADT_A05**.

3.31.7.13.2 Message Static Definition

Table 3.31-19: Static definition of message ADT^A14^ADT_A05

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	X	[0..0]	3
ROL	Role	O	[0..*]	15

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

1550 3.31.7.13.3 Comments on segment usage

Field *PV2-8-expected admit date/time* is used to carry the expected date and time when the patient is to be admitted.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

1555 3.31.7.13.4 Expected actions

The receiver shall update the patient’s status to “pending admit”.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1560 There is no particular potential conflict between this Movement and any previously received message related to the same patient.

If the receiver does not support the Pending Event Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.7.14 Cancel Pending Admit – ADT^A27^ADT_A21

3.31.7.14.1 Trigger Event

1565 This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A14) that a patient was expected to be admitted.

MSH-9 is valued ADT^A27^ADT_A21.

3.31.7.14.2 Message Static Definition

1570

Table 3.31-20: Static definition of message ADT^A27^ADT_A21

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7

3.31.7.14.3 Comments on segment usage

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.14.4 Expected actions

1575 The receiver shall reset the patient’s status to its value prior to the receipt of the “pending admit” message.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1580 In case this Movement conflicts with the current situation of the patient (no pending admit previously notified, or patient unknown) the message is discarded, and no error condition is raised.

If the receiver does not support the Pending Event Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.7.15 Pending Transfer (ADT^A15^ADT_A15)

1585 **3.31.7.15.1 Trigger Event**

This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that it is planned to transfer a patient.

MSH-9 is valued **ADT^A15^ADT_A15**.

3.31.7.15.2 Message Static Definition

1590

Table 3.31-21: Static definition of message ADT^A15^ADT_A15

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
DG1	Diagnosis Information	O	[0..*]	6

3.31.7.15.3 Comments on segment usage

1595 Providers with an ongoing relationship may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

Segment DG1 should be used to communicate diagnosis information only if it is necessary to communicate with a receiver that is using a version of HL7 prior to V2.5.

1600 The planned date for this pending transfer is given in field EVN-3 of segment EVN. See Section 3.30.5.2.

3.31.7.15.4 Expected actions

The receiver shall record that a transfer is pending for this patient.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1605 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no active inpatient encounter, or patient unknown) the message is discarded, and no error condition is raised.

If the receiver does not support the Pending Event Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

1610 **3.31.7.16 Cancel Pending Transfer – ADT^A26^ADT_A21**

3.31.7.16.1 Trigger Event

This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A25) that it was planned to transfer a patient.

MSH-9 is valued **ADT^A26^ADT_A21**.

1615 **3.31.7.16.2 Message Static Definition**

Table 3.31-22: Static definition of message ADT^A26^ADT_A21

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7

3.31.7.16.3 Comments on segment usage

1620 One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

The planned date for the pending transfer that is cancelled, is given in field EVN-3 of segment EVN. See Section 3.30.5.2.

3.31.7.16.4 Expected actions

1625 The receiver shall reset the patient’s status to the value immediately before the Pending Transfer message was received.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1630 In case this Movement conflicts with the current situation of the patient (no pending transfer known, or no active inpatient encounter, or patient unknown) the message is discarded, and no error condition is raised.

If the receiver does not support the Pending Event Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.17 Pending Discharge (ADT^A16^ADT_A16)

3.31.7.17.1 Trigger Event

1635 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that it is planned to discharge a patient.

MSH-9 is valued ADT^A16^ADT_A16.

3.31.7.17.2 Message Static Definition

1640 **Table 3.31-23: Static definition of message ADT^A16^ADT_A16**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	RE	[0..1]	3
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			
ACC	Accident Information	O	[0..1]	6

3.31.7.17.3 Comments on segment usage

Field *PV2-9-expected discharge date/time* is used to carry the expected date and time when the patient is to be discharged.

1645 One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.17.4 Expected actions

The receiver shall update the patient’s status to “pending discharge”.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1650 In case this Movement conflicts with the current situation of the patient (no active inpatient encounter, or patient unknown) the message is discarded, and no error condition is raised.

If the receiver does not support the Pending Event Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.18 Cancel Pending Discharge – ADT^A25^ADT_A21

1655 3.31.7.18.1 Trigger Event

This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A16) that a patient was expected to be discharged.

MSH-9 is valued **ADT^A25^ADT_A21**.

3.31.7.18.2 Message Static Definition

1660

Table 3.31-24: Static definition of message ADT^A25^ADT_A21

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7

3.31.7.18.3 Comments on segment usage

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

1665 3.31.7.18.4 Expected actions

The receiver shall reset the patient’s status to its value prior to the receipt of the “pending discharge” message.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1670 In case this Movement conflicts with the current situation of the patient (no pending discharge known, or no active inpatient encounter, or patient unknown) the message is discarded, and no error condition is raised.

If the receiver does not support the Pending Event Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

1675 3.31.7.19 Change Attending Doctor – ADT^A54^ADT_A54

3.31.7.19.1 Trigger Event

This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that there has been a change in the doctor responsible for the patient’s treatment.

MSH-9 is valued ADT^A54^ADT_A54.

1680 3.31.7.19.2 Message Static Definition

Table 3.31-25: Static definition of message ADT^A54^ADT_A54

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
PV1	Patient Visit	R	[1..1]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
PV2	Patient Visit – Additional Info	O	[0..1]	3
ROL	Role	O	[0..*]	15

3.31.7.19.3 Comments on segment usage

Field *PV1-7-attending doctor* shall contain the new attending doctor.

1685 Providers with an ongoing relationship may be communicated in ROL segments immediately following the PID/PD1 segments. Providers specific to an episode of care may be communicated in ROL segments immediately following the PV1/PV2 segments.

1690 Field *ROL-4-role begin date/time* and *ROL-5-role end date/time* are used to communicate the begin and end date and time of the attending doctor (or of the admitting, consulting, and/or referring doctor, as appropriate and as designated in *ROL-7-role code*). When segment ROL is used to communicate this information, field *ROL-2-action code* should be valued UP.

3.31.7.19.4 Expected actions

The receiver shall record the patient's new attending doctor.

1695 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no active inpatient or outpatient encounter, or patient unknown) the message is discarded, but no error condition is raised. If the receiver does not support the Advanced Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

1700 3.31.7.20 Cancel Change Attending Doctor – ADT^A55^ADT_A52

3.31.7.20.1 Trigger Event

This message is sent by a Patient Encounter Supplier to cancel a previous notification to a Patient Encounter Consumer of a change to the patient's attending doctor.

MSH-9 is valued **ADT^A55^ADT_A52**.

1705 3.31.7.20.2 Message Static Definition

Table 3.31-26: Static definition of message ADT^A55^ADT_A52

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3

3.31.7.20.3 Comments on segment usage

1710 Field *PV1-7-attending doctor* shall contain the patient's attending doctor prior to the notification of change.

3.31.7.20.4 Expected actions

The receiver shall reset the patient's attending doctor to the value in field *PV1-7-attending doctor*.

1715 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no active inpatient or outpatient encounter, or patient unknown) the message is discarded, but no error condition is raised.

1720 If the receiver does not support the Advanced Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.21 Patient Goes on a Leave of Absence – ADT^A21^ADT_A21

3.31.7.21.1 Trigger Event

This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient has left the healthcare institution temporarily.

1725 MSH-9 is valued **ADT^A21^ADT_A21**.

3.31.7.21.2 Message Static Definition

Table 3.31-27: Static definition of message ADT^A21^ADT_A21

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.7.21.3 Comments on segment usage

1730 Field *EVN-6-event occurred* shall contain the date and time that the patient actually left the institution. *PV2-47-expected LOA return* shall contain the date and time that the patient is expected to return from the leave of absence.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

1735 **3.31.7.21.4 Expected actions**

The receiver shall record that the patient has left the institution on a leave of absence.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1740 In case this Movement conflicts with the current situation of the patient (no active encounter, or patient unknown) the message is discarded, but no error condition is raised.

If the receiver does not support the Advanced Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.22 Cancel Leave of Absence for a Patient – ADT^A52^ADT_A52

3.31.7.22.1 Trigger Event

1745 This message is sent by a Patient Encounter Supplier to cancel a previous notification to a Patient Encounter Consumer that a patient had left the healthcare institution temporarily.

MSH-9 is valued **ADT^A52^ADT_A52**.

3.31.7.22.2 Message Static Definition

1750 **Table 3.31-28: Static definition of message ADT^A52^ADT_A52**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3

3.31.7.22.3 Comments on segment usage

Field *EVN-6-event occurred* shall contain the date and time that the leave of absence was cancelled.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.7.22.4 Expected actions

1755 The receiver shall cancel the patient’s leave of absence.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1760 In case this Movement conflicts with the current situation of the patient (no leave of absence previously notified, or no active encounter, or patient unknown) the message is discarded, but no error condition is raised.

If the receiver does not support the Advanced Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.23 Patient Returns from a Leave of Absence – ADT^A22^ADT_A21

3.31.7.23.1 Trigger Event

1765 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient has returned from a leave of absence.

MSH-9 is valued ADT^A22^ADT_A21.

3.31.7.23.2 Message Static Definition

1770

Table 3.31-29: Static definition of message ADT^A22^ADT_A21

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7

3.31.7.23.3 Comments on segment usage

Field *EVN-6-event occurred* shall contain the date and time that the patient actually returned from the leave of absence. *PV2-47-expected LOA return* shall contain the date and time that the patient was expected to return from the leave of absence.

1775 One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.31.7.23.4 Expected actions

The receiver shall record that the patient has returned from the leave of absence.

1780 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this Movement conflicts with the current situation of the patient (no leave of absence previously notified, or no active encounter, or patient unknown) the message is discarded, but no error condition is raised.

1785 If the receiver does not support the Advanced Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.24 Cancel Patient Return from a Leave of Absence – ADT^A53^ADT_A52

3.31.7.24.1 Trigger Event

1790 This message is sent by a Patient Encounter Supplier to cancel a previous notification to a Patient Encounter Consumer that a patient had returned from a leave of absence.

MSH-9 is valued **ADT^A53^ADT_A52**.

3.31.7.24.2 Message Static Definition

Table 3.31-30: Static definition of message ADT^A53^ADT_A52

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3

1795 **3.31.7.24.3 Comments on segment usage**

Field *EVN-6-event occurred* shall contain the date and time that the return from leave of absence was cancelled. *PV2-47-expected LOA return* shall contain the date and time that the patient is expected to return from the leave of absence.

3.31.7.24.4 Expected actions

1800 The receiver shall cancel the patient’s return from leave of absence.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1805 In case this Movement conflicts with the current situation of the patient (no return from leave of absence previously notified, or no active encounter, or patient unknown) the message is discarded, but no error condition is raised.

If the receiver does not support the Advanced Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.25 Move account information – ADT^A44^ADT_A43

3.31.7.25.1 Trigger Event

1810 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that an account previously associated with one patient is now associated with another patient. MSH-9 is valued ADT^A44^ADT_A43.

3.31.7.25.2 Message Static Definition

1815 **Table 3.31-31: Static definition of message ADT^A44^ADT_A43**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
---	--- PATIENT begin	R	[1..*]	
PID	Patient Identification	R	[1..1]	3
PDI	Additional Demographics	O	[0..1]	3
MRG	Merge Information	R	[1..1]	3
---	--- PATIENT end			

3.31.7.25.3 Comments on segment usage

None.

3.31.7.25.4 Expected actions

1820 The receiver shall associate the account in *MRG-3-prior patient account number* with the patient in *PID-3-patient identifier list*, and shall remove associations of that account with the patient in *MRG-1-prior patient identifier list*.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1825 In case this message conflicts with the current situation (account unknown or supplier patient unknown) the message is discarded, but no error condition is raised.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

If the receiver does not support the Advanced Encounter Management Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.26 Patient Departing – Tracking (ADT^A09^ADT_A09)

3.31.7.26.1 Trigger Event

1830 This message is only used within the context of the “Temporary Patient Transfers Tracking” Option.

1835 This message is sent by a Patient Encounter Supplier to notify a Patient Encounter Consumer that a patient has departed a location without the patient’s official bed census location having changed. The HL7 standard describes three situations that qualify as non-census location changes: (a) patient tracking (i.e., pre-notification before an official transfer), (b) the patient is in transit between locations for some time, (c) a notification of temporary location change. This IHE transaction only uses the latter: notification of temporary location change.

MSH-9 is valued ADT^A09^ADT_A09.

3.31.7.26.2 Message Static Definition

1840

Table 3.31-32: Static definition of message ADT^A09^ADT_A09

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
DG1	Diagnosis Information	O	[0..*]	6

3.31.7.26.3 Comments on segment usage

1845 If the patient has left for a non-temporary location (tracking), then field *PV1-3-patient location* shall contain the patient’s new location and field *PV1-6-prior patient location* shall contain the patient’s old location.

If the patient will be in transit for some time, then field *PV1-42-pending location* shall contain the new location and field *PV1-6-prior patient location* shall contain the patient’s old location.

If the patient is moving to a temporary location, then field *PV1-11-temporary location* shall contain the new temporary location. If the patient is moving from a temporary location, then

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1850 field *PV1-43-prior temporary location* shall contain the old temporary location. If the patient is moving from a permanent location, then field *PV1-6-prior patient location* shall contain the old permanent location.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

1855 Segment DG1 should be used to communicate diagnosis information only if it is necessary to communicate with a receiver that is using a version of HL7 prior to V2.5.

3.31.7.26.4 Expected actions

The receiver shall reset the patient’s location to the value in field *PV1-11-temporary location*, field *PV1-42-pending location*, or field *PV1-3-patient location*, as appropriate.

1860 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this message conflicts with the current situation, the message is discarded but no error condition is raised.

1865 If the receiver does not support the Temporary Patient Location Tracking Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.27 Cancel Patient Departing – Tracking – ADT^A33^ADT_A21

3.31.7.27.1 Trigger Event

1870 This message is only used within the context of the “Temporary Patient Transfers Tracking” Option. This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A09) that a patient has departed a location without the patient’s official bed census location having changed.

MSH-9 is valued **ADT^A33^ADT_A21**.

3.31.7.27.2 Message Static Definition

1875 **Table 3.31-33: Static definition of message ADT^A33^ADT_A21**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
OBX	Observation/Result	O	[0..*]	7

3.31.7.27.3 Comments on segment usage

1880 If the patient was in a non-temporary location, then field *PVI-3-patient location* shall contain the patient's location prior to the erroneous A09 event. If the patient was in a temporary location, then field *PVI-11-temporary location* shall contain the patient's location prior to the erroneous A09 event.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.27.4 Expected actions

1885 The receiver shall reset the patient's location to the value in field *PVI-11-temporary location* or to the value in field *PVI-3-patient location*, as appropriate.

The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this message conflicts with the current situation, the message is discarded but no error condition is raised.

1890 If the receiver does not support the Temporary Patient Location Tracking Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.28 Patient Arriving – Tracking – ADT^A10^ADT_A09

3.31.7.28.1 Trigger Event

1895 This message is only used within the context of the “Temporary Patient Transfers Tracking” Option.

1900 This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer as a notification that a patient has arrived at a new location without the patient's official bed census location having changed. The HL7 standard describes three varieties of these non-census location changes involving three different kinds of notification: (a) an unofficial notification of location change prior to the official notification of patient tracking, (b) the patient is in transit between locations for some time, (c) a notification of a temporary location change. This IHE transaction only uses the latter: notification of temporary location change.

MSH-9 is valued **ADT^A10^ADT_A09**.

3.31.7.28.2 Message Static Definition

1905

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

Table 3.31-34: Static definition of message ADT^A10^ADT_A09

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
DG1	Diagnosis Information	X	[0..0]	6

3.31.7.28.3 Comments on segment usage

1910 If the patient is arriving at a temporary location, field *PV1-11-temporary location* shall indicate this temporary location. If the patient is moving from one temporary location to another, then field *PV1-43-prior temporary location* may also be used.

If the patient is arriving at a permanent location from a temporary location, field *PV1-3-patient location* shall be used for the new location and field *PV1-43-prior temporary location* shall be used for the old location.

1915 One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.28.4 Expected actions

The receiver shall update the patient’s location to the value in field *PV1-11-temporary location* or to the value in field *PV1-3-patient location*, as appropriate.

1920 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this message conflicts with the current situation, the message is discarded but no error condition is raised.

1925 If the receiver does not support the Temporary Patient Location Tracking Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.29 Cancel Patient Arriving – Tracking – ADT^A32^ADT_A21

3.31.7.29.1 Trigger Event

This message is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to cancel a previous notification (via trigger event A10) that a patient arrived at a location without the

1930 patient’s official bed census location having changed, as for example when the patient arrives at a diagnostic or treatment service.

MSH-9 is valued **ADT^A32^ADT_A21**.

3.31.7.29.2 Message Static Definition

1935

Table 3.31-35: Static definition of message ADT^A32^ADT_A21

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7

3.31.7.29.3 Comments on segment usage

1940 If the patient was in a non-temporary location, then field *PV1-3 - Assigned Patient Location* may contain (if known) the original patient location prior to the erroneous A10 (patient arriving-tracking) event. If the patient was in a temporary location, then field *PV1-11 - Temporary Location* may contain (if known) the original patient location prior to the erroneous A10 (patient arriving-tracking) event.

One or more OBX segments may be present to carry “permanent observations” such as the patient weight or height.

3.31.7.29.4 Expected actions

1945 If field *PV1-3 - Assigned Patient Location* is populated, the receiver shall reset the patient’s permanent location to the value contained in that field. If field *PV1-11 - Temporary Location* is populated, the receiver shall reset the patient’s permanent location to the value contained in that field.

1950 The receiver shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

In case this message conflicts with the current situation, the message is discarded but no error condition is raised.

If the receiver does not support the Temporary Patient Location Tracking Option of this transaction, it shall application-reject the message (see ITI TF-2x: C.2.3).

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

1955 **3.31.7.30 Update Patient Movement Information – ADT^Z99^ADT_A01****3.31.7.30.1 Trigger Event**

This message is only used within the context of the “Historic Movement Management” Option.

It is sent by a Patient Encounter Supplier to a Patient Encounter Consumer to communicate an update of a Movement, which can be the current Movement or a historic one.

1960 MSH-9 is valued **ADT^Z99^ADT_A01**.

3.31.7.30.2 Message Static Definition**Table 3.31-36: Static definition of message ADT^Z99^ADT_A01**

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
ROL	Role	O	[0..*]	15
NK1	Next of Kin / Associated Parties	O	[0..*]	3
PV1	Patient Visit	R	[1..1]	3
PV2	Patient Visit – Additional Info	O	[0..1]	3
ZBE	Movement segment	R	[1..1]	
ROL	Role	O	[0..*]	15
DB1	Disability Information	O	[0..*]	3
OBX	Observation/Result	O	[0..*]	7
AL1	Allergy Information	O	[0..*]	3
DG1	Diagnosis Information	O	[0..*]	6
DRG	Diagnosis Related Group	O	[0..1]	6
---	--- PROCEDURE begin	O	[0..*]	
PR1	Procedures	R	[1..1]	6
ROL	Role	O	[0..*]	15
---	--- PROCEDURE end			
GT1	Guarantor	O	[0..*]	6
---	--- INSURANCE begin	O	[0..*]	
IN1	Insurance	R	[1..1]	6
IN2	Insurance Additional Info.	O	[0..1]	6
IN3	Insurance Additional Info - Cert.	O	[0..1]	6
ROL	Role	O	[0..*]	15
---	--- INSURANCE end			

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter
ACC	Accident Information	O	[0..1]	6
UB1	Universal Bill Information	O	[0..1]	6
UB2	Universal Bill 92 Information	O	[0..1]	6
PDA	Patient Death and Autopsy	O	[0..1]	3

3.31.7.30.3 Comments on segment usage

1965 The ZBE segment is mandatory in this message. See the description of this segment in Section 3.31.6.1.

3.31.7.30.4 Expected actions

Otherwise, the receiver shall update the Movement in its database, and shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1970 If the receiver does not know the Movement to be updated (identified by ZBE-3 in the ZBE segment), it discards the message and raises an error condition.

A receiver not supporting the Historic Movement Management Option shall application-reject the message (see ITI TF-2x: C.2.3).

3.31.7.31 Merge two patients - ADT^A40^ADT_A39

1975 3.31.7.31.1 Trigger Event

The Patient Encounter Supplier notifies the merge of records for a patient that was incorrectly filed under two different identifiers. This message is only used to merge two patient identifiers of the same type, or two lists of patient identifiers, it is not supposed to update other patient demographics information. The A08 trigger event should be used for this purpose.

1980 MSH-9 is valued ADT^A40^ADT_A39.

3.31.7.31.2 Message Static Definition

Table 3.31-37: Static definition of message ADT^Z40^ADT_A39

Segment	Meaning	Usage	Card.	HL7 chapter
MSH	Message Header	R	[1..1]	2
SFT	Software Segment	O	[0..*]	2
EVN	Event Type	R	[1..1]	2
---	--- PATIENT begin	R	[1..1]	
PID	Patient Identification	R	[1..1]	3
PD1	Additional Demographics	O	[0..1]	3
MRG	Merge Information	R	[1..1]	3
PV1	Patient Visit	X	[0..0]	3

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Segment	Meaning	Usage	Card.	HL7 chapter

3.31.7.31.3 Comments on segment usage

1985 This transaction makes unrepeatable the PATIENT segment group: The message can communicate only one merge operation for one patient.

The “incorrect supplier identifier” identified in the MRG segment (*MRG-1-Prior Patient Identifier List*) is to be merged with the required “correct target identifier” of the same “identifier type code” component identified in the PID segment (*PID-3-Patient Identifier List*). The “incorrect supplier identifier” would then logically never be referenced in future transactions.

The PV1 segment is not supported by IHE in this message.

3.31.7.31.4 Expected actions

The receiver shall merge the two patients in its data base, and shall report the result of this operation (success / error) in an acknowledgment message returned to the sender.

1995 If the receiver does not recognize the target patient identifiers, it shall perform a Change Patient Identifier List instead of a Merge.

If the receiver does not recognize the supplier patient identifiers to be merged, it shall take no action. This situation is not an error.


3.32 Distribute Document Set on Media

2000 This section corresponds to transaction ITI-32 of the IHE IT Infrastructure Technical Framework. Transaction ITI-32 is used by the Portable Media Creator to create the media content and by Portable Media Importer to read the media content.

3.32.1 Scope

2005 In the Distribute Document Set on Media transaction the Portable Media Creator sends information to media reading actors by means of Interchange Media where it stores the information.

3.32.2 Use Case Roles



Actor: Portable Media Creator

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

2010 **Role:** Assemble the media content and store it on the media to be distributed.

Actor: Portable Media Importer

Role: Read the Document Submission Set content of distributed media in order to access the document(s) and the relevant metadata and perform import of the documents on the media.

3.32.3 Referenced Standard

2015 ITI TF-3: 4 Metadata used in Document Sharing profiles

DICOM PS 3.10 Media Storage and File Format for Data Interchange (DICOM file format).
<http://dicom.nema.org/>


2020 DICOM PS 3.12 Media Formats and Physical Media for Data Interchange, Annex F - 120mm CD-R media, Annex R - USB Connected Removable Devices, Annex V - ZIP File Over Media, and Annex W - Email Media. <http://dicom.nema.org/>

XHTML™ 1.0 The Extensible HyperText Markup Language (Second Edition). A Reformulation of HTML 4 in XML 1.0. W3C Recommendation 26 January 2000, revised 1 August 2002.
<http://www.w3.org/TR/xhtml1>.

2025 XHTML™ Basic. W3C Recommendation 19 December 2000. <http://www.w3.org/TR/xhtml-basic>.

MDN: RFC 3798 Message Disposition Notification. <http://www.rfc-editor.org/rfc/rfc3798.txt>

3.32.4 Interaction Diagram



3.32.4.1 Distribute Document Set on Media

2030 This transaction defines the interchange of XDS document submission sets on media. It specifies the requirements for a directory structure, and the physical media where stored.

2035 The file directory structure restrictions and file organization are specified below. These are based on industry standard file systems with restrictions chosen based on experience with demonstrated interoperability in the field of reliable exchange. These are defined in Part 10 of the DICOM standard and summarized below.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

The media that are supported are:

- 2040 • CD-R media. The physical media specification used for the storage on CD-R is a restricted subset of the widely used CD-R media. The restrictions were chosen to ensure interoperability and media reliability. The standard directory and file structure can be recorded to the CD-R media by widely available software, but this software must be set to comply with the interoperability restrictions on recording format. This media specification relies on the healthcare experience gained by CD-R media widely used in radiology and cardiology. It is defined by Annex F in Part 12 of the DICOM standard and is also used in the IHE Radiology PDI Profile for the interchange of images,
- 2045 • USB Removable Devices. This media specification encompasses a wide range of USB connected flash media, removable storage devices, etc. The standard directory and file structure can be recorded onto any of these media by any system that supports the USB Removable Device type defined by the USB Implementers Forum. This specification is defined in Annex R in Part 12 of the DICOM standard.
- 2050 • Email transport of ZIP files. This media specification defines the encoding of the directory and file structure as an ordinary ZIP file (maintaining the directory structure) and attaches that ZIP file to an email message. Some additional constraints are added to the email message header to facilitate recognizing the message. This specification is defined in the annexes to part 12 of the DICOM standard called: ZIP File Media and
- 2055 Email media. The ZIP over Email Response Option enables the Portable Media Importer to send an acknowledgment message to the Portable Media Importer.

3.32.4.1.1 Trigger Events

2060 The user at the Portable Media Creator wishes to transport information by the creation and transport of interchange media. The Portable Media Creator assembles the Interchange Media content and stores it on the media.

If the ZIP over Email Response Option is supported, the Portable Media Importer shall detect whether the Import was successful or not.

3.32.4.1.2 Message Semantics

2065 The message semantics of this transaction are described in terms of content specifications for the media.

The Portable Media Creator shall be able to include one or multiple Submission Set(s), including document(s) and associated metadata. Additionally it shall include a **README.TXT** file and an **INDEX.HTM** and associated files for use to display the media content using a simple browser. It may include other files and directories that the Portable Media Importer will ignore.

2070 3.32.4.1.2.1 Media File system and File Naming Restrictions

The following restrictions are needed to ensure broad interoperability:

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

- Strict ISO 9660 Level 1 compliance for filenames and directories, even on non-CDR media.
 - Strict ISO 9660 Level 1 compliance for recording methods on CDR media. This means no packet writing.
 - Filenames should not be in lower case, nor have lower case equivalent file names encoded as Joliet or Rock Ridge extensions to the ISO 9660 file system.
 - Only file and folder names referenced by the DICOMDIR file are restricted to 8 characters with no extension. Specifically, it is not permitted to name DICOM files based on their SOP Instance UID, since that would exceed the 8 character limit and use the illegal period character, and it is not permitted to add a “.dcm” extension or similar.
- Note: Refer to RAD TF-3: Appendix E of the IHE Radiology Technical Framework for a reference to common implementation misinterpretations and/or errors that are detrimental to interoperability.

3.32.4.1.2.2 Content Organization Overview




Figure 3.32.4.1-1: General structure of the media


The media shall contain at the “root” directory level, as shown in the figure above:

- An IHE_XDM directory.
- Two files for helping to access the content of the media: *README.TXT* and *INDEX.HTM*
- An Autorun file or equivalent shall not be present in the root directory. Executable files may be present, but shall not be configured to start automatically.

As shown in the figure above, the *IHE_XDM* directory shall contain one sub-directory per submission set included on the media.

There may be other files present on the media for other purposes, (e.g., use in compliance with the IHE Radiology PDI Profile). The presence or absence of these files shall not affect performance of this transaction.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.




2100

Figure 3.32.4.1-2: Structure of a submission set directory on the media

As shown on the figure above, each submission set directory shall contain:

- 2105 • A *METADATA.XML* file containing the XDS Registry metadata, as described in ITI TF-3: 4.3.1.2.2. This shall include the metadata as specified in ITI TF-3: Table 4.3.1-3 Metadata Attribute Optionality. This may include XDSFolder objects, associations, and other metadata contents. There is no relationship between an XDSFolder and a media directory, although some people do call media directories “folders”. The metadata for the submission set shall include unique and different submissionTime.
- 2110 • One file for each “simple part” document referenced in the metadata as an XDSDocumentEntry
- One sub-directory for each “multipart” document referenced in the metadata as an XDSDocumentEntry (see ITI TF-3: Table 4.2.3.2-1, attribute mimeType set to “multipart/related”)
- 2115 • Potentially other files and directories that are ignored by the Portable Media Importer

The “multipart” document shall be structured as one sub-directory containing all the parts as file, including the “start” part corresponding to the main file to be open by the “multipart” document viewer. An example of “multipart” document is shown in Figure 3.32.4.1-3.



2120

Figure 3.32.4.1-3: Structure on the media of a directory which is functionally equivalent to a “XDS multipart document”

2125 The URI element of the metadata describing a file that is present on this media shall point to the file containing the document, through a relative URL which corresponds to the file name for simple part document and to the concatenation of the sub-directory and the main file name for “multipart” document (e.g., DOC00002/DOC00002.XML). Note that in cases where the files are

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

not located within this media directory for the Submission Set, it is possible that the relative URL may begin with “../” so that a single copy the document can be present for multiple purposes.

2130

In Figure 3.32.4.1-2, the METADATA.XML file of the Submission Set stored in the SUBSET01 directory will contain many XDSDocumentEntry objects having their elements set as follows (see ITI TF-3: Table 4.1-5, URI attribute for details):

2135

```
<ExtrinsicObject id="Document1" mimeType="text/xml"... (with URI set to "DOC00001.XML")
<ExtrinsicObject id="Document2" mimeType="text/xml"... (with URI set to "DOC00002/DOC00002.XML")
```

The file named *INDEX.HTM* in the root directory shall be encoded in compliance with the XHTML Basic recommendation from W3C. It may contain a description of the submission sets, including especially:

2140

- Patient ID and demographics
- Source Facility information

Note: XDM Distribute Document Set on Media transaction does not require that all the submission sets included in the media are relative to the same patient.

It may also describe other content which is on the media, including the means to launch any executable that may be present on the media.

2145

There shall also be a *README.TXT* file located in the root directory that shall contain:

2150

- Contact information regarding the Institution that created the media.
- Information regarding the Application that created the media.
 - Name of the product application and software version
 - Contact information of the vendor of the application that created the media
- General information about the overall organization of the interchange media. This is not intended to be specific to the content stored on this instance of interchange media, which if necessary should be placed in the *INDEX.HTM* file.
- Information regarding the Media Viewer application (if a Media Viewer is contained)
 - Operating system(s) supported
 - Name of the product application and software version
 - Contact information of vendor that provided the Media Viewer application
 - Disclaimer statement about the intended usage of the application
 - List of minimum requirements
 - Additional information regarding the usage of the application

2155

2160

Note that generally the *README.TXT* file is independent of the clinical content of the media, i.e., the same *README.TXT* may be included on all media created by that application at that

institution. Experience has shown that this kind of *README.TXT* file is very valuable for resolving problems.

2165 In addition, if the Portable Media Creator implements support for the Web Content Option of the PDI Profile then the *INDEX.HTM* file must meet the requirements of the PDI Profile Web Content Option.

The *INDEX.HTM* file located in the root directory shall contain:

- An informative header containing:
- Identification of the institution that created the interchange media
- 2170 • Optionally, a disclaimer statement about privacy/security from the institution that created the interchange media
- a link to an entry point for accessing the web content of the IHE_PDI directory
- a link to the *README.TXT* file
- a link to additional non-constrained data (if it exists)
- 2175 • a manifest which lists the data that can be imported by a Portable Media Importer Actor. (i.e., all DICOM content on the media)
- a manifest which lists any patient-related data contained on the CD that cannot be imported (i.e., additional non-constrained content that doesn't have an importable DICOM equivalent on the media).
- 2180 • a link to a launch point for a DICOM viewer, if present on the interchange media

3.32.4.1.2.3 Response message

If the ZIP over Email Response Option is supported and a response was requested, the Portable Media Importer shall send a response, based on the [MDN] mechanism, depending of the success of the Import operation:

- 2185 • Success: the MDN “disposition-type” field is set to “displayed”
- Error: the MDN “disposition-type” field is set to “deleted” and the MDN “disposition-modifier” is set to “Error: xxxx” where “xxxx” is the text detailing the error.

2190 Note 1: Older implementations of MDN might use “processed” instead of “display”. The current RFC has removed this option but Portable Media Creator should be prepared to receive it. If they receive it, they have to look in the error field to see whether there is an error.

Note 2: The general mechanism for use of Email is described in ITI TF-2x: Appendix T (Informative)

3.32.4.1.3 Media Identification

2195 The Portable Media Creator Actor may add a human-readable identification on the outside of the physical medium, reflecting the originating institution, the time of the creation and content of the media. The method of media marking is outside the scope of this transaction.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

If the ZIP over Email Response Option is supported, Portable Media Creator shall be configurable to include in its message header the request for a response:

- “Disposition-Notification-To:”, followed by the email address to which Portable Media Importer shall send the response

2200 Then, the Portable Media Importer shall acknowledge this operation by sending a MDN response to the email address included in the message.

And finally, the Portable Media Creator shall consider that the import is successful unless:

- the disposition-modifier contains the word “error” or “failure”, case insensitive.

2205 Note: This transaction does not specify how errors should be processed because the variety of appropriate responses is too great.

If the ZIP over Email Option is supported, the subject line of the email shall contain the phrase:

- XDM/1.0/DDM

Note: In case the same Email complies also with the DICOM Email, it is recommended that the subject contains the phrase: XDM/1.0/DDM+DICOM-ZIP

2210 **3.32.4.1.4 Expected Actions**

The Portable Media Importer shall verify the integrity of the media by comparing their size and hash with the value of the corresponding entries in the METADATA.XML file of the relevant submission set directory. Mismatching documents shall be indicated to the user. Media faults shall be indicated to the user.

2215 If the XDM Portable Media Importer is grouped with a Content Consumer of one or more IHE Content Profiles, that actor is able to perform its processing on the documents it is designed to support.

Note: This awkward phrasing means that ability to process data on portable media is described by saying that the processing actor is grouped with a Portable Media Importer Actor.

2220 **3.32.4.1.4.1 Basic Patient Privacy Enforcement Option**

If the Basic Patient Privacy Enforcement Option is implemented:

- The Portable Media Creator Actor shall populate the confidentialityCode in the document metadata with the list of values that identify the sensitivity classifications that apply to the associated document. All documents submitted shall have confidentiality codes. The confidentiality codes for different documents in the same submission may be different.
- The Portable Media Creator Actor shall be able to be configured with the Patient Privacy Policies, Patient Privacy Policy Identifiers (OIDs) and associated information necessary to understand and enforce the policies. The details of this are product specific and not specified by IHE.

- 2230
- The Portable Media Creator Actor may have user interface or business rule capabilities to determine the appropriate confidentiality codes for each document. The details of this are product specific and not specified by IHE.
 - The Portable Media Importer Actor shall be able to be configured with the Patient Privacy Policies, Patient Privacy Policy Identifiers (OIDs) and associated information
- 2235
- The meanings of the codes on the media must be provided out of band, e.g., by telephone, fax, or email. The detail of how this is done is product specific and not specified by IHE. If the documents are transferred internally within the organization or to other members of the recipient's affinity domain, appropriate internal confidentiality codes shall be applied.
- 2240
- The Portable Media Creator Actor shall be able to publish the consent documents and any applicable digital signatures that apply to the collection of content that it has created on portable media.
 - The Portable Media Importer Actor shall have the ability to coerce the confidentiality code in the metadata associated with the document from the codes used by the Exporter
- 2245
- to the codes used by the Importer.

The Portable Media Importer Actor shall abide by the XDS Affinity Domain Policies represented by the confidentialityCode in the metadata associated with the document. The Portable Media Creator Actor likely will have user access controls or business rule capabilities to determine the details of how confidentiality codes apply to query results. The details of this are product specific and not specified by IHE. These rules shall reduce the query results to only those that are appropriate to the current situation for that actor and user.

2250

3.32.4.1.5 Security considerations

In the case of physical media, encryption of the CD-R or USB shall not be used.

If the ZIP over Email Option is supported, the transaction shall be secured by S/MIME (see IHE ATNA) and comply with the security process as defined in the DICOM Part 15 Appendix (Secure Use of ZIP File Media over Email). The security process requires the use of S/MIME to both encrypt and sign the message. The encryption is used to maintain confidentiality during the transport. The signature is used to maintain integrity during transport and indicates that the sender is authorized to send the message.

2255

Portable Media Creators that create media shall generate one or more ATNA “Export” events into the audit trail to describe the media creation event. These events shall describe each submission set and/or study that is exported.

2260

Portable Media Importers that import media shall generate one or more ATNA “Import” events into the audit trail to describe the media import event. These events shall describe each submission set and/or study that is imported.

2265

Note: It is easy to build a partial implementation of actors in the XDM Profile that lack the auditing capability. For example, a person can manually create media that comply with the requirements of the XDM media. It is possible

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

that the manual process omits the generation of audit records for their activity. This would not be a compliant or complete implementation of the actors, but it is easy to make this kind of mistake.

- 2270 The Portable Media Importer shall check the hash value and size as found in the XDS metadata to detect corruption within the metadata or media. The Portable Media Importer shall notify the user if any errors are detected.

3.33 Intentionally Left Blank


2275 **3.34 Retrieve Form**

This section corresponds to transaction ITI-34 of the IHE IT Infrastructure Technical Framework. Transaction ITI-34 is used by the Form Filler and Form Manager or Form Processor Actors.

3.34.1 Scope

2280 This transaction involves a Form Filler requesting a form from a Form Manager or Form Processor. The Form Filler has a formID, and possibly additional workflow information, obtained by a means that is outside the scope of this transaction. The Form Filler may also provide a form instance id to reference a previously submitted form. The Form Manager or Form Processor will return a form or URL corresponding to the given formID, and optionally a form instance id, or else it returns an error response. Forms are defined and constrained below by the
 2285 format options.

3.34.2 Use Case Roles



Actor: Form Filler

2290 **Role:** A forms display and editing system capable of allowing form fields to be completed.

Actor: Form Manager

Role: A system that provides forms based upon requests that provide specific formIDs, and optionally additional work flow data. . Form data is submitted to a Form Receiver.

Actor: Form Processor

2295 **Role:** A system that provides forms based upon requests that provide specific formIDs, and optionally additional work flow data. Form data from this actor shall be submitted back to itself.

3.34.3 Referenced Standards

Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

2300 IETF RFC 1738, Uniform Resource Locators (URL), December 1994,
<http://www.faqs.org/rfcs/rfc1738.html>

IETF RFC 2616 HyperText Transfer Protocol HTTP/1.1

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Extensible Markup Language (XML) 1.0 (Second Edition). W3C Recommendation 6 October 2000. <http://www.w3.org/TR/REC-xml>.

2305 ITI TF-2x: Appendix V Web Services for IHE Transactions


XForms 1.1, W3C Working Draft. <http://www.w3.org/TR/2004/WD-xforms11-20041115/>

XHTML™ 1.0 The Extensible HyperText Markup Language (Second Edition). A Reformulation of HTML 4 in XML 1.0. W3C Recommendation 26 January 2000, revised 1 August 2002. <http://www.w3.org/TR/xhtml1>.

2310 XHTML™ Basic. W3C Recommendation 19 December 2000. <http://www.w3.org/TR/xhtml-basic>.

<http://www.w3.org/TR/xhtml-basic>

3.34.4 Interaction Diagram



2315

3.34.4.1 Retrieve Form Request

Retrieve Form involves a Form Filler requesting a form from a Form Manager or Form Processor. The Form Filler shall supply workflow data and prepopulation data. The Form Filler may also supply a form instance id.

2320 The Retrieve Form Request shall provide an archiveURL value, as a nil value or as a URL pointing to a Form Archiver Actor. See Section 3.34.4.1.2 for details.

The Form Filler requests that Form Filler or Form Processor use context information in the selection and/or creation of the returned form by supplying the prepopData argument with well-formed xml representing the Form Filler context. Specification of the prepopData schema is left to content profiles. This value may be nil.

2325

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

The Form Filler supplies any additional workflow information to be used in the selection and/or creation of the form using the context element of the workflowData parameter. Specification of this context element is left to content profiles.

2330 The response to a Retrieve Form Request returns the form, or reference to a form, and may return a form instance id.

3.34.4.1.1 Trigger Events

The Form Filler, based upon human decision or application of a rule for automatic operation, requests a form hosted by a Form Manager or Form Processor.

3.34.4.1.2 Message Semantics

2335 Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions. The following parameters are specified for this transaction.

Parameter Name	REQ	Description	Value
prepopData	R	The xml context information supplied by a Form Filler for use in pre-populating form fields	This value shall be nil or a well-formed xml document.
workflowData	R	The xml representation of workflow specific values.	This value is a well-formed xml document.as defined below.
formID	R	The identifier of a form.	A string identifying the form
encodedResponse	R	Tells the Form Manager whether or not to return an encoded response	{ true,false }
archiveURL	R	Tells the Form Manager whether or not the Form Filler is exercising the Archive Option	the URL of any Form Filler identified Form Archiver or the null string
context	R	The xml specifics of workflow context	Defined by content profiles; may be nil
instanceID	R	An id value of a previously submitted instance of data.	A string identifying an instance of previously submitted data; may be nil.

2340 The contents of the prepopData parameter is defined in a prepopData schema specified by IHE content profiles. When there is no prepopData the attribute xsi:nil shall be set to “true” (see the support materials).

The content of workflowData parameter shall minimally be:

```

2345 <workflowData>
      <formID>a String identifying the form</formID>
      <encodedResponse>>false</encodedResponse>
      <archiveURL />
      <context/>
      <instanceID/>
2350 </workflowData>
    
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

See the schema provided with the support materials ([ftp://ftp.ihe.net/TF Implementation Material/ITI/](ftp://ftp.ihe.net/TF_Implementation_Material/ITI/)). The workflowData may be extended by IHE content profiles with further definition of the <context> element.

3.34.4.1.3 Expected Actions

- 2355 Upon receipt of the Retrieve Form request, the Form Manager or Form Processor shall parse the request and shall return the requested response in the RetrieveFormResponse element, or errors with SOAP Faults. The Form Manager shall return the form or URL based on the values of: a) the encodedResponse; b) the formID; c) any additional workflowData; d) the optionally supplied instanceID.
- 2360 If encodedResponse is 'true', then the response from the Form Manager or Form Processor shall be either a Structured (XML) or Unstructured (non-XML) element. When the encodedResponse parameter is 'true', all anchor addresses that are not fragment identifiers shall be composed of absolute URIs.
- 2365 If encodedResponse is 'false', then the response from the Form Manager or Form Processor shall be a URL element that can be used directly by a web browser for retrieval and operation of the form.
- The Form Manager or Form Processor may assign and return a value for a form instanceID.
- 2370 When the Form Filler provides a valid URL in the archiveURL parameter of the request, the Form Manager or Form Processor shall return a form that shall perform an Archive Form transaction upon form submission, in addition to any predefined actions associated with the form submission. As shown in Section 3.36 Archive Form, this additional archival transaction is between Form Filler and Form Archiver Actors.
- 2375 When the Form Filler supplies data in the prepopData parameter, the Form Manager or Form Processor may use this information to determine the form to be returned and to pre-populate the fields of the form. The exact use of the prepopData, and the structure, is deferred to the publication of an IHE content profile.
- The Form Manager or Form Processor shall use the values within the workflowData parameter, as well as the optionally supplied instanceID, to determine the form to be returned and to pre-populate the fields of the form.
- 2380 The value of the formID has been previously assigned by the Form Manager or Form Processor to identify a form to be returned to the Form Filler using one of the named format options. A Form Manager or Form Processor may support multiple named options, but for each formID there is only one named option that is supported.
- 2385 The Form Manager or Form Processor shall use the SOAP Faults defined in Table 3.34.4.1.3-1 when appropriate. Form Fillers shall be capable of accepting other values beyond the ones specified here.

Table 3.34.4.1.3-1: SOAP Faults

Description of error	Code	Reason Text
There is missing information, such as no formID	Sender	Required Information Missing
No form is available	Sender	Unknown formID

2390 An example of a SOAP Fault is:

```

2395 <env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"
2400       xmlns:xml="http://www.w3.org/XML/1998/namespace">
  <env:Body>
    <env:Fault>
      <env:Code>
        <env:Value>env:Sender</env:Value>
      </env:Code>
      <env:Reason>
        <env:Text xml:lang="en">Required Information Missing</env:Text>
      </env:Reason>
    </env:Fault>
  </env:Body>
</env:Envelope>
    
```

3.34.4.1.4 Security Considerations

2405 As noted in the mitigations section of ITI TF-1: 17.5 Security Considerations, endpoints are free to implement TLS as needed for additional privacy and protection. Content profiles, based upon the nature of the data, may need to require use of ATNA.

3.34.4.2 Retrieve Form Response

3.34.4.2.1 Trigger Events

2410 This message is triggered by a Form Manager or Form Processor Actor responding to a Retrieve Form request.

3.34.4.2.2 Message Semantics

The form or URL is returned.

The following parameters are specified for the response of this transaction

Element Name	REQ	Description	Constraints
form	R	The xml element container for the form. The form element Shall contain one of: {Structured, Unstructured, URL} and may also contain an instanceID.	An element of type urn:ihe:iti:rfd:2007:formDataType, thus it has only child elements and no value.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Element Name	REQ	Description	Constraints
form/Structured	O [Note 1]	The xml element container for the return of encoded, structured form content.	xs:any This element may be further constrained by content profiles. May only be present when the Form Request has encodedResponse value of true.
form/Unstructured	O [Note 1]	The xml element container for the return of encoded, unstructured, base64 encoded form content.	xs:base64Binary This element may be further constrained by content profiles. May only be present when the Form Request has encodedResponse value of true.
form/URL	O [Note 2]	The xml element container for the return of a pointer to the form.	xs:anyURI Required when the Form Request has encodedResponse value of false.
form/instanceID	O	The xml element containing the value of a form instance	xs:string
contentType	R	Has no meaning when the Form Request encodedResponse value is false.	xs:string Required; may be nil. The value may be constrained by content profiles.
responseCode	R	Not defined.	xs:string Required; may be nil The value may be constrained by content profiles.

2415 **Note 1:** When the Form Request has encodedResponse value of true, then one of the two fields is required, and the URL field is forbidden.

Note 2: When the Form Request has encodedResponse value of false, then the URL field is required, and Structured and Unstructured are forbidden.

3.34.4.2.3 Expected Actions

2420 The Form Filler shall retrieve from the URLvalue returned if the Retrieve Form encodedResponse value was false.

Regardless of the Retrieve Form encodedResponse value, the Form Filler may fill any form fields needed for form submission, and may display the form for user interaction.

3.34.4.2.3.1 XHTML Handling

2425 A Form Manager or Form Processor shall return a form. If the form is returned as a URL, because encodedResponse is false on the request, the form shall be formatted as XHTML using XHTML Basic and W3C HTML Compatibility Guidelines provided in the Appendix C of the W3C XHTML 1.0 Recommendation. If the form is returned as Structured content, it shall be

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

2430 capable of being transformed into XHTML. In all cases, the returned form shall support the Submit and all required Archive transactions.

3.34.4.2.3.2 XForm Option

2435 A Form Manager or Form Processor that supports the XForms Option shall additionally be capable of returning a form, whether returned as the response or referenced by a returned URL, that conforms to XForms 1.1. The host language for the XForm shall be XHTML Basic according to the W3C HTML Compatibility Guidelines provided in the Appendix C of the W3C XHTML 1.0 Recommendation. The returned form shall support the Submit and all required Archive transactions.

3.34.5 Protocol Requirements

2440 The Retrieve Form request and response shall be transmitted using Synchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V.

The Retrieve Form transaction shall use SOAP 1.2.

WSDL Namespace Definitions

ihe	urn:ihe:iti:rfd:2007
soap12	http://schemas.xmlsoap.org/wsdl/soap12/
wsaw	http://www.w3.org/2005/08/addressing
xsd	http://www.w3.org/2001/XMLSchema

2445 These are the requirements for the Retrieve Form transaction presented in the order in which they would appear in the WSDL definition:

- The following types shall be imported (xds:import) in the /definitions/types section:
 - Namespace="urn:ihe:iti:rfd:2007", schema="RFD.xsd"
- The /definitions/message/part/@element attribute of the Retrieve Form Request message shall be defined as: "ihe:RetrieveFormRequest"
- 2450 • The /definitions/message/part/@element attribute of the Retrieve Form Response message shall be defined as: "ihe:RetrieveFormResponse"
- The /definitions/portType/operation/input/@wsaw:Action attribute for the Retrieve Form Request message shall be defined as "urn:ihe:iti:2007:RetrieveForm"
- The /definitions/portType/operation/output/@wsaw:Action attribute for the Retrieve Form Response message shall be defined as: "urn:ihe:iti:2007:RetrieveFormResponse"
- 2455 • The /definitions/binding/operation/soap12:operation/@soapAction attribute shall be defined as "urn:ihe:iti:2007:RetrieveForm"

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

2460 These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.34.5.1 Sample SOAP Messages.

For informative WSDL for the Form Manager see ITI TF-2x: Appendix W. A full XML Schema Document for the RFD types is available online on the IHE FTP site (ftp://ftp.ihe.net/TF_Implementation_Material/ITI/).

3.34.5.1 Sample SOAP Messages

2465 The samples in the following two sections show a typical SOAP request and its relative SOAP response. The sample messages also show the WS-Addressing headers <Action/>, <MessageID/>, .; these WS-Addressing headers are populated according to ITI TF-2x: Appendix V: Web Services for IHE Transactions. Some of the body of the SOAP message is omitted for brevity.

2470 3.34.5.1.1 Sample Retrieve Form SOAP Request

```

2475 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>
    <wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>
    <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:
2480 2007:RetrieveForm</wsa:Action>
  </soap:Header>
  <soap:Body>
    <RetrieveFormRequest xmlns="urn:ihe:iti:rfd:2007">
    <prepopData>...some xml content...</prepopdata>
    <workflowData>
2485   <formID>1</formID>
    <encodedResponse>>false</encodedResponse>
    <archiveURL />
    <context />
    <instanceID />
    </workflowData>
2490   </RetrieveFormRequest>
  </soap:Body>
</soap:Envelope>

```

2495

3.34.5.1.2 Sample Retrieve Form SOAP Response

```
2500 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"  
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
      xmlns:xsd="http://www.w3.org/2001/XMLSchema">  
      <soap:Header>  
        <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>  
2505 <wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>  
      <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:  
2007:RetrieveFormResponse</wsa:Action>  
      </soap:Header>  
2510 <soap:Body>  
      <RetrieveFormResponse xmlns="urn:ihe:iti:rfd:2007">  
        <form>  
          <URL>http://somehost/xxx/services/someForm</URL>  
          <instanceID>1.2.3.4.5</instanceID>  
2515 </form>  
        <contentType />  
        <responseCode />  
      </RetrieveFormResponse>  
      </soap:Body>  
2520 </soap:Envelope>
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.


3.35 Submit Form

2525 This section corresponds to transaction ITI-35 of the IHE IT Infrastructure Technical Framework. Transaction ITI-35 is used by the Form Filler and Form Receiver or Form Processor Actors.

3.35.1 Scope

This transaction involves a Form Filler submitting a form to a Form Receiver or Form Processor.

3.35.2 Use Case Roles



2530

Actor: Form Filler

Role: A forms display and editing system capable of allowing form fields to be completed.

2535 **Actor:** Form Receiver

Role: A system that receives submitted form data from forms constructed by Form Managers.

Actor: Form Processor

Role: A system that receives submitted form data from forms constructed by this same instance of the Form Processor.

2540 3.35.3 Referenced Standards

Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

IETF RFC 1738, Uniform Resource Locators (URL), December 1994,
<http://www.faqs.org/rfcs/rfc1738.html>


2545 IETF RFC 2616 HyperText Transfer Protocol HTTP/1.1

Extensible Markup Language (XML) 1.0 (Second Edition). W3C Recommendation 6 October 2000. <http://www.w3.org/TR/REC-xml>.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

ITI TF-2x: Appendix V Web Services for IHE Transactions

3.35.4 Interaction Diagram



2550

3.35.4.1 Submit Form

This transaction is initiated by a Form Filler submitting form instance data, using XML as a format, to a Form Receiver or Form Processor.

2555 **3.35.4.1.1 Trigger Events**

The Submit Form transaction is triggered by the submission action from within the form.

3.35.4.1.2 Message Semantics

2560 The Submit Form transaction shall carry a SubmitFormRequest element, with submitted form data as XML child elements of the SubmitFormRequest element. Content profiles may further constrain the content of the SubmitFormRequest element.

See the schema provided with the support materials (see ITI TF-2x: Appendix W).

3.35.4.1.3 Expected Actions

2565 Upon receipt of the Submit Form request, the Form Receiver or Form Processor shall return a SubmitFormResponse element, or errors with SOAP Faults, for example if the posted data cannot be recognized.

The Form Filler may display the results of the response from the Form Receiver or Form Processor.

2570 The Form Receiver or Form Processor shall use the SOAP Faults defined in Table 3.35.4.1.3-1 when appropriate. Form Fillers shall be capable of accepting other values beyond the ones specified here.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Table 3.35.4.1.3-1: SOAP Faults

Description of error	Code	Reason Text
Cannot recognize the posted data	Sender	Required Information Missing

An example of a SOAP Fault is:

```

2575 <env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"
      xmlns:xml="http://www.w3.org/XML/1998/namespace">
2580 <env:Body>
      <env:Fault>
        <env:Code>
          <env:Value>env:Sender</env:Value>
2585 </env:Code>
        <env:Reason>
          <env:Text xml:lang="en">Required Information Missing</env:Text>
        </env:Reason>
      </env:Fault>
    </env:Body>
  </env:Envelope>

```

3.35.4.2 Submit Form Response

3.35.4.2.1 Trigger Events

This message is triggered by a Form Filler submitting form instance data.

2590 3.34.4.2.2 Message Semantics

The Submit Form Response shall return a SubmitFormResponseType element containing:

- A responseCode string that may be constrained by Content Profiles
- An optional content element containing formData, as is returned by RetrieveFormResponse
- 2595 • An optional contentType string that may be constrained by Content Profiles.

See the schema provided with the support materials (see ITI TF-2x: Appendix W).

3.35.4.2.3 Expected Actions

The Form Filler may display the results of the response from the Form Receiver or Form Processor. The form behavior may be further profiled by content domain profiles.

2600 3.35.5 Protocol Requirements

Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

The Submit Form transaction shall use SOAP 1.2.

2605

WSDL Namespace Definitions

ihe	urn:ihe:iti:rfd:2007
soap12	http://schemas.xmlsoap.org/wsdl/soap12/
wsaw	http://www.w3.org/2005/08/addressing
xsd	http://www.w3.org/2001/XMLSchema

These are the requirements for the Submit Form transaction presented in the order in which they would appear in the RFD Submit Form WSDL definition:

- The following types shall be imported (xds:import) in the /definitions/types section:
 - Namespace="urn:ihe:iti:rfd:2007", schema="RFD.xsd"
- The /definitions/message/part/@element attribute of the Submit Form Request message shall be defined as: "ihe:SubmitFormRequest"
- The /definitions/message/part/@element attribute of the Submit Form Response message shall be defined as: "ihe:SubmitFormResponse"
- Refer to Table 3.35.5-1 for additional attribute requirements.

2615

Table 3.35.5-1: Additional Attribute Requirements

Attribute	Value
/definitions/portType/operation@name	SubmitForm
/definitions/portType/operation/input/@wsaw:Action	urn:ihe:iti:2007:SubmitForm
/definitions/portType/operation/output/@wsaw:Action	urn:ihe:iti:2007:SubmitFormResponse
/definitions/binding/operation/soap12:operation/@soapAction	urn:ihe:iti:2007:SubmitForm

2620 These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.35.5.1 Sample SOAP Messages.

For informative WSDL see ITI TF-2x: Appendix W.

The <ihe:SubmitFormRequest> element is defined as:

- One or more <xs:any> elements

2625 This allows the Form Manager to construct forms that submit form data using any XML representation.

The <ihe:SubmitFormResponseType> element is defined as:

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- An optional <ihe:content> element which is of type <ihe:formDataType> as also used in the Retrieve Form Response. If present it shall contain:
- 2630
- One of the following:
 - <ihe:Structured> containing XML encoding of a form
 - <ihe:Unstructured> containing base64Binary encoding of a form
 - <ihe:URL> containing the URL of a form
 - An optional <ihe:instanceID> of type xs:string.
- 2635
- An optional <ihe:contentType> element, of type xs:string.
 - A required <ihe:responseCode> element of type xs:string.

3.35.5.1 Sample SOAP Messages

The samples in the following two sections show a typical SOAP request and its relative SOAP response. The sample messages also show the WS-Addressing headers <Action/>, <MessageID/>, .; these WS-Addressing headers are populated according to ITI TF-2x: Appendix V: Web Services for IHE Transactions. Some of the body of the SOAP message is omitted for brevity.

- 2640
- <MessageID/>, .; these WS-Addressing headers are populated according to ITI TF-2x: Appendix V: Web Services for IHE Transactions. Some of the body of the SOAP message is omitted for brevity.

3.35.5.1.1 Sample Submit Form SOAP Request

- 2645
- ```
<?xml version='1.0' encoding='UTF-8'?>
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 <soap:Header>
 <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>
 <wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>
 <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:
2007:SubmitForm</wsa:Action>
 </soap:Header>
 <soap:Body>
2655 <SubmitFormRequest xmlns="urn:ihe:iti:rfd:2007">
 ...
 </SubmitFormRequest>
 </soap:Body>
</soap:Envelope>
```
- 2660

### 2665 3.35.5.1.2 Sample Submit Form SOAP Response

```

2665 <?xml version='1.0' encoding='UTF-8'?>
 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
2670 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 <soap:Header>
 <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>
 <wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>
 <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:
2675 2007:SubmitFormResponse</wsa:Action>
 </soap:Header>
 <soap:Body>
 <SubmitFormResponseType xmlns="urn:ihe:iti:rfd:2007">
 <content>
2680 <URL>http://somehost/xxx/services/someForm</URL>
 <instanceID>1.2.3.4.5</instanceID>
 </content>
 <contentType />
 <responseCode />
 </SubmitFormResponseType>
2685 </soap:Body>
 </soap:Envelope>

```

### 3.35.6 Security Considerations

2690 As noted in the mitigations section of ITI TF-1: 17.5 Security Considerations, endpoints are free to implement TLS as needed for additional privacy and protection. Content profiles, based upon the nature of the data, may need to require use of ATNA.


### 3.36 Archive Form

This section corresponds to transaction ITI-36 of the IHE IT Infrastructure Technical Framework. Transaction ITI-36 is used by the Form Filler and Form Archiver Actors.

#### 2695 3.36.1 Scope

This transaction involves a Form Filler submitting form instance data to a Form Archiver.

#### 3.36.2 Use Case Roles



2700

**Actor:** Form Filler

**Role:** A forms display and editing system capable of allowing form fields to be completed.

**Actor:** Form Archiver

2705 **Role:** A system that receives submitted forms for archival purposes.

#### 3.36.3 Referenced Standards


Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

2710 IETF RFC 1738, Uniform Resource Locators (URL), December 1994,  
<http://www.faqs.org/rfcs/rfc1738.html>

IETF RFC 2616 HyperText Transfer Protocol HTTP/1.1

Extensible Markup Language (XML) 1.0 (Second Edition). W3C Recommendation 6 October 2000. <http://www.w3.org/TR/REC-xml>.

### 3.36.4 Interaction Diagram



2715

#### 3.36.4.1 Archive Form

This transaction is initiated by a Form Filler submitting a data to a Form Archiver for archival purposes.

##### 2720 3.36.4.1.1 Trigger Events

The Form Filler shall use this transaction to submit data to a Form Archiver for archival purposes. The Archive Form transaction may be initiated by a Form Filler, or it may be triggered as a secondary submission action from within a form.

##### 3.36.4.1.2 Message Semantics

2725 The Archive Form transaction shall carry a ArchiveFormRequest element, with submitted form data as XML child elements of the ArchiveFormRequest element. Content profiles may further constrain the content of the ArchiveFormRequest element.

See the schema provided with the support materials (see ITI TF-2x: Appendix W).

##### 3.36.4.1.3 Expected Actions

2730 Upon receipt of the Archive Form request, the Form Archiver shall return a ArchiveFormResponse element, or errors with SOAP Faults, for example if the posted data cannot be recognized.

The Form Filler may display the results of the response from the Form Archiver.

2735 The Form Archiver shall use the SOAP Faults defined in Table 3.36.4.1.3-1 when appropriate. Form Fillers shall be capable of accepting other values beyond the ones specified here.

**Table 3.36.4.1.3-1: SOAP Faults**

| Description of error             | Code   | Reason Text                  |
|----------------------------------|--------|------------------------------|
| Cannot recognize the posted data | Sender | Required Information Missing |

An example of a SOAP Fault is:

```

2740 <env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"
 xmlns:xml="http://www.w3.org/XML/1998/namespace">
 <env:Body>
 <env:Fault>
2745 <env:Code>
 <env:Value>env:Sender</env:Value>
 </env:Code>
 <env:Reason>
2750 <env:Text xml:lang="en">Required Information Missing</env:Text>
 </env:Reason>
 </env:Fault>
 </env:Body>
 </env:Envelope>

```

### 3.36.4.2 Archive Form Response

#### 2755 3.36.4.2.1 Trigger Events

This message is triggered by a Form Filler archiving form instance data.

#### 3.36.4.2.2 Message Semantics

An ArchiveFormResponse element it returned, which contains:

- A responseCode string that may be constrained by Content Profiles

2760 See the schema provided with the support materials (see ITI TF-2x: Appendix W).

#### 3.36.4.2.3 Expected Actions

The Form Filler may display the results of the response from the Form Archiver. The form behavior may be further profiled by content domain profiles.

### 2765 3.36.5 Protocol Requirements

The Archive Form request and response shall be transmitted using Synchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V.

The Archive Form transaction shall use SOAP 1.2.

### 2770 WSDL Namespace Definitions

|     |                      |
|-----|----------------------|
| ihe | urn:ihe:iti:rfd:2007 |
|-----|----------------------|

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|        |                                         |
|--------|-----------------------------------------|
| soap12 | http://schemas.xmlsoap.org/wsdl/soap12/ |
| wsaw   | http://www.w3.org/2005/08/addressing    |
| xsd    | http://www.w3.org/2001/XMLSchema        |

These are the requirements for the Archive Form transaction presented in the order in which they would appear in the Archive Form WSDL definition:

- The following types shall be imported (xds:import) in the /definitions/types section:
  - 2775 • Namespace="urn:ihe:iti:rfd:2007", schema="RFD.xsd"
- The /definitions/message/part/@element attribute of the Archive Form Request message shall be defined as: "ihe:ArchiveFormRequest"
- The /definitions/message/part/@element attribute of the Archive Form Response message shall be defined as: "ihe:ArchiveFormResponse"
- 2780 • Refer to Table 3.36.5 for additional attribute requirements.

**Table 3.36.5: Additional Attribute Requirements**

| Attribute                                                   | Value                                |
|-------------------------------------------------------------|--------------------------------------|
| /definitions/portType/operation@name                        | ArchiveForm                          |
| /definitions/portType/operation/input/@wsaw:Action          | urn:ihe:iti:2007:ArchiveForm         |
| /definitions/portType/operation/output/@wsaw:Action         | urn:ihe:iti:2007:ArchiveFormResponse |
| /definitions/binding/operation/soap12:operation/@soapAction | urn:ihe:iti:2007:ArchiveForm         |

2785 These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.36.5.1 Sample SOAP Messages.

For informative WSDL see ITI TF-2x: Appendix W.

The <ihe:ArchiveFormRequest> element is defined as:

- One or more <xs:any> elements
- 2790 This allows the Form Manager to construct forms that archive form data using any XML representation.
- The <ihe:ArchiveFormResponse> element is defined as:

A required <ihe:responseCode> element of type xs:string.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.36.5.1 Sample SOAP Messages

2795 The samples in the following two sections show a typical SOAP request and its relative SOAP response. The sample messages also show the WS-Addressing headers <Action/>, <MessageID/>, .; these WS-Addressing headers are populated according to ITI TF-2x: Appendix V: Web Services for IHE Transactions. Some of the body of the SOAP message is omitted for brevity.

#### 2800 3.36.5.1.1 Sample Archive Form SOAP Request

```

2805 <?xml version='1.0' encoding='UTF-8'?>
 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 <soap:Header>
 <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>
 <wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>
 <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:
2810 2007:ArchiveForm</wsa:Action>
 </soap:Header>
 <soap:Body>
 <ArchiveFormRequest xmlns="urn:ihe:iti:rfd:2007">
 ...
 </ArchiveFormRequest>
2815 </soap:Body>
 </soap:Envelope>

```

#### 3.36.5.1.2 Sample Archive Form SOAP Response

```

2820 <?xml version='1.0' encoding='UTF-8'?>
 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 <soap:Header>
 <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>
 <wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>
2825 <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:
2007:ArchiveFormResponse</wsa:Action>
 </soap:Header>
 <soap:Body>
 <ArchiveResponse xmlns="urn:ihe:iti:rfd:2007">
2830 <responseCode />
 </ArchiveFormResponse>
 </soap:Body>
 </soap:Envelope>

```

### 2835 3.36.6 Security Considerations

As noted in the mitigations section of ITI TF-1: 17.5 Security Considerations, endpoints are free to implement TLS as needed for additional privacy and protection. Content profiles, based upon the nature of the data, may need to require use of ATNA.

2840 **3.37 Retrieve Clarifications**


This section corresponds to transaction ITI-37 of the IHE IT Infrastructure Technical Framework. Transaction ITI-37 is used by the Form Filler and Form Manager or Form Processor Actors.

**3.37.1 Scope**

2845 This transaction involves a Form Filler requesting a set of clarifications from a Form Manager or Form Processor. A Form Filler supporting the Retrieve Clarifications Option shall perform this request periodically, based upon a duration defined by or agreed upon with the Form Manager / Form Receiver or Form Processor. Note that not all use cases will need to support this option.

2850 The Form Filler has an orgID, obtained by a means that is outside the scope of this transaction, and the Form Manager or Form Processor will either return a form that contains either the data to be clarified or a set of links to other forms that can be retrieved using the Retrieve Form transaction. All updates / clarifications / new data are submitted to the Form Receiver using the Submit Form transaction.

2855 **3.37.2 Use Case Roles**



**Actor:** Form Filler

**Role:** A forms display and editing system capable of allowing form fields to be completed.

2860 **Actor:** Form Manager

**Role:** A system that provides clarification information based upon requests that provide specific orgIDs.

**Actor:** Form Processor

2865 **Role:** A system that provides clarification information based upon requests that provide specific orgIDs.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.37.3 Referenced Standards

IETF RFC 1738, Uniform Resource Locators (URL), December 1994,  
<http://www.faqs.org/rfcs/rfc1738.html>


IETF RFC 2616 HyperText Transfer Protocol HTTP/1.1

2870 Extensible Markup Language (XML) 1.0 (Second Edition). W3C Recommendation 6 October 2000. <http://www.w3.org/TR/REC-xml>.

ITI TF-2x: Appendix V Web Services for IHE Transactions

XForms 1.1, W3C Working Draft. <http://www.w3.org/TR/2004/WD-xforms11-20041115/>

### 2875 3.37.4 Interaction Diagram



#### 3.37.4.1 Retrieve Clarifications Request

2880 This transaction is initiated whenever a Form Filler which supports the Retrieve Clarifications Option needs to obtain clarification information relevant to the organization or site.

##### 3.37.4.1.1 Trigger Events

2885 The Retrieve Clarification event is triggered by the need for information on current clarifications to be made available within an EHR system. The transaction does not specify when the Retrieve Clarification happens, only that this transaction is available when information regarding clarifications is needed from a Form Manager or Form Processor. It is the responsibility of the Form Filler that supports this option to periodically execute this transaction.

**3.37.4.1.2 Message Semantics**

Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

2890 The following parameters are specified for this transaction.

| Parameter Name    | REQ | Description                                                                            | Value                                                           |
|-------------------|-----|----------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| clarificationData | R   | The xml representation of clarification specific values.                               | This value is a well-formed xml document.as defined below.      |
| orgID             | R   |                                                                                        | A string identifying the organization                           |
| encodedResponse   | R   | Tells the Form Manager whether or not to return an encoded response                    | {true,false }                                                   |
| archiveURL        | R   | Tells the Form Manager whether or not the Form Filler is exercising the Archive Option | the URL of any Form Filler identified Form Archiver; may be nil |
| context           | R   | The xml specifics of workflow context                                                  | Defined by content profiles; may be nil                         |

The clarificationData may be extended by IHE content profiles with further definition of the <context> element. The content of clarificationData shall minimally be:

2895 <clarificationData>  
     <orgID>a String identifying the form</orgID>  
     <encodedResponse>>false</encodedResponse>  
     <archiveURL />  
     <context/>  
 2900 </clarificationData>

**3.37.4.1.3 Expected Actions**

Upon receipt of the Retrieve Clarifications request, the Form Manager or Form Processor shall parse the request and shall return the requested response in the RetrieveClarificationsResponse element, or errors with SOAP Faults.

2905 The Form Manager or Form Processor shall return the form or URL based on the values of: a) the encodedResponse; b) the orgID; c) any additional clarificationData.

If no clarification information is available, this shall be indicated by a form indicating that no clarification information is available.

2910 If encodedResponse is 'true', then the response from the Form Manager or Form Processor shall be either a Structured (XML) or Unstructured (non-XML) element. When the encodedResponse parameter is 'true' all anchor addresses that are not fragment identifiers shall be composed of absolute URIs.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

2915 If encodedResponse is 'false', then the response from the Form Manager or Form Processor shall be a URL element that can be used directly by a web browser for retrieval and operation of the form.

The value of the orgID has been previously assigned by the Form Manager or Form Processor and identifies use one of the named format options. A Form Manager may support multiple named options, but for each orgID there is only one named option that is supported.

2920 The Form Manager shall use the SOAP Faults defined in Table 3.37.4.1.3-1 when appropriate. Form Fillers shall be capable of accepting other values beyond the ones specified here.

**Table 3.37.4.1.3-1: SOAP Faults**

| Description of error                           | Code   | Reason Text                  |
|------------------------------------------------|--------|------------------------------|
| There is missing information, such as no orgID | Sender | Required Information Missing |
| No form is available                           | Sender | Unknown orgID                |

An example of a SOAP Fault is:

```

2925 <env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope"
 xmlns:xml="http://www.w3.org/XML/1998/namespace">
 <env:Body>
 <env:Fault>
 <env:Code>
2930 <env:Value>env:Sender</env:Value>
 </env:Code>
 <env:Reason>
2935 <env:Text xml:lang="en">Unknown orgID</env:Text>
 </env:Reason>
 </env:Fault>
 </env:Body>
</env:Envelope>

```

2940 The orgID has been assigned by the Form Manager or Form Processor use one of the named format options. A Form Manager or Form Processor may support multiple named options, but for each orgID there is only one named option that is supported.

**3.37.4.1.4 Security Considerations**

The security considerations for the Retrieve Clarifications request message are no different than those of the Retrieve Form request message (see Section 3.34.4.1.4).

2945 **3.37.4.2 Retrieve Clarifications Response**

**3.37.4.2.1 Trigger Events**

The Delivery of a Form is triggered by a Form Manager or Form Processor Actor providing a form based upon the orgID supplied with the Retrieve Clarifications transaction.

**3.37.4.2.2 Message Semantics**

2950 The form or URL is returned in response to the Retrieve Clarifications.

**3.37.4.2.3 Expected Actions**

The Form Filler may display the form or navigate to the returned URL to retrieve the form.

**3.37.4.2.3.1 XHTML Handling**

2955 A Form Manager or Form Processor shall return a form, whether returned as the response or referenced by a returned URL, formatted as XHTML using XHTML Basic and W3C HTML Compatibility Guidelines provided in the Appendix C of the W3C XHTML 1.0 Recommendation. The returned form shall support the Submit and all required Archive transactions.

**3.37.4.2.3.2 XForm Option**

2960 A Form Manager or Form Processor that supports the XForms Option shall additionally be capable of returning a form, whether returned as the response or referenced by a returned URL, that conforms to XForms 1.1. The host language for the XForm shall be XHTML Basic according to the W3C HTML Compatibility Guidelines provided in the Appendix C of the W3C XHTML 1.0 Recommendation. The returned form shall support the Submit and all required  
2965 Archive transactions.

**3.37.5 Protocol Requirements**

The Retrieve Clarifications request and response shall be transmitted using Synchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V.

The Retrieve Clarifications transaction shall use SOAP 1.2.

2970

**WSDL Namespace Definitions**

|        |                                         |
|--------|-----------------------------------------|
| ihe    | urn:ihe:iti:rfd:2007                    |
| soap12 | http://schemas.xmlsoap.org/wsdl/soap12/ |
| wsaw   | http://www.w3.org/2005/08/addressing    |
| xsd    | http://www.w3.org/2001/XMLSchema        |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

These are the requirements for the Retrieve Clarifications transaction presented in the order in which they would appear in the WSDL definition:

- 2975
- The following types shall be imported (xds:import) in the /definitions/types section:
    - Namespace="urn:ihe:iti:rfd:2007", schema="RFD.xsd"
  - The /definitions/message/part/@element attribute of the Retrieve Clarifications Request message shall be defined as: "ihe:RetrieveClarificationsRequest"
  - The /definitions/message/part/@element attribute of the Retrieve Clarifications Response message shall be defined as: "ihe:RetrieveClarificationsResponse"
  - The /definitions/portType/operation/input/@wsaw:Action attribute for the Retrieve Clarifications Request message shall be defined as "urn:ihe:iti:2007:RetrieveClarifications"
  - The /definitions/portType/operation/output/@wsaw:Action attribute for the Retrieve Clarifications Response message shall be defined as: "urn:ihe:iti:2007:RetrieveClarificationsResponse"
  - The /definitions/binding/operation/soap12:operation/@soapAction attribute shall be defined as "urn:ihe:iti:2007:RetrieveClarifications"
- 2980
- 2985

2990 These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.34.5.1 Sample SOAP Messages.

For informative WSDL for the Form Manager see ITI TF-2x: Appendix W. A full XML Schema Document for the RFD types is available online on the IHE FTP site ([ftp://ftp.ihe.net/TF\\_Implementation\\_Material/ITI/](ftp://ftp.ihe.net/TF_Implementation_Material/ITI/)).

### 2995 3.37.5.1 Sample SOAP Messages

The samples in the following two sections show a typical SOAP request and its relative SOAP response. The sample messages also show the WS-Addressing headers <Action/>, <MessageID/>, ...; these WS-Addressing headers are populated according to ITI TF-2x: Appendix V: Web Services for IHE Transactions.

#### 3000 3.37.5.1.1 Sample Retrieve Clarifications SOAP Request

3005

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 <soap:Header>
 <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>
</wsa:Header>
 <wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

3010 <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:
2007:RetrieveClarifications</wsa:Action>
 </soap:Header>
 <soap:Body>
3015 <RetrieveClarificationsRequest xmlns="urn:ihe:iti:rfd:2007">
 <clarificationData>
 <orgID>123</formID>
 <encodedResponse>>false</encodedResponse>
 <archiveURL />
 <context />
3020 </clarificationData>
 </RetrieveClarificationsRequest>
 </soap:Body>
</soap:Envelope>

```

### 3.37.5.1.2 Sample Retrieve Clarifications SOAP Response

```

3025 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 <soap:Header>
3030 <wsa:To>http://localhost:4040/axis2/services/someservice</wsa:To>
<wsa:MessageID>urn:uuid:76A2C3D9BCD3AECFF31217932910053</wsa:MessageID>
 <wsa:Action soap:mustUnderstand="1">urn:ihe:iti:
2007:RetrieveClarificationsResponse</wsa:Action>
 </soap:Header>
3035 <soap:Body>
 <RetrieveClarificationsResponse xmlns="urn:ihe:iti:rfd:2007">
 <form>
3040 <URL>http://somehost/xxx/services/someForm</URL>
 </form>
 <contentType />
 <responseCode />
 </RetrieveClarificationsResponse>
 </soap:Body>
3045 </soap:Envelope>

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

### 3.38 Cross Gateway Query

This section corresponds to transaction ITI-38 of the IHE ITI Technical Framework. Transaction ITI-38 is used by cooperating Initiating Gateway and Responding Gateway Actors.

3050 **3.38.1 Scope**

The scope of the Cross Gateway Query transaction is based on the Registry Stored Query transaction [ITI-18]. The same set of stored queries is required to be supported and the options controlling what kind of data is returned are the same. Differences from the Registry Stored Query transactions are:


- 3055     • The Cross Gateway Query is between an Initiating Gateway and Responding Gateway.
- Initiating Gateway shall specify the homeCommunityId attribute in all Cross-Community Queries which do not contain a patient identifier.
- The homeCommunityID attribute shall be returned within all appropriate elements.
- 3060     • Responding Gateways shall support the Asynchronous Web Services Exchange Option on the Cross Gateway Query. Support for this function is required in order to enable use of Asynchronous Web Services Exchange in any cross-community interaction. Without this support an Initiating Gateway would require unique configuration, per Responding Gateway, to know if Asynchronous Web Services Exchange was supported. It is expected that Asynchronous Web Services Exchange will be desired by the majority of
- 3065     communities.
- Asynchronous Web Services Exchange is an option on the Initiating Gateway, see ITI TF-1: 18.2.2.
- For stored queries that rely on concepts that a community may not support, namely
- 3070     associations, folders and submission sets, a Responding Gateway is allowed to respond with zero entries.

There shall be an agreed upon common coding/vocabulary scheme used for the Cross Gateway Query. For example, a common set of privacy consent vocabularies shall be used.

3075

### 3.38.2 Use Case Roles

3080



**Figure 3.38.2-1: Use Case Roles**

**Actor:** Initiating Gateway

3085 **Role:** To formulate a Cross Gateway Query on behalf of a user.

**Actor:** Responding Gateway

**Role:** To respond to a Cross Gateway Query based on the internal configuration of the community.

### 3.38.3 Referenced Standard


3090 Implementers of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V Web Services for IHE Transactions.

ebRIM OASIS/ebXML Registry Information Model v3.0

ebRS OASIS/ebXML Registry Services Specifications v3.0

3095 ITI TF-3:4 Metadata used in Document Sharing profiles

### 3.38.4 Interaction Diagram



#### 3.38.4.1 Cross Gateway Query

3100 This is a query request between an Initiating Gateway and a Responding Gateway. The query request contains:

- A reference to a pre-defined query defined by the Registry Stored Query transaction [ITI-18].
  - Parameters to the query. The query parameters are defined by the Registry Stored Query transaction. The homeCommunityId attribute is required for every Registry Stored Query which does not specify a patient identity.
- 3105

##### 3.38.4.1.1 Trigger Events

3110 This message is initiated when the Initiating Gateway has determined that it must interact with the Responding Gateway to satisfy a Registry Stored Query [ITI-18] request received from an XDS.b Document Consumer or a query request from other internal non-IHE actor. When initiating this message to satisfy a Registry Stored Query [ITI-18] request the Initiating Gateway shall pass all parameters, either known or unknown, into the Cross Gateway Query.

##### 3.38.4.1.2 Message Semantics

The message semantics are based on the Registry Stored Query. See ITI TF-2a: 3.18.4.1.2.

3115 Initiating Gateways which support the On-Demand Documents Option shall be capable of querying for an On-Demand Document Entry either through internal mechanisms or, when the XDS Affinity Domain Option is also declared, through interaction with an XDS Document Consumer which supports the On-Demand Documents Option.

3120 Responding Gateways which support the On-Demand Documents Option shall be able to respond to a query of an On-Demand Document Entry, either through internal mechanisms or, when grouped with a Document Consumer, through interaction with appropriate XDS Actors

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

which support On-Demand Documents. Of special note are the use of `homeCommunityId`, specifying the patient identifier and special handling of some stored queries. These are explained below.

#### 3125 **3.38.4.1.2.1 homeCommunityId**

The `homeCommunityId` attribute is required on the Cross Gateway Query. The `homeCommunityId` is a globally unique identifier for a community and is used to obtain the Web Services endpoint of services that provide access to data in that community. `homeCommunityId` is structured as an OID limited to 64 characters and specified in URI syntax, for example the `homeCommunityId` of 1.2.3 would be formatted as `urn:oid:1.2.3`.

Its use is as follows:

- It is returned within the response to Cross Gateway Query and Registry Stored Query transactions to indicate the association of a response element with a community. It is specified as the eBRIM 'home' attribute within the relevant response elements. Document Consumers process the value as an opaque unique identifier.
- It is an optional parameter to Registry Stored Query requests, not requiring a patient id parameter, and Retrieve Document Set requests to indicate which community to direct the request.

3140 The Initiating Gateway shall specify the `homeCommunityId` parameter within all queries which do not include a patient identifier parameter. These would be queries which specify an `entryUUID` or `uniqueID`. The `homeCommunityId` shall contain the value that identifies the community associated with the Responding Gateway. The `homeCommunityId` value is specified as the `home` attribute on the `AdhocQuery` element of the query request, as in:

```
<AdhocQuery id="..." home="urn:oid:1.2.3" ... >
```

3145 Each Cross Gateway Query request can have at most one `homeCommunityId` value. If multiple `entryUUID` or `uniqueID` values are specified they must all be associated with the same `homeCommunityId` value. Multiple individual query requests can be used to retrieve data associated with different `homeCommunityIds`. This restriction is expected to be temporary as query syntax is extended to handle multiple `homeCommunityIds` in a single query request.

#### 3150 **3.38.4.1.2.2 Specifying patient identifier**

3155 The Initiating Gateway shall specify in relevant queries a patient identifier known to the Responding Gateway. The mechanism used by the Initiating Gateway to determine the correct patient identifier to use is outside the intended scope of this transaction. The Responding Gateway can expect to be able to resolve the patient identifier. If the patient identifier is unknown by the Responding Gateway's community, the Responding Gateway shall return either a successful response with no elements or an error with `errorCode XDSUnknownPatientId`, depending on local policy.

### 3.38.4.1.2.3 Special handling of some stored queries

3160 Some stored queries rely on the support of concepts which may not be used within a community. It is also possible that a Responding Gateway community may have policies which restrict the sharing of information related to those concepts. The concepts of concern are submission sets, folders and associations. In either case a Responding Gateway shall respond to the appropriate stored queries by returning zero results. Table 3.38.4.1.2.3-1 lists all the stored queries which rely on specialized concepts.

3165

**Table 3.38.4.1.2.3-1: Stored Queries**

| Query Name                  | Concepts                            | Requirement                                                                                                               |
|-----------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| FindDocuments               | None                                | Required by all                                                                                                           |
| FindSubmissionSets          | Submission Set                      | Zero elements when no submission set concept in community                                                                 |
| FindFolders                 | Folder                              | Zero elements when no folder concept in community                                                                         |
| GetAll                      | Submission Set, Folder, Association | Return all appropriate document entries and other entries depending on which of the other concepts the community supports |
| GetDocuments                | None                                | Required by all                                                                                                           |
| GetFolders                  | Folder                              | Zero elements when no folder concept in community                                                                         |
| GetAssociations             | Association                         | Zero elements when no association concept in community                                                                    |
| GetDocumentsAndAssociations | Association                         | Return only document entries if no association concept                                                                    |
| GetSubmissionSets           | Submission Set                      | Zero elements when no submission set concept in community                                                                 |
| GetSubmissionSetAndContents | Submission Set                      | Zero elements when no submission set concept in community                                                                 |
| GetFolderAndContents        | Folder                              | Zero elements when no folder concept in community                                                                         |
| GetFoldersForDocument       | Folder                              | Zero elements when no folder concept in community                                                                         |
| GetRelatedDocuments         | Association                         | Zero elements when no association concept in community                                                                    |

### 3.38.4.1.3 Expected Actions

3170 Actors supporting this transaction shall support the Expected Actions described in ITI TF-2a: 3.18.4.1.3. In addition:

The Responding Gateway Actor shall:

- Return an XDSUnknownCommunity error code if the value of homeCommunityId is specified and is not known by the Responding Gateway.
- Verify the homeCommunityId is specified on relevant queries and return an XDSMissingHomeCommunityId error code if missing.
- Route the query to the local XDS Document Registry or perform equivalent action to form a query response. When routing to a local XDS Document Registry, the Responding Gateway shall pass all parameters into the Registry Stored Query [ITI-18] transaction.

3175

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

- 3180
- When routing a response from a local XDS Document Registry, the Responding Gateway shall pass all entities received in the Registry Stored Query response into the response to the Cross Gateway Query.
  - Ensure that the response contains the value identifying the Responding Gateway's community for the homeCommunityId attribute in every appropriate element. The elements that shall include the ebRIM home attribute are:
    - 3185 • If returnType="LeafClass" the ExtrinsicObject and RegistryPackage elements shall contain the home attribute.
    - If returnType="ObjectRef" the ObjectRef element shall contain the home attribute.
    - Ensure that every RegistryError element returned in the response shall have the location attribute set to the homeCommunityId of the Responding Gateway.
- 3190 The Initiating Gateway Actor shall:
- On receiving the response from the Responding Gateway, verify the homeCommunityId is present where appropriate. If homeCommunityId is not present in any of the ExtrinsicObject, RegistryPackage or ObjectRef elements the Initiating Gateway shall reflect an XDSMissingHomeCommunityId to the initiator of the transaction – either the
    - 3195 Document Consumer or the internal actor. All XDSMissingHomeCommunityId errors generated by the Initiating Gateway shall include, in the context of the message, identification of the Responding Gateway that returned the invalid response and the element or elements that were in error.
  - If the XDS Affinity Domain Option is supported and if needed, consolidate results from multiple Responding Gateways. This includes reflecting in the consolidated results returned in response to the originating Registry Stored Query [ITI-18] all successes and failures received from Responding Gateways. If both successes and failures are received from Responding Gateways, the Initiating Gateway shall return both RegistryObjectList and RegistryErrorList in one response and specify PartialSuccess status. If an
    - 3200 XDSUnknownPatientId error is returned from a Responding Gateway then the Initiating Gateway shall not include this error in the consolidated results sent to the Document Consumer. The removal of the XDSUnknownPatientId is done to maintain compatibility with the XDS Profile's use of Registry Stored Query since Document Consumers are not expecting to receive this error. Other than removal of the XDSUnknownPatientId, the
      - 3205 Initiating Gateway shall pass all entities received in the Cross Gateway Query response into the response to the Registry Stored Query [ITI-18].
      - 3210

#### 3.38.4.1.3.1 Compatibility of Options

- 3215 The presence or absence of the optional \$XDSDocumentEntryType parameter triggers the behaviors on the Responding Gateway. If this value is specified, and the Responding Gateway (or XDS community supported by the Responding Gateway) does not support it, it shall be ignored. If it is specified, and the Responding Gateway (or underlying XDS community) does

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

support it, the proper information is returned. See ITI TF-2a: 3.18.4.1.2.5 for more details regarding compatibility of the Registry Stored Query transaction.

### 3.38.4.1.4 Security Considerations

3220 Both the Initiating Gateway and Responding Gateway shall audit the Cross Gateway Query. The audit entries shall be equivalent to the entries required for the Registry Stored Query.

The Initiating Gateway:

- If receiving a Registry Stored Query transaction from a Document Consumer, shall audit as if it were a Document Registry. See ITI TF-2a: 3.18.5.1.2.

3225 • In addition, shall audit the Cross Gateway Query as if it were a Document Consumer except that for EventTypeCode the Initiating Gateway shall specify EV(“ITI-38”, “IHE Transactions”, and “Cross Gateway Query”) (see ITI TF-2a: 3.18.5.1.1).

- In addition, if interacting with a local Document Registry, shall audit as if it were a Document Consumer (see ITI TF-2a: 3.18.5.1.1).

3230 • The Responding Gateway:

- Shall audit the Cross Gateway Query as if it were a Document Registry except that for EventTypeCode the Responding Gateway shall specify EV(“ITI-38”, “IHE Transactions”, “Cross Gateway Query”). See ITI TF-2a: 3.18.5.1.2.

3235 • In addition, if interacting with a local Document Registry, shall audit as if it were a Document Consumer. See ITI TF-2a: 3.18.5.1.1.

### 3.38.5 Protocol Requirements

The Cross Gateway Query request and response will be transmitted using Synchronous or Asynchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V. The protocol requirements are identical to the Registry Stored Query except as noted below.

3240

**Table 3.38.5-1: WSDL Namespace Definitions**

|        |                                               |
|--------|-----------------------------------------------|
| soap   | http://schemas.xmlsoap.org/wsdl/soap/         |
| soap12 | http://schemas.xmlsoap.org/wsdl/soap12/       |
| wsaw   | http://www.w3.org/2006/05/addressing/wsdl/    |
| xsd    | http://www.w3.org/2001/XMLSchema              |
| ihe    | urn:ihe:iti:xds-b:2007                        |
| rs     | urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0    |
| lcm    | urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0   |
| query  | urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0 |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

3245 **Responding Gateway:** These are the requirements for the Cross Gateway Query transaction presented in the order in which they would appear in the Responding Gateway WSDL definition:

- The following types shall be imported (xsd:import) in the /definitions/types section:
  - namespace=" urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0",  
schemaLocation="query.xsd"
- 3250 • The /definitions/message/part/@element attribute of the Cross Gateway Query Request message shall be defined as “query:AdhocQueryRequest”
- The /definitions/message/part/@element attribute of the Cross Gateway Query Response message shall be defined as “query:AdhocQueryResponse”
- Refer to Table 3.38.5-2 below for additional attribute requirements

3255

**Table 3.38.5-2: Additional Attribute Requirements**

| Attribute                                                   | Value                                      |
|-------------------------------------------------------------|--------------------------------------------|
| /definitions/portType/operation@name                        | RespondingGateway_CrossGatewayQuery        |
| /definitions/portType/operation/input/@wsaw:Action          | urn:ihe:iti:2007:CrossGatewayQuery         |
| /definitions/portType/operation/output/@wsaw:Action         | urn:ihe:iti:2007:CrossGatewayQueryResponse |
| /definitions/binding/operation/soap12:operation/@soapAction | urn:ihe:iti:2007:CrossGatewayQuery         |

These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.38.5.1 Sample SOAP Messages.

3260 For informative WSDL for the Responding Gateway Actor see ITI TF-2x: Appendix W.

### 3.38.5.1 Sample SOAP Messages

3265 The samples in the following two sections show a typical SOAP request and its relative SOAP response. The sample messages also show the WS-Addressing headers <Action/>, <MessageID/>, <ReplyTo/>...; these WS-Addressing headers are populated according to the W3C WS-Addressing standard. The body of the SOAP message is omitted for brevity; in a real scenario the empty element will be populated with the appropriate metadata.

Samples presented in this section are also available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.38.5.1.1 Sample Cross Gateway Query SOAP Request

#### 3270 3.38.5.1.1.1 Synchronous Web Services Exchange

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayQuery</a:Action>
 <a:MessageID>urn:uuid:def119ad-dc13-49c1-a3c7-e3742531f9b3</a:MessageID>
 <a:ReplyTo>
 <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
 </a:ReplyTo>
 <a:To s:mustUnderstand="1">http://localhost/service/IHEXCAREspondingGateway.svc</a:To>
 </s:Header>
 <s:Body>
 <query:AdhocQueryRequest xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"/>
 </s:Body>
</s:Envelope>
```

#### 3285 3.38.5.1.1.2 Asynchronous Web Services Exchange

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayQuery</a:Action>
 <a:MessageID>urn:uuid:def119ad-dc13-49c1-a3c7-e3742531f9b3</a:MessageID>
 <a:ReplyTo>
 <a:Address>http://192.168.2.4:9080/XcaService/InitiatingGatewayReceiver.svc</a:Address>
 </a:ReplyTo>
 <a:To s:mustUnderstand="1">http://localhost/XcaService/RespondingGatewayReceiver.svc</a:To>
 </s:Header>
 <s:Body>
 <query:AdhocQueryRequest xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"/>
 </s:Body>
</s:Envelope>
```

### 3300 3.38.5.1.2 Sample Cross Gateway Query SOAP Response

#### 3305 3.38.5.1.2.1 Synchronous Web Services Exchange

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayQueryResponse</a:Action>
 <a:RelatesTo>urn:uuid:def119ad-dc13-49c1-a3c7-e3742531f9b3</a:RelatesTo>
 </s:Header>
 <s:Body>
 <query:AdhocQueryResponse xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"/>
 </s:Body>
</s:Envelope>
```

#### 3315 3.38.5.1.2.2 Asynchronous Web Services Exchange

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayQueryResponse</a:Action>
 <a:MessageID>urn:uuid:D6C21225-8E7B-454E-9750-821622C099DB</a:MessageID>
 <a:RelatesTo>urn:uuid:def119ad-dc13-49c1-a3c7-e3742531f9b3</a:RelatesTo>
 <a:To s:mustUnderstand="1">http://localhost:2647/XcaService/InitiatingGatewayReceiver.svc</a:To>
 </s:Header>
 <s:Body>
 <query:AdhocQueryResponse xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"/>
 </s:Body>
</s:Envelope>
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3325      </s:Body>  
         </s:Envelope>

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.39 Cross Gateway Retrieve


This section corresponds to transaction ITI-39 of the IHE Technical Framework. Transaction ITI-39 is used by the Initiating Gateway and Responding Gateway Actors.

#### 3330 3.39.1 Scope

The scope of the Cross Gateway Retrieve transaction is semantically the same as the Retrieve Document Set transaction [ITI-43]. Differences from the Retrieve Document Set transactions are:

- 3335 • The Cross Gateway Retrieve is between an Initiating Gateway and a Responding Gateway.
- The ‘homeCommunityId’ parameter is required. This means that the homeCommunityId parameter which is optional on the Retrieve Document Set transaction is required by this transaction.
- 3340 • Responding Gateways shall support the Asynchronous Web Services Exchange Option on the Cross Gateway Retrieve. Support for this function is required in order to enable use of Asynchronous Web Services Exchange in any cross-community interaction. Without this support an Initiating Gateway would require unique configuration, per Responding Gateway, to know if Asynchronous Web Services Exchange was supported. It is expected that Asynchronous Web Services Exchange will be desired by the majority of communities.
- 3345 • Asynchronous Web Services Exchange is an option on the Initiating Gateway, see ITI TF-1: 18.2.2.

#### 3.39.2 Use Case Roles



3350 **Figure 3.39.2-1: Use Case Roles**

**Actor:** Initiating Gateway

**Role:** To formulate a Cross Gateway Retrieve in response to Retrieve Document Set transactions or other internal interaction.

3355 **Actor:** Responding Gateway

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

**Role:** To return the documents requested.

### 3.39.3 Referenced Standard


Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V Web Services for IHE Transactions.

- 3360 ebRIM OASIS/ebXML Registry Information Model v3.0
- ebRS OASIS/ebXML Registry Services Specifications v3.0

ITI TF-3:4 Metadata used in Document Sharing profiles

- 3365 MTOM [SOAP Message Transmission Optimization Mechanism](http://www.w3.org/TR/soap12-mtom/)  
<http://www.w3.org/TR/soap12-mtom/>

### 3.39.4 Interaction Diagram



#### 3.39.4.1 Cross Gateway Retrieve

- 3370 The Cross Gateway Retrieve uses the same syntax and standards as the Retrieve Document Set transaction specified in XDS (see Section 3.43).

##### 3.39.4.1.1 Trigger Events

- 3375 This message is initiated by the Initiating Gateway to retrieve a set of documents from another community represented by a Responding Gateway. The Initiating Gateway may be responding to a Retrieve Document Set transaction or may use a proprietary mechanism for triggering the Cross Gateway Retrieve.

##### 3.39.4.1.2 Message Semantics

The message semantics for Cross Gateway Retrieve are the same as Retrieve Document Set (s Section 3.43.4.1.2). The Initiating Gateway shall specify the homeCommunityId parameter

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3380 within the Retrieve Document Set. The homeCommunityId shall contain the value that identifies the community associated with the Responding Gateway.

Initiating Gateways which support the On-Demand Documents Option shall be capable of retrieving an On-Demand Document Entry either through internal mechanisms or, when the XDS Affinity Domain Option is also declared, through interaction with an XDS Document Consumer which supports the On-Demand Documents Option.

3385 Responding Gateways which support the On-Demand Documents Option shall be able to respond to retrieval of an On-Demand Document Entry either through internal mechanisms or, when grouped with a Document Consumer, through interaction with appropriate XDS Actors which support On-Demand Documents. Responding Gateways which support the Persistence of Retrieved Documents Option shall specify the NewRepositoryUniqueId element indicating the document is available for later retrieval and be able to return exactly the same document in all  
3390 future retrieve requests for the document identified by NewDocumentUniqueId.

#### **3.39.4.1.3 Expected Actions**

Actors supporting this transaction shall support the Expected Actions described in the Section 3.43.4.1.3.

3395 The Responding Gateway shall determine the local system or systems which hold the documents requested and interact with those systems. The Responding Gateway may use a Retrieve Document Set transaction or other internally defined interaction, to retrieve the document or documents. If more than one system is contacted the Responding Gateway shall consolidate the results from the multiple systems into one response to the Initiating Gateway. If both successes  
3400 and failures are received the Responding Gateway may choose to use PartialSuccess status to reflect both failure and success. The Responding Gateway may alternatively choose to suppress the failures and report only successes.

Every RegistryError element returned in the response shall have the location attribute set to the homeCommunityId of the Responding Gateway.

3405 If the XDS Affinity Domain Option is supported, the Initiating Gateway Actor shall, if needed, consolidate results from multiple Responding Gateways. This includes reflecting in the consolidated results returned to the originating Retrieve Document Set [ITI-43] all successes and failures received from Responding Gateways. If both successes and failures are received from Responding Gateways, the Initiating Gateway shall return both DocumentResponse and  
3410 RegistryErrorList elements in one response and specify PartialSuccess status.

#### **3.39.4.1.3.1 Compatibility of Options**

If the Initiating Gateway does not support the On-Demand Document Option, it will never send a Cross Gateway Retrieve request for an On-Demand Document. In this case, none of the attributes specific to On-Demand Documents will be included in the response.

3415 If the Initiating Gateway does support the On-Demand Document Option, it will only direct Cross Gateway Retrieve requests for On-Demand Documents to responders which have returned

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| <b>HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.</b> |
|-----------------------------------------------------------------------------------------------------------|

an On-Demand Document Entry in a Cross Gateway Query response. Thus there are no compatibility concerns with this transaction.

### 3.39.4.1.4 Security Considerations

3420 Both the Initiating Gateway and Responding Gateway shall audit the Cross Gateway Retrieve. The audit entries shall be equivalent to the entries required for the Retrieve Document Set.

The Initiating Gateway:

- If receiving a Retrieve Document Set transaction from a Document Consumer, shall audit as if it were a Document Repository (see Section 3.43.6).
- 3425 • In addition, shall audit the Cross Gateway Retrieve as if it were a Document Consumer except that for EventTypeCode the Initiating Gateway shall specify EV(“ITI-39”, “IHE Transactions”, and “Cross Gateway Retrieve”) (see Section 3.43.6).
- In addition, if interacting with a local Document Repository, shall audit as if it were a Document Consumer (see Section 3.43.6). One audit record shall be created for each Document Repository contacted.

3430

The Responding Gateway:

- Shall audit the Cross Gateway Retrieve as if it were a Document Repository except that for EventTypeCode the Responding Gateway shall specify EV(“ITI-39”, “IHE Transactions”, “Cross Gateway Retrieve”) (see Section 3.43.6).
- 3435 • In addition, if interacting with a local Document Repository, shall audit as if it were a Document Consumer (see Section 3.43.6). One audit record shall be created for each Document Repository contacted.

### 3.39.5 Protocol Requirements

3440 The Cross Gateway Retrieve request and response will be transmitted using Synchronous or Asynchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V. The protocol requirements are identical to the Retrieve Document Set except as noted below.

**Table 3.39.5-1: WSDL Namespace Definitions**

|        |                                               |
|--------|-----------------------------------------------|
| soap   | http://schemas.xmlsoap.org/wsdl/soap/         |
| soap12 | http://schemas.xmlsoap.org/wsdl/soap12/       |
| wsaw   | http://www.w3.org/2006/05/addressing/wsdl/    |
| xsd    | http://www.w3.org/2001/XMLSchema              |
| ihe    | urn:ihe:iti:xds-b:2007                        |
| rs     | urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0    |
| lcm    | urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0   |
| query  | urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0 |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

3445

**Responding Gateway:** These are the requirements for the Cross Gateway Retrieve transaction presented in the order in which they would appear in the Responding Gateway WSDL definition:

- The following types shall be imported (xsd:import) in the /definitions/types section:
  - namespace="urn:ihe:iti:xds-b:2007", schema="IHEXDS.xsd"
- The /definitions/message/part/@element attribute of the Cross Gateway Retrieve Request message shall be defined as “ihe:RetrieveDocumentSetRequest”
- The /definitions/message/part/@element attribute of the Cross Gateway Retrieve Response message shall be defined as “ihe:RetrieveDocumentSetResponse”
- Refer to Table 3.39.5-2 below for additional attribute requirements

3455

**Table 3.39.5-2: Requirements for portType and Binding attributes**

| Attribute                                                   | Value                                         |
|-------------------------------------------------------------|-----------------------------------------------|
| /definitions/portType/operation@name                        | RespondingGateway_CrossGatewayRetrieve        |
| /definitions/portType/operation/input/@wsaw:Action          | urn:ihe:iti:2007:CrossGatewayRetrieve         |
| /definitions/portType/operation/output/@wsaw:Action         | urn:ihe:iti:2007:CrossGatewayRetrieveResponse |
| /definitions/binding/operation/soap12:operation/@soapAction | urn:ihe:iti:2007:CrossGatewayRetrieve         |

These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.43.5.1 Sample SOAP Messages.

3460

For informative WSDL for the Responding Gateway Actor see ITI TF-2x: Appendix W.

The <ihe:RetrieveDocumentSetRequest/> element is defined in Section 3.43.5. When used within the Cross Gateway Retrieve the <ihe:HomeCommunityId/> element is required.

The <ihe:RetrieveDocumentSetResponse/> element is defined in Section 3.43.5.

### 3.39.5.1 Sample SOAP Messages

3465

The samples in the following two sections show a typical SOAP request and its relative SOAP response. The sample messages also show the WS-Addressing headers <Action/>, <MessageID/>, <ReplyTo/>...; these WS-Addressing headers are populated according to the W3C WS-Addressing standard. The body of the SOAP message is omitted for brevity; in a real scenario the empty element will be populated with the appropriate metadata.

3470

Samples presented in this section are also available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.39.5.1.1 Sample Cross Gateway Retrieve SOAP Request

#### 3.39.5.1.1.1 Synchronous Web Services Exchange

3475

```

<s:Envelope
 xmlns:s="http://www.w3.org/2003/05/soap-envelope"
 xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayRetrieve</a:Action>
 <a:MessageID>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:MessageID>
 <a:ReplyTo>
 <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
 </a:ReplyTo>
 <a:To
s:mustUnderstand="1">http://localhost:2647/XcaService/IHEXCAGateway.svc</a:To>
 </s:Header>
 <s:Body>
 <RetrieveDocumentSetRequest xmlns="urn:ihe:iti:xds-b:2007">
 <DocumentRequest>
 <HomeCommunityId>urn:oid:1.2.3.4</HomeCommunityId>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
 </DocumentRequest>
 <DocumentRequest>
 <HomeCommunityId>urn:oid:1.2.3.5</HomeCommunityId>
 <RepositoryUniqueId>1.3.6.1.4...2000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2301</DocumentUniqueId>
 </DocumentRequest>
 </RetrieveDocumentSetRequest>
 </s:Body>
</s:Envelope>

```

3480

3485

3490

3495

3500

#### 3.39.5.1.1.2 Asynchronous Web Services Exchange

3505

```

<s:Envelope
 xmlns:s="http://www.w3.org/2003/05/soap-envelope"
 xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayRetrieve</a:Action>
 <a:MessageID>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:MessageID>
 <a:ReplyTo>
 <a:Address>http://192.168.2.4:9080/XcaService/InitiatingGatewayReceiver.svc
 </a:Address>
 </a:ReplyTo>
 <a:To
s:mustUnderstand="1">http://localhost:2647/XcaService/RespondingGatewayReceiver.svc</a:To>
 </s:Header>
 <s:Body>
 <RetrieveDocumentSetRequest xmlns="urn:ihe:iti:xds-b:2007">
 <DocumentRequest>
 <HomeCommunityId>urn:oid:1.2.3.4</HomeCommunityId>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
 </DocumentRequest>
 <DocumentRequest>
 <HomeCommunityId>urn:oid:1.2.3.5</HomeCommunityId>
 <RepositoryUniqueId>1.3.6.1.4...2000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2301</DocumentUniqueId>
 </DocumentRequest>
 </RetrieveDocumentSetRequest>
 </s:Body>
</s:Envelope>

```

3510

3515

3520

3525

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

```

3530 </RetrieveDocumentSetRequest>
 </s:Body>
</s:Envelope>

```

### 3.39.5.1.2 Sample Cross Gateway Retrieve SOAP Response

#### 3.39.5.1.2.1 Synchronous Web Services Exchange

```

3535 <s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action
3540 s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayRetrieveResponse</a:Action>
 <a:RelatesTo>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:RelatesTo>
 </s:Header>
 <s:Body>
 <RetrieveDocumentSetResponse
3545 xmlns="urn:ihe:iti:xds-b:2007"
 xmlns:lcm="urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0"
 xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"
 xmlns:rims="urn:oasis:names:tc:ebxml-regrep:xsd:rims:3.0"
 xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0">
3550 <rs:RegistryResponse status="urn:oasis:names:tc:ebxml-
regrep:ResponseStatusType:Success"/>
 <DocumentResponse>
 <HomeCommunityId>urn:oid:1.2.3.4</HomeCommunityId>
3555 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
 <mimeType>text/xml</mimeType>

 <Document>UjBsR09EbGhjz0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</Document>
3560 </DocumentResponse>
 <DocumentResponse>
 <HomeCommunityId>urn:oid:1.2.3.5</HomeCommunityId>
 <RepositoryUniqueId>1.3.6.1.4...2000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2301</DocumentUniqueId>
 <mimeType>text/xml</mimeType>

3565 <Document>UjBsR09EbGhjz0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</Document>
 </DocumentResponse>
 </RetrieveDocumentSetResponse>
 </s:Body>
3570 </s:Envelope>

```

#### 3.39.5.1.2.2 Asynchronous Web Services Exchange

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action
3575 s:mustUnderstand="1">urn:ihe:iti:2007:CrossGatewayRetrieveResponse</a:Action>
 <a:MessageID>urn:uuid:D6C21225-8E7B-454E-9750-821622C099DB</a:MessageID>
 <a:RelatesTo>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:RelatesTo>
 <a:To
3580 s:mustUnderstand="1">http://localhost:2647/XcaService/InitiatingGatewayReceiver.svc</a:To>
 </s:Header>
 <s:Body>
 <RetrieveDocumentSetResponse
3585 xmlns="urn:ihe:iti:xds-b:2007"
 xmlns:lcm="urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0"
 xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"
 xmlns:rims="urn:oasis:names:tc:ebxml-regrep:xsd:rims:3.0"
 xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0">

```

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

```

3590 <rs:RegistryResponse status="urn:oasis:names:tc:ebxml-
regrep:ResponseStatusType:Success" />
 <DocumentResponse>
 <HomeCommunityId>urn:oid:1.2.3.4</HomeCommunityId>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
3595 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
 <mimeType>text/xml</mimeType>

 <Document>UjBsR09EbGhjZ0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</Document>
 </DocumentResponse>
3600 <DocumentResponse>
 <HomeCommunityId>urn:oid:1.2.3.5</HomeCommunityId>
 <RepositoryUniqueId>1.3.6.1.4...2000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2301</DocumentUniqueId>
 <mimeType>text/xml</mimeType>

3605 <Document>UjBsR09EbGhjZ0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</Document>
 </DocumentResponse>
 </RetrieveDocumentSetResponse>
 </s:Body>
3610 </s:Envelope>

```


### 3.40 Provide X-User Assertion

3615 This section corresponds to transaction ITI-40 of the IHE IT Infrastructure Technical Framework.

#### 3.40.1 Scope

Transaction ITI-40 is used by the **X-Service User** to pass a claimed identity assertion to the **X-Service Provider**. The **X-Service User** and **X-Service Provider** use the **X-Assertion Provider** as the third party issuer of the claimed identity assertion.

#### 3620 3.40.2 Use Case Roles



**Actor:** X-Service User

**Role:** User of a transaction that requires a Cross-Enterprise User Assertion

3625 **Actor:** X-Service Provider

**Role:** Service provider on a transaction that requires a Cross-Enterprise User Assertion

#### 3.40.3 Referenced Standards

##### 3.40.3.1 Normative -- required to use this transaction

- OASIS <http://www.oasis-open.org/committees/security/>.


HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- 3630
  - SAMLCore SAML V2.0 Core standard
  - [WSS10](#) OASIS Standard, "OASIS Web Services Security: SOAP Message Security 1.0 (WS-Security 2004)", March 2004.
  - [WSS11](#) OASIS Standard, "OASIS Web Services Security: SOAP Message Security 1.1 (WS-Security 2004)", February 2006.
- 3635
  - [WSS:SAMLTokenProfile1.0](#) OASIS Standard, "Web Services Security: SAML Token Profile", December 2004
  - [WSS:SAMLTokenProfile1.1](#) OASIS Standard, "Web Services Security: SAML Token Profile 1.1", February 2006
- 3640
  - XSPA-SAMLv1.0 OASIS Standard, "Cross-Enterprise Security and Privacy Authorization (XSPA) Profile of the Security Assertion Markup Language (SAML) for Healthcare v1.0" , November 2009
  - SAML 2.0 Profile For XACML 2.0 OASIS Standard, February 2005

#### **3.40.3.2 Informative -- assist with understanding or implementing this transaction**

- IHE Profiles
- 3645
  - Personnel White Pages Profile
  - Enterprise User Authentication Profile
  - Basic Patient Privacy Consents Profile
- OASIS
  - SAML V2.0 Standards <http://www.oasis-open.org/committees/security/>.
- 3650
  - SAML V2.0 Technical Overview
  - SAML Executive Overview
  - SAML Tutorial presentation by Eve Maler of Sun Microsystems
  - SAML Specifications
  - WS-Trust - OASIS Web Services Secure Exchange (WS-SX) TC
- 3655
  - XSPA-XACMLv1.0 OASIS Standard, "Cross-Enterprise Security and Privacy Authorization (XSPA) Profile of XACML v2.0 for Healthcare v1.0" , November 2009

### 3.40.4 Interaction Diagram



3660

**Figure 3.40.1-1: X-User Assertion Messages**

#### 3.40.4.1 Provide X-User Assertion

The Provide X-User Assertion is profiled to assure interoperability between an X-Service User and an X-Service Provider that need an Assertion about the entity requesting the service. There are many ways to provide an Assertion that are all acceptable and may be used by parties that have agreed to their use.

3665

The Provide X-User Assertion transaction sets some minimal interoperability profiling for this use-case. The Provide X-User Assertion transaction shall be used when there is no other agreed upon policy that would assure User Assertion interoperability (e.g., WS-SecurityPolicy).

##### 3.40.4.1.1 Trigger

3670

Configuration of the X-Service Provider and X-Service User indicates when the X-User Assertion transaction is necessary.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

### 3.40.4.1.2 Message Semantics

3675 The X-User Assertion must be protected at all times against confidentiality exposure, malicious modification, and trust relationship between those communicating it. The IHE Actors that are grouped with XUA may already require IHE-ATNA and thus TLS Mutual-Authentication, Integrity, and Confidentiality.

The X-Service User shall include the OASIS Web Services Security (WSS) Header, and shall include a SAML 2.0 Assertion as the security token.

3680 Any ATNA Audit Messages that the X-Service User records in relationship to a transaction protected by the XUA (e.g., XDS.b Registry Stored Query, and XDS.b Retrieve Document Set), shall have the user identity recorded according to the XUA specific ATNA encoding rules (See 3.40.4.2 ATNA Audit encoding). This assures that the X-Service User and X-Service Provider ATNA Audit messages can be correlated at the ATNA Audit Repository.

3685 Any ATNA Audit Messages recorded by Actor grouped with the X-Service User Actor, shall have the user identity recorded according to the XUA specific ATNA encoding rules (See 3.40.4.2 ATNA Audit encoding). For example: The XDS.b Document Consumer Actor records the Query event, this event record will include the identity provided in the XUA Identity Assertion. This assures that the X-Service User and X-Service Provider ATNA Audit messages can be correlated at the ATNA Audit Repository.

3690 The SAML 2.0 **Assertion** is profiled as follows (**bold** is used when SAML 2.0 terms are used):

- The Assertion shall contain a **Subject**. The Subject contains the logical identifier of the principal performing the original service request (person, application, etc.) and remains unchanged through operations acting on the assertion (e.g., proxying the Assertion).
- The **Subject** shall contain a **SubjectConfirmation** element. The bearer confirmation method shall be supported; the holder-of-key method may be supported. These methods are defined in the SAML 2.0 Profile specification, Section 3.
- The SAML Assertion **Conditions** are profiled as:
  - **NotBefore** shall be populated with the issue instant of the Assertion
  - **NotOnOrAfter** is not specified by XUA because reasonable time limits are not clear at the IHE Profile level. The Expiration is provided by the X-Assertion Provider and would be variable on an Affinity Domain and/or System level.
  - The assertion shall contain an **AudienceRestriction** containing an **Audience** whose value is a URI identifying the X-Service Provider (e.g., XDS Registry, XDS Repository). It may contain an Audience whose value is a URI identifying the Affinity Domain.
  - The Assertion may contain **ProxyRestriction** and **OneTimeUser** conditions but XUA Actors may ignore these conditions.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

- The Assertion shall contain an AuthnStatement specify the AuthnContextClassRef or AuthnContextDeclRef
- 3710 • The Assertion may contain other statements (e.g., Attributes) The <AttributeStatement> element describes a statement by the SAML authority asserting that the requesting user is associated with the specified attributes. When Local Policy requires that the following attributes are carried in the SAML assertion then they should be encoded as follows:
  - 3715 • Subject ID : The value on the Subject ID attribute shall be a plain text description of the user's name (not user ID).
    - 3720 • This <Attribute> element shall have the Name attribute set to “urn:oasis:names:tc:xspa:1.0:subject:subject-id”. The name of the user shall be placed in the value of the <AttributeValue> element. (Keep in mind that the term “subject” in SAML and XACML refers to the individual making the request; in this specification, the term “User” is generally used with the same meaning, but when referring to attributes defined in SAML or XACML, the naming convention of the standard is retained.)
 

```
3725 <saml:Attribute Name="urn:oasis:names:tc:xspa:1.0:subject:subject-id">
 <saml:AttributeValue>Walter H.Brattain IV</saml:AttributeValue>
 </saml:Attribute>
```
    - Subject Organization : The value on Subject Organization attribute shall be a plain text description of the organization.
      - 3730 • This <Attribute> element shall have the Name attribute set to “urn:oasis:names:tc:xspa:1.0:subject:organization”. In plain text, the organization that the user belongs to shall be placed in the value of the <AttributeValue> element.
 

```
3735 <saml:Attribute Name="urn:oasis:names:tc:xspa:1.0:subject:organization">
 <saml:AttributeValue>Family Medical Clinic</saml:AttributeValue>
 </saml:Attribute>
```
      - 3735 • Subject Organization ID Attribute
        - 3740 • This <Attribute> element shall have the Name attribute set to “urn:oasis:names:tc:xspa:1.0:subject:organization-id” A unique identifier for the organization that the user is representing in performing this transaction shall be placed in the value of the <AttributeValue> element. This organization ID shall be consistent with the plain-text name of the organization provided in the User Organization Attribute. The organization ID may be an Object Identifier (OID), using the urn format (that is, “urn:oid:” appended with the OID); or it may be a URL assigned to that organization.
 

```
3745 <saml:Attribute Name="urn:oasis:names:tc:xspa:1.0:subject:organization-id">
 <saml:AttributeValue>http://familymedicalclinic.org</saml:AttributeValue>
 </saml:Attribute>
```
        - Home Community ID Attribute

- 3750
- This <Attribute> element shall have the Name attribute set to “urn:ihe:iti:xca:2010:homeCommunityId”. The value shall be the Home Community ID (an Object Identifier) assigned to the Community that is initiating the request, using the urn format (that is, “urn:oid:” appended with the OID).

```
<saml:Attribute Name="urn:ihe:iti:xca:2010:homeCommunityId">
 <saml:AttributeValue>urn:oid:2.16.840.1.113883.3.190</saml:AttributeValue>
</saml:Attribute>
```

- 3755
- National Provider Identifier (NPI) Attribute

- 3760
- A National Provider Identifier (NPI) is a unique identifier issued to health care providers by their national authority. (e.g., in the United States this is a 10-digit number assigned by the Centers for Medicare and Medicaid Services (CMS)). This attribute provides the ability to specify an NPI value as part of the SAML assertion that accompanies a message. When a simple string is used there needs to be a mutually agreed upon assigning authority. The HL7 CE type can be used to explicitly show the assigning authority (See use in the Subject-Role Option).

- 3765
- This <Attribute> element SHALL have the Name attribute set to “urn:oasis:names:tc:xspa:1.0:subject:npi”. An example of the syntax of this element follows:

```
<saml:Attribute Name="urn:oasis:names:tc:xspa:1.0:subject:npi">
 <saml:AttributeValue>1234567890</saml:AttributeValue>
</saml:Attribute>
```

- 3770
- The Assertion may contain other statements (e.g., Attributes)
  - The Assertion shall be signed by the X-Assertion Provider as defined in SAML Core.

The interface between the X-Service User and the X-Assertion Provider is not specified by XUA. This interface needs to be protected against risks (e.g., exposure of the SAML Token to interception for malicious use). Assertions need to be carefully managed in the X-Service User to ensure they are not exposed in the application code or any subsequent use of the Assertion.

#### 3775 3.40.4.1.2.1 Subject-Role Option

When the Subject-Role Option is used the X-Service User shall encode the relevant user subject roles from a locally defined Code-Set into a subject role <Attribute> element(s). The Subject-Role values communicated are assertions from the X-Service User perspective.

- 3780
- The subject role <Attribute> element shall have the Name attribute set to “urn:oasis:names:tc:xacml:2.0:subject:role”. The value of the <AttributeValue> element is a child element, “Role”, in the namespace “urn:hl7-org:v3”, whose content is defined by the “CE” (coded element) data type from the HL7 version 3 specification. The codeSystem shall identify the Value-Set. The codeSystemName shall identify the name of the Value-Set. The Code Element shall contain the role value from the identified Value-Set that represents the role that the XUA user is playing when making the request. No other parts of the CE data type shall be used.
- 3785
- The following is an example of the syntax of this element:

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3790

```

<saml:Attribute Name="urn:oasis:names:tc:xacml:2.0:subject:role">
 <saml:AttributeValue>
 <Role xmlns="urn:hl7-org:v3" xsi:type="CE" code="46255001"
 codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED_CT"
 displayName="Pharmacist" />
 </saml:AttributeValue>
 </saml:Attribute>

```

3795

### 3.40.4.1.2.2 Authz-Consent Option

3800

When the Authz-Consent Option is supported and a policy identifier needs to be sent, the X-Service User shall include the document unique ID of the *Patient Privacy Policy Acknowledgement Document* or include the Patient Privacy Policy Identifier for a policy that has been previously published encoded as SAML attributes.

3805

A *Patient Privacy Policy Acknowledgement Document* unique ID shall be encoded as a SAML attribute in the IHE ITI namespace, “urn:ihe:iti:bppc:2007:docid”, with name format “urn:oasis:names:tc:SAML:2.0:attrname-format:uri”. Access to the content is not specified. Access through an XDS/XCA/XDR/XDM mechanism is a potential approach. Similarly, this option does not specify how the policy documents should be used to make access control decisions. A sample attribute fragment is given in Figure 3.40-2.

3810

```

<saml2:Attribute FriendlyName="Patient Privacy Policy Acknowledgement Document"
 Name="urn:ihe:iti:bppc:2007:docid"
 NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri">
 <saml2:AttributeValue xmlns:xs="http://www.w3.org/2001/XMLSchema"
 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xsi:type="xs:anyURI">urn:oid:1.2.3.xxx</saml2:AttributeValue>
</saml2:Attribute>

```

3815

**Figure 3.40-2: Sample attribute holding a reference to patient acknowledgement**

3820

A Patient Privacy Policy Identifier shall be encoded as a SAML attribute in the IHE ITI namespace, “urn:ihe:iti:xua:2012:acp”, with name format “urn:oasis:names:tc:SAML:2.0:attrname-format:uri”. The policy identifier shall be expressed using the xs:anyURI data type. The referenced policy identifier is the OID of a published policy. Access to this policy is not specified further. A sample is given in Figure 3.40-3.

3825

```

<saml2:Attribute FriendlyName="Patient Privacy Policy Identifier"
 Name="urn:ihe:iti:xua:2012:acp"
 NameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri">
 <saml2:AttributeValue xmlns:xs="http://www.w3.org/2001/XMLSchema"
 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xsi:type="xs:anyURI">urn:oid:1.2.3.yyyy</saml2:AttributeValue>
</saml2:Attribute>

```

3830

**Figure 3.40-3: Sample attribute holding a reference to a privacy policy**

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

### 3.40.4.1.2.2.1 Patient Identifier Attribute

This attribute is *optional*, as it may not be needed for cases in which the data being exchanged does not pertain to a specific patient (e.g., population health data). The value of the Patient Identifier attribute is recommended when the InstanceAccessConsentPolicy attribute is specified in an Authorization Decision Statement.

This <Attribute> element shall have the Name attribute set to:

“urn:oasis:names:tc:xacml:2.0:resource:resource-id”.

The patient identifier of the requesting organization shall be placed in the value of the <AttributeValue> element. The patient identifier shall consist of two parts; the OID for the assigning authority and the identifier of the patient within that assigning authority. The value shall be formatted using the CX syntax. As an example, a patient identifier of 543797436 for an assigning authority with an OID of 1.2.840.113619.6.197, has been encoded into the follow SAML assertion snippet. Please note that the '&' character has been properly encoded in the XML content in the following example.

```
<saml:Attribute Name="urn:oasis:names:tc:xacml:2.0:resource:resource-id">
 <saml:AttributeValue>543797436^^^&1.2.840.113619.6.197&ISO</saml:AttributeValue>
</saml:Attribute>
```

### 3.40.4.1.2.3 PurposeOfUse Option

The PurposeOfUse <Attribute> element shall have the Name attribute set to “urn:oasis:names:tc:xspa:1.0:subject:purposeofuse”. The value of the <AttributeValue> element is a child element, “PurposeOfUse”, in the namespace “urn:hl7-org:v3”, whose content is defined by the “CE” (coded element) data type from the HL7 version 3 specification.

The PurposeOfUse element shall contain the coded representation of the Purpose for Use that is in effect for the request.

An example of the syntax of this element is as follows:

```
<saml:Attribute Name="urn:oasis:names:tc:xspa:1.0:subject:purposeofuse">
 <saml:AttributeValue>
 <PurposeOfUse xmlns="urn:hl7-org:v3" xsi:type="CE" code="12"
 codeSystem="1.0.14265.1"
 codeSystemName="ISO 14265 Classification of Purposes for processing personal health information"
 displayName="Law Enforcement"/>
 </saml:AttributeValue>
</saml:Attribute>
```

Codes are assigned by the local Security Domain and a Code-Set needs to be managed. A good source Vocabulary for PurposeOfUse is ISO 14265 – Health Informatics – Classification of purposes for processing personal health information. The Value-Set used may include local codes or codes drawn from formal vocabulary.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

3875 The value of the Purpose of Use attribute shall be a urn:hl7-org:v3:CE element, specifying the coded value representing the user's purpose in issuing the request, choosing from the value set given by local Policy. The codeSystem attribute of this element must be present, and must specify the OID of the "Purpose of Use" code system.

#### **3.40.4.1.2.3.1 ATNA encoding of PurposeOfUse**

3880 When the PurposeOfUse Option is used the X-Service User and X-Service Provider SHALL place the PurposeOfUse value into the ATNA Audit Message associated with the transaction according to the ATNA Audit Message transaction ITI-20 (see ITI-TF-2a: 3.20.7.3).

#### **3.40.4.1.3 Expected Actions**

3885 The X-Service Provider shall validate the Identity Assertion by processing the Web-Services Security header in accordance with the Web-Services Security Standard, and SAML 2.0 Standard processing rules (e.g., check the digital signature is valid and chains to an X-Identity Provider that is configured as trusted). If this validation fails, then the grouped Actor's associated transaction shall return with an error code as described in WS-Security core specification Section 12 (Error Handling, using the SOAP Fault mechanism), and the ATNA Audit event for Authentication Failure shall be recorded according to ATNA rules.

3890 Any ATNA Audit Messages recorded by Actor grouped with the X-Service Provider Actor, shall have the user identity recorded according to the XUA specific ATNA encoding rules (see Section 3.40.4.2 ATNA Audit encoding). For example: The XDS.b Document Consumer performing a Registry Stored Query records the Query event; this event record will include the identity provided in the XUA Identity Assertion. This assures that the X-Service User and X-Service Provider ATNA Audit messages can be correlated at the ATNA Audit Repository.

3895 The X-Service Provider may use standards transactions to communicate with the X-Assertion Provider (e.g., WS-Trust, SAML 2.0 Protocol) to obtain information not included in the assertion provided (e.g., Attributes that might be related to structural roles).

3900 The X-Service Provider may utilize the identity in access control decisions. Appropriate error messages, not defined here, shall be returned. The X-Service Provider may ignore any other statements (e.g., Attributes).

The X-Service Provider may use the authentication class references to determine the method that was used to authenticate the user. For example the X-Service Provider may have a configurable list of authentication class references that it is willing to recognize as authentication methods that are acceptable, thus treating other authentication class references as not authorized.

3905 Assertions need to be carefully managed inside the X-Service Provider to ensure they are not exposed in the application code or any subsequent use of the Assertion.

#### **3.40.4.1.3.1 Subject-Role Option**

When the Subject-Role Option is used, the X-Service Provider may utilize the Subject-Role values in local policy for access control decision making.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

3910 The X-Service Provider may need to bridge the Subject-Role values into local role vocabulary.  
The Subject-Role may be used to populate the ATNA Audit Message.

#### 3.40.4.1.3.2 Authz-Consent Option

3915 When the Authz-Consent Option is used, the X-Service Provider may utilize the Authz-Consent values in local policy for access control decision making. The Authz-Consent values are offered by the X-Service User as an indicator of the specific consent or authorization that the X-Service User has determined authorizes the transaction. The values are informative to the X-Service Provider which may choose to ignore the values.

This may require the X-Service Provider to lookup the metadata by reference to the values given, and may require the X-Service Provider to retrieve the consent documents.

3920 The Authz-Consent value may be used to populate the ATNA Audit Message.

#### 3.40.4.1.3.3 PurposeOfUse Option

3925 When the PurposeOfUse Option is used the X-Service Provider SHALL place the PurposeOfUse into the ATNA Audit Message associated with the transaction (see Section 3.40.4.1.2.3.1). This PurposeOfUse in the audit log can be used at the Audit Record Repository to inform reporting such as Accounting of Disclosures or Breach Notifications. The X-Service Provider MAY use the PurposeOfUse value in Access Control decisions.

#### 3.40.4.2 ATNA Audit encoding

3930 When an ATNA Audit message needs to be generated and the user is authenticated by way of an X-User Assertion, the ATNA Audit message **UserName** element shall record the X-User Assertion using the following encoding:

**alias**"<"**user**"@"**issuer**">"

where:

- **alias** is the optional string within the SAML Assertion's Subject element SPProvidedID attribute
- **user** is the required content of the SAML Assertion's Subject element
- **issuer** is the X-Assertion Provider entity ID contained with the content of SAML Assertion's Issuer element

#### 3.40.4.3 Informative Material on WS-Trust

3940 If the X-Service Provider uses WS-Trust in order to obtain a SAML assertion from an X-Identity Provider, it is suggested to use the version 1.3 of the WS-Trust specification, as described in [WS-Trust].

### 3.41 Provide and Register Document Set-b

3945 This section corresponds to Transaction [ITI-41] of the IHE Technical Framework. Provide and Register Document Set-b is used to transmit a set of documents and associated metadata. The documents and metadata might be stored for later retrieval or processed in some other way depending on the Actor and workflow using the transaction.

#### 3.41.1 Scope

3950 The Provide and Register Document Set-b transaction passes a Document Submission Request (see ITI TF-3: 4.2.1.5) from a Content Sender to a Content Receiver.

#### 3.41.2 Actor Roles

The Roles in this transaction are defined in the following table and may be played by the actors shown here:

3955

**Table 3.41.2-1: Actor Roles**

|                  |                                                                                                                |
|------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Role:</b>     | <b>Content Sender:</b> A system that submits documents and associated metadata to a Content Receiver.          |
| <b>Actor(s):</b> | The following actors may play the role of Content Sender:<br>Document Source, Metadata-Limited Document Source |
| <b>Role:</b>     | <b>Content Receiver:</b> A system that receives a set of documents and associated metadata.                    |
| <b>Actor(s):</b> | The following actors may play the role of Content Receiver:<br>Document Repository, Document Recipient         |

Transaction text specifies behavior for each Role. The behavior of specific Actors may also be specified when it goes beyond that of the general Role.

#### 3.41.3 Referenced Standards


3960

|       |                                                                                                                                                                                                                             |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ebRIM | OASIS/ebXML Registry Information Model v3.0<br>This model defines the types of metadata and content that can be stored in an ebXML Registry, a basis for and subset of Document Sharing metadata.                           |
| ebRS  | OASIS/ebXML Registry Services Specifications v3.0<br>This defines the services and protocols for an ebXML Registry, used as the basis for the XDS Document Registry                                                         |
| MTOM  | SOAP Message Transmission Optimization Mechanism <a href="http://www.w3.org/TR/soap12-mtom/">http://www.w3.org/TR/soap12-mtom/</a><br>This is a method for optimizing the transmission and/or wire format of SOAP messages. |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                                                                                                                                |                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| XOP                                                                                                                                                            | XML-binary Optimized Packaging <a href="http://www.w3.org/TR/2005/REC-xop10-20050125/">http://www.w3.org/TR/2005/REC-xop10-20050125/</a><br>This is a means of more efficiently of converting an XML Infoset with certain types of content into a stream of bytes for transmission. |
| See ITI TF-2x: Appendix V for other referenced standards for SOAP encoding.<br>See ITI TF-3: 4.2 for other referenced standards for metadata element encoding. |                                                                                                                                                                                                                                                                                     |

### 3.41.4 Interaction Diagrams



#### 3.41.4.1 Provide and Register Document Set-b Request

3965 The Provide and Register Document Set-b Request message is used to send patient specific healthcare information as a set of documents and associated metadata. Metadata enables the receiver to process the content of the message programmatically, without needing to understand the format or contents of the documents. For more details about metadata in the context of Document Sharing, see ITI TF-3: 4.

3970 A Content Sender sends documents and associated metadata to a Content Receiver.

##### 3.41.4.1.1 Trigger Events

The Content Sender, based on a human decision or the application of a certain rule of automatic operation, wants to submit document-related information to a Content Receiver.

##### 3.41.4.1.2 Message Semantics

3975 The Provide and Register Document Set-b Request message shall use SOAP 1.2 and MTOM with XOP encoding (labeled MTOM/XOP in this specification). Implementors of this transaction shall comply with all requirements described in: ITI TF-2x: Appendix V: Web Services for IHE Transactions.

The use of MTOM/XOP is governed by the following rules:

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- 3980
- The Content Sender shall generate the Provide and Register Document Set-b Request message in MTOM/XOP format.
  - The Content Receiver shall accept documents in a Provide and Register Document Set-b Request message in MTOM/XOP format.

3985 The Provide and Register Document Set-b request message shall contain a Submission Request, as defined in ITI TF-3: 4.1.4, and may contain documents. See ITI TF-3: 4.2.1.4 for a description of the ebRS/ebRIM representation of a Submission Request. The metadata requirements for this Submission Request are defined in ITI TF-3: 4.3.1. The Submission Request shall contain exactly one DocumentEntry object for each Document contained in the request message, and vice versa.

3990 The sections in ITI TF-3: 4.1 specify the mapping of XDS concepts to ebRS and ebRIM semantics and document metadata. A full example of document metadata submission can be found in ITI TF-2x: Appendix W.

XML namespace prefixes used in text and examples below are for informational purposes only and are documented in ITI TF-2x: Appendix V, Table 2.4-1.

3995 The requirements for the request message are:

- the Content-Type HTTP header shall have an action parameter with the value urn:ihe:iti:2007:ProvideAndRegisterDocumentSet-b
  - the <wsa:Action> SOAP element shall contain the value urn:ihe:iti:2007:ProvideAndRegisterDocumentSet-b
- 4000
- the <soap12:Body> shall contain one <xds:ProvideAndRegisterDocumentSetRequest> element
  - the <xds:ProvideAndRegisterDocumentSetRequest> element shall contain:
    - one <lcm:SubmitObjectsRequest> element representing the Submission Request (see ITI TF-3: 4.2.1.4 for details of expressing a Submission Request).
- 4005
- one <xds:Document> element for each <rim:ExtrinsicObject> contained in the <lcm:SubmitObjectsRequest>
  - the <xds:Document> element shall:
    - have an @id attribute whose value matches the value of the corresponding rim:ExtrinsicObject/@id
- 4010
- contain the document using the xsi:base64Binary data type (Note: This is the logical representation of the document in the XML. The wire format may be different; see ITI TF-2x: Appendix V.8)

A full XML Schema Document for the XDS types is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| <b>HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.</b> |
|-----------------------------------------------------------------------------------------------------------|

4015 Below is an example of the SOAP Body for a Provide and Register Document Set-b Request message

```

4020 <soap12:Body>
 <xds:ProvideAndRegisterDocumentSetRequest>
 <lcm:SubmitObjectsRequest>
 <!-- Submission Request contents - See ITI TF-3: 4.2.1.4 -->
 <rim:RegistryObjectList>

4025 <!-- Registry Metadata goes here -->

 </rim:RegistryObjectList>
 </lcm:SubmitObjectsRequest>
 <xds:Document id="Document01">SGVyZSBpcyBteSBkb2N1bWVudA==</xds:Document>
4030 </xds:ProvideAndRegisterDocumentSetRequest>
 </soap12:Body>

```

#### 3.41.4.1.2.1 XDS Document Source Options

The XDS Document Source may choose to support options which are listed in ITI TF-1: Table 10.2-1b and described in the sections that follow it.

4035 If the XDS Document Source supports the Document Replacement Option, it shall be able to generate replace semantics as defined in ITI TF-3: 4.2.2.2.3.

If the XDS Document Source supports the Document Addendum Option, it shall be able to generate append semantics as defined in ITI TF-3: 4.2.2.2.1.

4040 If the XDS Document Source supports the Document Transformation Option, it shall be able to generate transformation semantics as defined in ITI TF-3: 4.2.2.2.2.

If the XDS Document Source supports the Folder Management Option, it shall be able to generate folder semantics as defined in ITI TF-3:4.2.1.3 and ITI TF-3:4.2.2.1.5.

4045 If the XDS Document Source supports the Asynchronous Web Services Exchange Option, it shall be able to generate an Asynchronous Web Services request as defined in ITI TF-2x: Appendix V.5.

Refer to ITI TF-1:10.2.9 for support of the Basic Patient Privacy Enforcement Option.

#### 3.41.4.1.3 Expected Actions

Upon receipt of a Provide and Register Document Set-b request, the Content Receiver shall process the request.

4050 If a failure is detected during processing, the Content Receiver shall return an error response to the Content Sender, thus terminating this transaction; otherwise, the Content Receiver shall return a success response to the Content Sender. The various exception conditions and possible error or warning messages are given in the ebRS standard and in ITI TF-3: 4.2.4 Success and Error Reporting.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

4055 The Content Receiver shall be capable of accepting submissions containing multiple documents.

Note: The Content Sender may submit single documents or multiple documents depending on its needs.

A Content Receiver shall verify the received metadata as follows. For each DocumentEntry, the Content Receiver shall:

- 4060 • Verify the hash attribute, if present. If a received hash value differs from the calculated hash of the received document, the Content Receiver shall reject the submission and return an XDSRepositoryMetadataError error.
- Verify the size attribute, if present. If a received size value differs from the octet count of the received document, the Content Receiver shall reject the submission and return an XDSRepositoryMetadataError error.

4065 Also, for the SubmissionSet, the Content Receiver may:

- Validate the sourceId. If the submission is not from a permitted Content Sender, the submission may be rejected and an error returned.

#### **3.41.4.1.3.1 Document Recipient Expected Actions**

4070 In addition to the Expected Actions of all Content Receivers (described in the beginning of Section 3.41.4.1.3), a Document Recipient shall meet the following requirements.

A Document Recipient shall be able to interpret a submission without any context, such as knowledge of a prior submission.

4075 The Document Recipient may validate the presence of metadata attributes. If the Document Recipient declares the Accepts Limited Metadata Option and the limitedMetadata attribute is present, such validation shall not exceed the requirements in the column labeled “XDR MS” (XDR Metadata-Limited Document Source) of ITI TF-3: Table 4.3.1-3. Otherwise, such validation shall not exceed the requirements in the column labeled “XDR DS” (XDR Document Source) of ITI TF-3: Table 4.3.1-3.

The following shall not cause rejection of a submission:

- 4080 • The submitted metadata includes Folders, and the Document Recipient cannot process the Folder-specific content. The response shall contain a PartialFolderContentNotProcessed warning and a textual description that Folder Content was not processed.
- 4085 • The submitted metadata includes document relationships, and the Document Recipient cannot process the relationship-specific content. For each unsupported association, the response shall contain a warning and textual description that the relationship semantics were not processed. The specific warning depends on the relationship:  
PartialAppendContentNotProcessed, PartialReplaceContentNotProcessed,  
PartialTransformContentNotProcessed, or PartialTransformReplaceContentNotProcessed.

4090 The received documents may be processed further according to the capabilities of the system. These capabilities are not specified by IHE.

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| <b>HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.</b> |
|-----------------------------------------------------------------------------------------------------------|

### 3.41.4.1.3.2 Document Repository Expected Actions

In addition to the Expected Actions of all Content Receivers (described at the beginning of Section 3.41.4.1.3), a Document Repository shall meet the following requirements.

4095 On receipt of a Provide and Register Document Set-b [ITI-41] request, the Document Repository shall, in order:

1. Validate and update select received metadata, as detailed below.
2. Make any received documents available for retrieval via the Retrieve Document Set [ITI-43] transaction.
- 4100 3. Convey the updated metadata to the Document Registry via a Register Document Set-b [ITI-42] request.
4. Issue a Provide and Register Document Set-b [ITI-41] response.

4105 If any error is encountered during processing of this request, either at the Document Repository or reported by the Document Registry, the Document Repository may revert any changes to the Document Repository data store. The Document Repository shall then terminate processing the transaction, and return an error response.

Before issuing the Register Document Set-b [ITI-42] transaction, the Document Repository shall update the received metadata as follows. For each received DocumentEntry, the Document Repository shall:

- 4110 • Add or replace the repositoryUniqueId attribute. The emitted value shall identify the Document Repository for retrieval of the received document.
- Add a hash attribute if not present. The emitted value shall be the SHA1 hash of the received document.
- Add a size attribute if not present. The emitted value shall be the octet count of the received document.

4115 The Document Repository may add additional fields.

4120 For each received DocumentEntry, the Document Repository may validate the uniqueId attribute. The submission may be rejected and an error returned if the uniqueId attribute matches a document within the Document Repository and the sizes or hashes of the two documents differ. The specific error returned depends on which attribute differed (XDSNonIdenticalSize or XDSNonIdenticalHash). The Document Repository shall not generate an error related to duplication if the uniqueId attribute matches a document within the Document Repository and the sizes and hashes of the two documents are the same. (The document may still be rejected by the Document Registry; see ITI-TF-2b: 3.42.4.1.4.)

4125 Except as outlined above (and in Section 3.41.4.1.3 Content Receiver Expect Actions), the Document Repository shall not validate the presence or content of received metadata attributes.

The Document Repository shall make received documents available for retrieval via the Retrieve Document Set [ITI-43] transaction. If the document's uniqueId is already known to the Document Repository, no action is required. Otherwise, the Document Repository shall:

- Store the received document octet stream
- 4130 • Store the received DocumentEntry mimeType and uniqueId, and associate them with the received document octet stream.

4135 Making the document retrievable before registering is necessary since a Document Registry may validate storage of a document before issuing the Register Document Set-b response; or, a Document Consumer may attempt to retrieve a document before the Register Document Set-b response is received.

The Document Repository shall issue a Register Document Set-b [ITI-42] request to the Document Registry with the (updated) received metadata. If the Register Document Set-b [ITI-42] response includes any errors or warnings, the Document Repository shall include all such errors and warnings in the Provide and Register Document Set-b [ITI-41] response.

#### 4140 **3.41.4.2 Provide and Register Document Set-b Response**

The Content Receiver shall send a Provide and Register Document Set-b Response message when the processing of a Provide and Register Document Set-b Request is complete.

##### **3.41.4.2.1 Trigger Events**

The request message has been received and processed by the Content Receiver

##### 4145 **3.41.4.2.1.1 Document Repository Trigger Events**

The Document Repository shall send the Provide and Register Document Set-b Response after receipt of the response to the corresponding Register Document Set-b [ITI-42] transaction from the Document Registry.

- If the response to the Register Document Set-b [ITI-42] transaction indicates success, then the Document Repository shall send a successful response message.
- 4150 • If the response to the Register Document Set-b [ITI-42] transaction indicates failure, then the Document Repository shall send a failure response message.

##### **3.41.4.2.2 Message Semantics**

4155 The Provide and Register Document Set-b Response message shall use SOAP 1.2 and MTOM with XOP encoding (labeled MTOM/XOP in this specification). Implementors of this transaction shall comply with all requirements described in: ITI TF-2x: Appendix V: Web Services for IHE Transactions.

The use of MTOM/XOP is governed by the following rules:

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

- 4160
- The Content Receiver shall generate the Provide and Register Document Set-b Response message in MTOM/XOP format, even though there is no base64Binary content included.
  - The Content Sender shall accept the Provide and Register Document Set-b Response message in MTOM/XOP format.

4165 The Provide and Register Document Set-b Response message shall carry the status of the requested operation. The response message may carry warning messages. If the requested operation fails, the response message shall carry at least one error message. The conditions of failure and possible warning and error messages are given in the ebRS standard and detailed in ITI TF-3: 4.2.4 Error Reporting. This transaction does not support a partial success response.

XML namespace prefixes used in text and in examples below are for informational purposes only and are documented in ITI TF-2x: Appendix V, Table 2.4-1.

4170 The requirements for the response message are:

- the Content-Type HTTP header shall have an action parameter with the value urn:ihe:iti:2007:ProvideAndRegisterDocumentSet-bResponse
- the <wsa:Action> SOAP header shall contain the value urn:ihe:iti:2007:ProvideAndRegisterDocumentSet-bResponse
- the <soap12:Body> soap element shall contain one <rs:RegistryResponse> element

See ITI TF-3: 4.2.4.1 for examples of response messages.

#### **3.41.4.2.2.1 XDS Document Repository Message Semantics**

4180 If the XDS Document Repository supports the Asynchronous Web Services Exchange Option and it receives an Asynchronous Web Services request, it shall respond as defined in ITI TF-2x: Appendix V.5.

#### **3.41.4.2.3 Expected Actions**

The Content Sender should examine the status and messages returned and take appropriate action.

4185

#### **3.41.5 Security Considerations**

4190 Relevant XDS Affinity Domain security considerations are discussed in the XDS Security Considerations Section (see ITI TF-1: 10.7).

### 3.41.5.1 Audit Record Considerations

The Provide and Register Document Set-b transaction is either a PHI-Import event or a PHI-Export event, depending on actor, as defined in ITI TF-2a: Table 3.20.6-1, with the following exceptions.

#### 4195 3.41.5.1.1 Document Source Audit Message

|                                                      | Field Name            | Opt | Value Constraints                                                       |
|------------------------------------------------------|-----------------------|-----|-------------------------------------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification | EventID               | M   | EV(110106, DCM, "Export")                                               |
|                                                      | EventActionCode       | M   | "R" (Read)                                                              |
|                                                      | EventDateTime         | M   | not specialized                                                         |
|                                                      | EventOutcomeIndicator | M   | not specialized                                                         |
|                                                      | EventTypeCode         | M   | EV("ITI-41", "IHE Transactions", "Provide and Register Document Set-b") |
| Source (Document Source) (1)                         |                       |     |                                                                         |
| Human Requestor (0..n)                               |                       |     |                                                                         |
| Destination (Document Repository) (1)                |                       |     |                                                                         |
| Audit Source (Document Source) (1)                   |                       |     |                                                                         |
| Patient (1)                                          |                       |     |                                                                         |
| SubmissionSet (1)                                    |                       |     |                                                                         |

Where:

|                                                     | Field Name                 | Opt | Value Constraints                                                                                                           |
|-----------------------------------------------------|----------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M   | If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized. |
|                                                     | AlternativeUserID          | M   | the process ID as used within the local operating system in the local system logs.                                          |
|                                                     | UserName                   | U   | not specialized                                                                                                             |
|                                                     | UserIsRequestor            | U   | not specialized                                                                                                             |
|                                                     | RoleIDCode                 | M   | EV(110153, DCM, "Source")                                                                                                   |
|                                                     | NetworkAccessPointTypeCode | M   | "1" for machine (DNS) name, "2" for IP address                                                                              |
|                                                     | NetworkAccessPointID       | M   | The machine name or IP address.                                                                                             |

|                                                                         | Field Name                 | Opt | Value Constraints                                                   |
|-------------------------------------------------------------------------|----------------------------|-----|---------------------------------------------------------------------|
| <b>Human Requestor (if known)</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M   | Identity of the human that initiated the transaction.               |
|                                                                         | AlternativeUserID          | U   | not specialized                                                     |
|                                                                         | UserName                   | U   | not specialized                                                     |
|                                                                         | UserIsRequestor            | U   | not specialized                                                     |
|                                                                         | RoleIDCode                 | U   | Access Control role(s) the user holds that allows this transaction. |
|                                                                         | NetworkAccessPointTypeCode | NA  |                                                                     |
|                                                                         | NetworkAccessPointID       | NA  |                                                                     |

4200

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

|                                                                  |                            |   |                                                |
|------------------------------------------------------------------|----------------------------|---|------------------------------------------------|
| <b>Destination</b><br><i>AuditMessage/<br/>ActiveParticipant</i> | UserID                     | M | SOAP endpoint URI.                             |
|                                                                  | <i>AlternativeUserID</i>   | U | <i>not specialized</i>                         |
|                                                                  | <i>UserName</i>            | U | <i>not specialized</i>                         |
|                                                                  | UserIsRequestor            | M | "false"                                        |
|                                                                  | RoleIDCode                 | M | EV(110152, DCM, "Destination")                 |
|                                                                  | NetworkAccessPointTypeCode | M | "1" for machine (DNS) name, "2" for IP address |
|                                                                  | NetworkAccessPointID       | M | The machine name or IP address.                |

|                                                                          |                              |   |                        |
|--------------------------------------------------------------------------|------------------------------|---|------------------------|
| <b>Audit Source</b><br><i>AuditMessage<br/>AuditSourceIdentification</i> | <i>AuditSourceID</i>         | U | <i>not specialized</i> |
|                                                                          | <i>AuditEnterpriseSiteID</i> | U | <i>not specialized</i> |
|                                                                          | <i>AuditSourceTypeCode</i>   | U | <i>not specialized</i> |

|                                                                              |                                       |   |                                  |
|------------------------------------------------------------------------------|---------------------------------------|---|----------------------------------|
| <b>Patient</b><br><i>(AuditMessage/<br/>ParticipantObjectIdentification)</i> | ParticipantObjectTypeCode             | M | "1" (Person)                     |
|                                                                              | ParticipantObjectTypeCodeRole         | M | "1" (Patient)                    |
|                                                                              | <i>ParticipantObjectDataLifeCycle</i> | U | <i>not specialized</i>           |
|                                                                              | <i>ParticipantObjectIDTypeCode</i>    | M | <i>not specialized</i>           |
|                                                                              | <i>ParticipantObjectSensitivity</i>   | U | <i>not specialized</i>           |
|                                                                              | ParticipantObjectID                   | M | The patient ID in HL7 CX format. |
|                                                                              | <i>ParticipantObjectName</i>          | U | <i>not specialized</i>           |
|                                                                              | <i>ParticipantObjectQuery</i>         | U | <i>not specialized</i>           |
|                                                                              | <i>ParticipantObjectDetail</i>        | U | <i>not specialized</i>           |

|                                                                                     |                                       |   |                                                                                                              |
|-------------------------------------------------------------------------------------|---------------------------------------|---|--------------------------------------------------------------------------------------------------------------|
| <b>Submission Set</b><br><i>(AuditMessage/<br/>ParticipantObjectIdentification)</i> | ParticipantObjectTypeCode             | M | "2" (System)                                                                                                 |
|                                                                                     | ParticipantObjectTypeCodeRole         | M | "20" (job)                                                                                                   |
|                                                                                     | <i>ParticipantObjectDataLifeCycle</i> | U | <i>not specialized</i>                                                                                       |
|                                                                                     | ParticipantObjectIDTypeCode           | M | EV("urn:uuid:a54d6aa5-d40d-43f9-88c5-b4633d873bdd", "IHE XDS Metadata", "submission set classificationNode") |
|                                                                                     | <i>ParticipantObjectSensitivity</i>   | U | <i>not specialized</i>                                                                                       |
|                                                                                     | ParticipantObjectID                   | M | The submissionSet unique ID                                                                                  |
|                                                                                     | <i>ParticipantObjectName</i>          | U | <i>not specialized</i>                                                                                       |
|                                                                                     | <i>ParticipantObjectQuery</i>         | U | <i>not specialized</i>                                                                                       |
|                                                                                     | <i>ParticipantObjectDetail</i>        | U | <i>not specialized</i>                                                                                       |

4205 **3.41.5.1.2 Document Repository or Document Recipient audit message:**

4210

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                              | Field Name            | Opt | Value Constraints                                                       |
|--------------------------------------------------------------|-----------------------|-----|-------------------------------------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification         | EventID               | M   | EV(110107, DCM, "Import")                                               |
|                                                              | EventActionCode       | M   | "C" (Create)                                                            |
|                                                              | EventDateTime         | M   | not specialized                                                         |
|                                                              | EventOutcomeIndicator | M   | not specialized                                                         |
|                                                              | EventTypeCode         | M   | EV("ITI-41", "IHE Transactions", "Provide and Register Document Set-b") |
| Source (Document Source) (1)                                 |                       |     |                                                                         |
| Destination (Document Repository or Document Recipient) (1)  |                       |     |                                                                         |
| Audit Source (Document Repository or Document Recipient) (1) |                       |     |                                                                         |
| Patient (1)                                                  |                       |     |                                                                         |
| SubmissionSet (1)                                            |                       |     |                                                                         |

Where:

|                                                     | Field Name                 | Opt | Value Constraints                                                                                                           |
|-----------------------------------------------------|----------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M   | If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized. |
|                                                     | AlternativeUserID          | U   | not specialized                                                                                                             |
|                                                     | UserName                   | U   | not specialized                                                                                                             |
|                                                     | UserIsRequestor            | U   | not specialized                                                                                                             |
|                                                     | RoleIDCode                 | M   | EV(110153, DCM, "Source")                                                                                                   |
|                                                     | NetworkAccessPointTypeCode | M   | "1" for machine (DNS) name, "2" for IP address                                                                              |
|                                                     | NetworkAccessPointID       | M   | The machine name or IP address.                                                                                             |

|                                                          | Field Name                 | Opt                  | Value Constraints                                                                  |
|----------------------------------------------------------|----------------------------|----------------------|------------------------------------------------------------------------------------|
| <b>Destination</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M                    | SOAP endpoint URI                                                                  |
|                                                          | AlternativeUserID          | M                    | the process ID as used within the local operating system in the local system logs. |
|                                                          | UserName                   | U                    | not specialized                                                                    |
|                                                          | UserIsRequestor            | M                    | "false"                                                                            |
|                                                          | RoleIDCode                 | M                    | EV(110152, DCM, "Destination")                                                     |
|                                                          | NetworkAccessPointTypeCode | M                    | "1" for machine (DNS) name, "2" for IP address                                     |
|                                                          |                            | NetworkAccessPointID | M                                                                                  |

|                                                                   | Field Name            | Opt | Value Constraints |
|-------------------------------------------------------------------|-----------------------|-----|-------------------|
| <b>Audit Source</b><br>AuditMessage/<br>AuditSourceIdentification | AuditSourceID         | U   | not specialized   |
|                                                                   | AuditEnterpriseSiteID | U   | not specialized   |
|                                                                   | AuditSourceTypeCode   | U   | not specialized   |

|                                                                      | Field Name                     | Opt                 | Value Constraints |
|----------------------------------------------------------------------|--------------------------------|---------------------|-------------------|
| <b>Patient</b><br>(AuditMessage/<br>ParticipantObjectIdentification) | ParticipantObjectTypeCode      | M                   | "1" (Person)      |
|                                                                      | ParticipantObjectTypeCodeRole  | M                   | "1" (Patient)     |
|                                                                      | ParticipantObjectDataLifeCycle | U                   | not specialized   |
|                                                                      | ParticipantObjectIDTypeCode    | M                   | not specialized   |
|                                                                      | ParticipantObjectSensitivity   | U                   | not specialized   |
|                                                                      |                                | ParticipantObjectID | M                 |

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

|  |                                |          |                        |
|--|--------------------------------|----------|------------------------|
|  | <i>ParticipantObjectName</i>   | <i>U</i> | <i>not specialized</i> |
|  | <i>ParticipantObjectQuery</i>  | <i>U</i> | <i>not specialized</i> |
|  | <i>ParticipantObjectDetail</i> | <i>U</i> | <i>not specialized</i> |

4215

|                                                                             |                                       |          |                                                                                                              |
|-----------------------------------------------------------------------------|---------------------------------------|----------|--------------------------------------------------------------------------------------------------------------|
| <b>Submission Set</b><br>(AuditMessage/<br>ParticipantObjectIdentification) | ParticipantObjectTypeCode             | M        | "2" (System)                                                                                                 |
|                                                                             | ParticipantObjectTypeCodeRole         | M        | "20" (job)                                                                                                   |
|                                                                             | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                             | ParticipantObjectTypeCode             | M        | EV("urn:uuid:a54d6aa5-d40d-43f9-88c5-b4633d873bdd", "IHE XDS Metadata", "submission set classificationNode") |
|                                                                             | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                             | ParticipantObjectID                   | M        | The submissionSet unique ID                                                                                  |
|                                                                             | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                             | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                             | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>                                                                                       |

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

### 3.42 Register Document Set-b

4220 This section corresponds to Transaction [ITI-42] of the IHE IT Infrastructure Technical Framework. Register Document Set -b is used to register a set of document-associated metadata.

#### 3.42.1 Scope

The Register Document Set-b transaction passes a Document Submission Request (see ITI TF-3: 4.2.1.5) from a Content Sender Actor to a Content Receiver Actor.

#### 3.42.2 Actor Roles

4225 The Roles in this transaction are defined in the following table and may be played by the actors shown here:

**Table 3.42.2-1: Actor Roles**

|                  |                                                                                                                         |
|------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Role:</b>     | <b>Content Sender:</b> A system that submits a document metadata to a Content Receiver.                                 |
| <b>Actor(s):</b> | The following actors may play the role of Content Sender:<br>Document Repository, Integrated Document Source/Repository |
| <b>Role:</b>     | <b>Content Receiver:</b> A system that receives document metadata.                                                      |
| <b>Actor(s):</b> | The following actors may play the role of Content Receiver:<br>Document Registry                                        |

4230 Transaction text specifies behavior for each Role. The behavior of specific Actors may also be specified when it goes beyond that of the general Role.


#### 3.42.3 Referenced Standards

|                                                                                                                                                                |                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ebRIM                                                                                                                                                          | OASIS/ebXML Registry Information Model v3.0<br>This model defines the types of metadata and content that can be stored in an ebXML Registry, a basis for and subset of Document Sharing metadata. |
| ebRS                                                                                                                                                           | OASIS/ebXML Registry Services Specifications v3.0<br>This defines the services and protocols for an ebXML Registry, used as the basis for the XDS Document Registry                               |
| HL7V2                                                                                                                                                          | HL7 Version 2.5                                                                                                                                                                                   |
| See ITI TF-2x: Appendix V for other referenced standards for SOAP encoding.<br>See ITI TF-3: 4.2 for other referenced standards for metadata element encoding. |                                                                                                                                                                                                   |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.42.4 Interaction Diagram

4235



#### 3.42.4.1 Register Document Set-b Request

4240 The Register Document Set-b Request message is used to register patient-specific healthcare documents through the use of metadata. Metadata enables the receiver to process the content of the message programmatically, without needing to understand the format or contents of the documents. For more details about metadata in the context of Document Sharing, see ITI TF-3: 4.

The Content Sender sends metadata for a set of documents to the Content Receiver.

#### 4245 3.42.4.1.1 Trigger Events

The Register Document Set-b Request message is triggered when a Content Sender wants to register metadata for a set of documents it holds. These documents may have been stored in the Document Repository by a Document Source (using the Provide and Register Document Set-b transaction [ITI-41]) or generated internally by an Integrated Document Source/Repository.

#### 4250 3.42.4.1.2 Message Semantics

The Register Document Set-b Request message shall use SOAP 1.2 and Simple SOAP (See ITI TF-2x: V.8.1). Implementors of this transaction shall comply with all requirements described in: ITI TF-2x: Appendix V: Web Services for IHE Transactions.

4255 The Register Document Set-b Request message shall contain a Submission Request, as defined in ITI TF-3: 4.1.4. See ITI TF-3:4.2.1.4 for a description of the ebRS/ebRIM representation of a Submission Request. The metadata requirements for this Submission Request are defined in ITI TF-3: 4.3.1.

A full example of document metadata submission can be found in ITI TF-2x: Appendix W.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

4260 XML namespace prefixes used in text and in examples below are for informative purposes only and are documented in ITI TF-2x: Appendix V, Table 2.4-1.

The requirements for the request message are:

- the Content-Type HTTP header shall have an action parameter with the value urn:ihe:iti:2007:RegisterDocumentSet-b
- 4265 • the <wsa:Action> SOAP element shall contain the value urn:ihe:iti:2007:RegisterDocumentSet-b
- the <soap12:Body> shall contain one <lcm:SubmitObjectsRequest> element representing the Submission Request (see ITI TF-3: 4.2.1.4 for details of expressing a Submission Request).

A full XML Schema Document for the XDS types is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

4270 Below is an example of the SOAP Body for a Register Document Set-b Request message

```

4275 <soap12:Body>
 <lcm:SubmitObjectsRequest>
 <!-- Submission Request contents - See ITI TF-3: 4.2.1.4 -->
 <rim:RegistryObjectList>

 <!-- Registry Metadata goes here -->

 </rim:RegistryObjectList>
 </lcm:SubmitObjectsRequest>
4280 </soap12:Body>

```

If the Content Sender supports the Asynchronous Web Services Exchange Option, it shall be able to generate an Asynchronous Web Services request as defined in ITI TF-2x: Appendix V.5.

### 3.42.4.1.2.1 Integrated Document Source / Repository Message Semantics

4285 The Integrated Document Source / Repository may choose to support options which are listed in ITI TF-1: Table 10.2-1b and described in the sections that follow it.

If the Integrated Document Source / Repository supports the Document Replacement Option, it shall be able to generate replace semantics as defined in ITI TF-3: 4.2.2.2.3.

4290 If the Integrated Document Source / Repository supports the Document Addendum Option, it shall be able to generate append semantics as defined in ITI TF-3: 4.2.2.2.1.

If the Integrated Document Source / Repository supports the Document Transformation Option, it shall be able to generate transformation semantics as defined in ITI TF-3: 4.2.2.2.2.

If the Integrated Document Source / Repository supports the Folder Management Option it, shall be able to generate folder semantics as defined in ITI TF-3:4.2.1.3 and ITI TF-3:4.2.2.1.5.

4295 If the Integrated Document Source / Repository supports the Basic Patient Privacy Enforcement Option, it shall comply with the requirements as described in ITI TF-1:10.2.9.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.42.4.1.3 Expected Actions

Upon receipt of a Register Document Set-b Request message, the Document Registry shall:

- Perform metadata validations
- 4300 • Store all IHE-defined metadata attributes received so that it is available to return in responses to future queries.
- Return a response message giving the status of the operation.

If the Document Registry rejects the metadata, it shall:

- 4305 • Return an error including at least one error message in the response. For a complete list of applicable codes, refer to ITI TF-3, Table 4.2.4.1-2.
- Roll back any changes made.

#### 3.42.4.1.3.1 Atomicity of Submissions

XDS Submission requests shall be atomic operations. If any part of the Submission Request processing fails, the entire transaction shall fail and no changes result.

- 4310 No result of a Submission Request shall be made available until the atomic operation has successfully completed.

#### 3.42.4.1.3.2 Extra Metadata

The Document Registry may save extra metadata attributes.

- 4315 • If the Document Registry saves the extra metadata attributes, it shall include that metadata in later query responses.
- If there are extra metadata attributes in the Submission Request and the Document Registry does not save them, the Document Registry shall include the XDSExtraMetadataNotSaved warning in its response.

- 4320 The Document Registry shall verify that extra metadata attributes conform to the requirements in ITI TF-3: 4.2.3.1.6.

#### 3.42.4.1.3.3 Enforcement of Attributes

The Document Registry shall validate the Submission Request objects and attributes as specified in ITI TF-3: 4.2 and 4.3.1. In addition, the following constraints apply.

##### 3.42.4.1.3.3.1 DocumentEntry.uniqueId

- 4325 The Document Registry shall reject the message and return an error if the uniqueId attribute matches the uniqueId attribute of a DocumentEntry within the Document Registry and the size attributes or hash attributes of the two DocumentEntry objects differ.

4330 If the uniqueId, size, and hash attributes of a received DocumentEntry match those of a DocumentEntry already within the Document Registry, processing of the submission shall continue without an error. Thus, multiple registered DocumentEntry objects can have the same uniqueId attribute value (as long as all the size and hash attributes are the same).

Note: The Document Entries may reference the same instance of the document or may reference different (identical) copies of the document (for example, stored on different Document Repositories).

#### **3.42.4.1.3.3.2 patientId Attributes**

4335 Values of DocumentEntry.patientId, Folder.patientId, and SubmissionSet.patientId shall be verified against the patient identifiers received in the Patient Identity Feed [ITI-8] indicating that they are registered with the Patient ID Domain of the Affinity Domain. This validation requirement does not apply to DocumentEntry.sourcePatientId.

4340 All objects in the Submission Request (DocumentEntry, Folder and SubmissionSet) shall have the same patientId.

The value of the patientId attribute of a DocumentEntry object shall match the value of the patientId attribute of any Folder that it is a member of. This implies that all DocumentEntry objects in a Folder have the same patientId.

#### **3.42.4.1.3.3.3 Coded Attributes**

4345 The XDS Affinity Domain may allow only a finite set of values for a given coded attribute conforming to ITI TF-3: 4.2.3.1.2 or may not restrict the values at all. If the XDS Affinity Domain allows only a finite set, the Document Registry shall constrain the value to those allowed by the XDS Affinity Domain.

4350 The Document Registry shall not constrain the displayName.

Note: In this section, "value" refers to the combination of a codeSystem and code.

#### **3.42.4.1.3.3.4 DocumentEntry.mimeType**

The value of the DocumentEntry.mimeType shall be constrained to those allowed by the XDS Affinity Domain.

#### **3.42.4.1.3.3.5 DocumentEntry.availabilityStatus**

4355 The Document Registry shall set the availabilityStatus of all newly added DocumentEntry objects to Approved.

#### **3.42.4.1.3.3.6 DocumentEntry.serviceStartTime and DocumentEntry.serviceStopTime**

4360 If the serviceStartTime and serviceStopTime attributes are both populated for a Document Entry in the Submission Request, the Document Registry shall verify that the serviceStartTime is before or equal to the serviceStopTime.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

#### **3.42.4.1.3.4 Folder Membership**

4365 When the Submission Request includes an FD-DE HasMember Association, which identifies a Document Entry as a member of a Folder, the Document Registry shall verify that both the Document Entry and Folder have a status of Approved.

#### **3.42.4.1.3.5 Document Relationships**

When the Submission Request includes an Association between two Document Entry objects, the Document Registry shall verify that:

- 4370
- The sourceObject references a Document Entry in the submission
  - The targetObject references a Document Entry in the Registry
  - The targetObject Document Entry has an availabilityStatus of Approved
  - Both Document Entry objects have the same patientId

When the Association type is "RPLC" or "XFRM\_RPLC", the Document Registry shall also:

- 4375
- Return the error `XDSReplaceFailed` if the Document Entry is not in the Document Registry or has a status other than Approved. This ensures that only the most recent version of a document can be replaced.
  - Change the status of the Document Entry that is being replaced to Deprecated.

4380 As per Section 3.42.4.1.4.1, no changes to the status of any object shall occur if the Submission Request is not accepted and committed.

#### **3.42.4.1.3.6 Updates to Folder.lastUpdateTime**

4385 If the submission results in any Document Entry being placed into any Folder, the Document Registry shall set the lastUpdateTime attribute of those Folders to the current time. This includes Folders included in the Submission Request as well as Folders already existing in the Document Registry that are referenced by the Submission Request.

As per Section 3.42.4.1.4.1, no changes to the lastUpdateTime of any Folder shall occur if the Submission Request is not accepted and committed.

#### **3.42.4.1.3.7 UUIDs and Symbolic Ids**

Objects in the Submission Request have several UUID fields conforming to ITI TF-3: 4.2.3.1.5.

4390 If a field is formatted as a symbolic Id in the Submission Request, the Document Registry shall replace it with newly generated, properly formatted UUIDs upon acceptance of the submission. If the same symbolic Id appears more than once in the Submission Request, it shall be replaced with the same generated UUID.

4395 If a field is formatted as a valid UUID in the Submission Request, the Document Registry shall not change the value.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

Once a UUID-format Id value is assigned to a Registry Object, that value is permanent and shall not be changed.

### 3.42.4.2 Register Document Set-b Response

#### 3.42.4.2.1 Trigger Events

4400 The Content Receiver finishes processing a Register Document Set-b Request Message and shall respond with Register Document Set-b Response

#### 3.42.4.2.2 Message Semantics

4405 The Register Document Set-b Response message shall use SOAP 1.2 and Simple SOAP (See ITI TF-2x: V.8.1). Implementors of this transaction shall comply with all requirements described in: ITI TF-2x: Appendix V: Web Services for IHE Transactions.

4410 The Register Document Set-b Response message shall carry the status of the requested operation. The response message may carry warning messages. If the requested operation fails, the response message shall carry at least one error message. The conditions of failure and possible warning and error messages are given in the ebRS standard and detailed in ITI TF-3: 4.2.4 Error Reporting. This transaction does not support a partial success response.

XML namespace prefixes used in text and in examples below are for informational purposes only and are documented in ITI TF-2x: Appendix V, Table 2.4-1.

The requirements for the response message are:

- 4415 ● the Content-Type http header shall have an action parameter with the value urn:ihe:iti:2007:RegisterDocumentSet-bResponse
- the <wsa:Action> soap header shall contain the value urn:ihe:iti:2007:RegisterDocumentSet-bResponse
- the <soap12:Body> soap element shall contain one <rs:RegistryResponse> element

See ITI TF-3: 4.2.4 for examples of response messages.

4420 If the Document Registry supports the Asynchronous Web Services Exchange Option and it receives an Asynchronous Web Services request, it shall respond as defined in ITI TF-2x: Appendix V.5.

#### 3.42.4.2.3 Expected Actions

4425 The Content Sender now knows that the transaction succeeded/failed and can continue. The metadata added to the Document Registry as a result of this transaction is now available for discovery.

**3.42.4.2.3.1 Document Repository Expected Actions**

4430 If the Register Document Set-b [ITI-42] response includes any errors or warnings, the Document Repository shall include all such errors and warnings in the Provide and Register Document Set-b [ITI-41] response.

4435 **3.42.5 Security Considerations**

Relevant XDS Affinity Domain Security background is discussed in the XDS Security Considerations Section (see ITI TF-1: 10.7).

**3.42.5.1 Audit Record Considerations**

4440 The Register Document Set-b transaction is either a PHI-Import event or a PHI-Export event, depending on actor, as defined in ITI TF-2a: Table 3.20.6-1, with the following exceptions.

**3.42.5.1.1 Document Repository or Integrated Document Source/Repository audit message:**

|                                                                                 | Field Name            | Opt | Value Constraints                                           |
|---------------------------------------------------------------------------------|-----------------------|-----|-------------------------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification                            | EventID               | M   | EV(110106, DCM, "Export")                                   |
|                                                                                 | EventActionCode       | M   | "R" (Read)                                                  |
|                                                                                 | EventDateTime         | M   | not specialized                                             |
|                                                                                 | EventOutcomeIndicator | M   | not specialized                                             |
|                                                                                 | EventTypeCode         | M   | EV("ITI-42", "IHE Transactions", "Register Document Set-b") |
| Source (Document Repository or Integrated Document Source/Repository) (1)       |                       |     |                                                             |
| Human Requestor (0..n)                                                          |                       |     |                                                             |
| Destination (Document Registry) (1)                                             |                       |     |                                                             |
| Audit Source (Document Repository or Integrated Document Source/Repository) (1) |                       |     |                                                             |
| Patient (0..1)                                                                  |                       |     |                                                             |
| SubmissionSet (1)                                                               |                       |     |                                                             |

Where:

|                                                     | Field Name                 | Opt | Value Constraints                                                                                                           |
|-----------------------------------------------------|----------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M   | If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized. |
|                                                     | AlternativeUserID          | M   | the process ID as used within the local operating system in the local system logs.                                          |
|                                                     | UserName                   | U   | not specialized                                                                                                             |
|                                                     | UserIsRequestor            | U   | not specialized                                                                                                             |
|                                                     | RoleIDCode                 | M   | EV(110153, DCM, "Source")                                                                                                   |
|                                                     | NetworkAccessPointTypeCode | M   | "1" for machine (DNS) name, "2" for IP address                                                                              |
|                                                     | NetworkAccessPointID       | M   | The machine name or IP address.                                                                                             |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

4445

|                                                                                         |                            |          |                                                                     |
|-----------------------------------------------------------------------------------------|----------------------------|----------|---------------------------------------------------------------------|
| <b>Human Requestor (if known)</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | UserID                     | M        | Identity of the human that initiated the transaction.               |
|                                                                                         | <i>AlternativeUserID</i>   | <i>U</i> | <i>not specialized</i>                                              |
|                                                                                         | <i>UserName</i>            | <i>U</i> | <i>not specialized</i>                                              |
|                                                                                         | <i>UserIsRequestor</i>     | <i>U</i> | <i>not specialized</i>                                              |
|                                                                                         | RoleIDCode                 | U        | Access Control role(s) the user holds that allows this transaction. |
|                                                                                         | NetworkAccessPointTypeCode | NA       |                                                                     |
|                                                                                         | NetworkAccessPointID       | NA       |                                                                     |

|                                                                          |                            |          |                                                |
|--------------------------------------------------------------------------|----------------------------|----------|------------------------------------------------|
| <b>Destination</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | UserID                     | M        | SOAP endpoint URI.                             |
|                                                                          | <i>AlternativeUserID</i>   | <i>U</i> | <i>not specialized</i>                         |
|                                                                          | <i>UserName</i>            | <i>U</i> | <i>not specialized</i>                         |
|                                                                          | UserIsRequestor            | M        | “false”                                        |
|                                                                          | RoleIDCode                 | M        | EV(110152, DCM, “Destination”)                 |
|                                                                          | NetworkAccessPointTypeCode | M        | “1” for machine (DNS) name, “2” for IP address |
|                                                                          | NetworkAccessPointID       | M        | The machine name or IP address.                |

|                                                                                   |                              |          |                        |
|-----------------------------------------------------------------------------------|------------------------------|----------|------------------------|
| <b>Audit Source</b><br><small>AuditMessage/<br/>AuditSourceIdentification</small> | <i>AuditSourceID</i>         | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditEnterpriseSiteID</i> | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditSourceTypeCode</i>   | <i>U</i> | <i>not specialized</i> |

|                                                                                                 |                                       |          |                                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------|----------|----------------------------------|
| <b>Patient (if known)</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M        | “1” (person)                     |
|                                                                                                 | ParticipantObjectTypeCodeRole         | M        | “1” (patient)                    |
|                                                                                                 | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | ParticipantObjectID                   | M        | the patient ID in HL7 CX format. |
|                                                                                                 | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>           |

|                                                                                             |                                       |          |                                                                                                              |
|---------------------------------------------------------------------------------------------|---------------------------------------|----------|--------------------------------------------------------------------------------------------------------------|
| <b>Submission Set</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M        | “2” (System)                                                                                                 |
|                                                                                             | ParticipantObjectTypeCodeRole         | M        | “20” (job)                                                                                                   |
|                                                                                             | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                                             | ParticipantObjectIDTypeCode           | M        | EV(“urn:uuid:a54d6aa5-d40d-43f9-88c5-b4633d873bdd”, “IHE XDS Metadata”, “submission set classificationNode”) |
|                                                                                             | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                                             | ParticipantObjectID                   | M        | The submissionSet unique ID                                                                                  |
|                                                                                             | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                                             | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>                                                                                       |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|  |                                |          |                        |
|--|--------------------------------|----------|------------------------|
|  | <i>ParticipantObjectDetail</i> | <i>U</i> | <i>not specialized</i> |
|--|--------------------------------|----------|------------------------|

### 3.42.5.1.2 Document Registry audit message:

|                                                                           | Field Name            | Opt | Value Constraints                                           |
|---------------------------------------------------------------------------|-----------------------|-----|-------------------------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification                      | EventID               | M   | EV(110107, DCM, "Import")                                   |
|                                                                           | EventActionCode       | M   | "C" (Create)                                                |
|                                                                           | EventDateTime         | M   | <i>not specialized</i>                                      |
|                                                                           | EventOutcomeIndicator | M   | <i>not specialized</i>                                      |
|                                                                           | EventTypeCode         | M   | EV("ITI-42", "IHE Transactions", "Register Document Set-b") |
| Source (Document Repository or Integrated Document Source/Repository) (1) |                       |     |                                                             |
| Destination (Document Registry) (1)                                       |                       |     |                                                             |
| Audit Source (Document Registry) (1)                                      |                       |     |                                                             |
| Patient (0..1)                                                            |                       |     |                                                             |
| SubmissionSet (1)                                                         |                       |     |                                                             |

4450

Where:

| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | Field Name                 | Opt      | Value Constraints                                                                                                           |
|-----------------------------------------------------|----------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------|
|                                                     | UserID                     | M        | If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized. |
|                                                     | AlternativeUserID          | <i>U</i> | <i>not specialized</i>                                                                                                      |
|                                                     | UserName                   | <i>U</i> | <i>not specialized</i>                                                                                                      |
|                                                     | UserIsRequestor            | <i>U</i> | <i>not specialized</i>                                                                                                      |
|                                                     | RoleIDCode                 | M        | EV(110153, DCM, "Source")                                                                                                   |
|                                                     | NetworkAccessPointTypeCode | M        | "1" for machine (DNS) name, "2" for IP address                                                                              |
|                                                     | NetworkAccessPointID       | M        | The machine name or IP address.                                                                                             |

| <b>Destination</b><br>AuditMessage/<br>ActiveParticipant | Field Name                 | Opt      | Value Constraints                                                                  |
|----------------------------------------------------------|----------------------------|----------|------------------------------------------------------------------------------------|
|                                                          | UserID                     | M        | SOAP endpoint URI                                                                  |
|                                                          | AlternativeUserID          | M        | the process ID as used within the local operating system in the local system logs. |
|                                                          | UserName                   | <i>U</i> | <i>not specialized</i>                                                             |
|                                                          | UserIsRequestor            | M        | "false"                                                                            |
|                                                          | RoleIDCode                 | M        | EV(110152, DCM, "Destination")                                                     |
|                                                          | NetworkAccessPointTypeCode | M        | "1" for machine (DNS) name, "2" for IP address                                     |
|                                                          | NetworkAccessPointID       | M        | The machine name or IP address.                                                    |

| <b>Audit Source</b><br>AuditMessage/<br>AuditSourceIdentification | Field Name            | Opt      | Value Constraints      |
|-------------------------------------------------------------------|-----------------------|----------|------------------------|
|                                                                   | AuditSourceID         | <i>U</i> | <i>not specialized</i> |
|                                                                   | AuditEnterpriseSiteID | <i>U</i> | <i>not specialized</i> |
|                                                                   | AuditSourceTypeCode   | <i>U</i> | <i>not specialized</i> |

4455

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                                                                 |                                       |          |                                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------|----------|----------------------------------|
| <b>Patient (if known)</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M        | “1” (person)                     |
|                                                                                                 | ParticipantObjectTypeCodeRole         | M        | “1” (patient)                    |
|                                                                                                 | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | ParticipantObjectID                   | M        | the patient ID in HL7 CX format. |
|                                                                                                 | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>           |

|                                                                                             |                                       |          |                                                                                                              |
|---------------------------------------------------------------------------------------------|---------------------------------------|----------|--------------------------------------------------------------------------------------------------------------|
| <b>Submission Set</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M        | “2” (System)                                                                                                 |
|                                                                                             | ParticipantObjectTypeCodeRole         | M        | “20” (job)                                                                                                   |
|                                                                                             | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                                             | ParticipantObjectIDTypeCode           | M        | EV(“urn:uuid:a54d6aa5-d40d-43f9-88c5-b4633d873bdd”, “IHE XDS Metadata”, “submission set classificationNode”) |
|                                                                                             | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                                             | ParticipantObjectID                   | M        | The submissionSet unique ID                                                                                  |
|                                                                                             | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                                             | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>                                                                                       |
|                                                                                             | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>                                                                                       |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.43 Retrieve Document Set

4460 This section corresponds to transaction ITI-43 of the IHE Technical Framework. The Document Consumer, Document Repository, On-Demand Document Source, and Initiating Gateway Actors use transaction ITI-43.

| Integration Profiles using this Transaction |
|---------------------------------------------|
| Cross-Enterprise Document Sharing-b (XDS.b) |
| Cross-Community Access (XCA)                |


4465 Actors that support the Asynchronous Web Services Exchange Option shall support Asynchronous Web Services Exchange on all XDS.b transactions they implement. Refer to Section ITI TF-2x: V.5 Synchronous and Asynchronous Web Services Exchange for an explanation of Asynchronous Web Services Exchange.

#### 3.43.1 Scope

4470 This transaction is used by the Document Consumer to retrieve a set of documents from the Document Repository, On-Demand Document Source, or Initiating Gateway. The Document Consumer has already obtained the XDSDocumentEntry uniqueId and the Document Repository repositoryUniqueId from the Document Registry/Initiating Gateway by means of the Registry Stored Query transaction.

4475

#### 3.43.2 Use Case Roles



4480 **Actor:** Document Consumer

**Role:** Obtains document.

**Actor:** Document Repository or Integrated Document Source/Repository

**Role:** Provides documents.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

**Actor:** Initiating Gateway

4485 **Role:** An Initiating Gateway which implements the XDS Affinity Domain Option retrieves a set of documents by using the Cross Gateway Retrieve transaction and/or a Retrieve Document Set transaction.

**Actor:** On-Demand Document Source

4490 **Role:** Creates documents in response to a request for retrieval of an on-demand document entry.


Note: Within this transaction, the Document Repository and Integrated Document Source/Repository Actors can be used interchangeably.

### 3.43.3 Referenced Standard

4495 Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

|            |                                                                                                                                          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------|
| ebRIM      | OASIS/ebXML Registry Information Model v3.0                                                                                              |
| ebRS       | OASIS/ebXML Registry Services Specifications v3.0                                                                                        |
| ITI TF-3:4 | Metadata in Document Sharing profiles                                                                                                    |
| MTOM       | SOAP Message Transmission Optimization Mechanism <a href="http://www.w3.org/TR/soap12-mtom/">http://www.w3.org/TR/soap12-mtom/</a>       |
| XOP        | XML-binary Optimized Packaging <a href="http://www.w3.org/TR/2005/REC-xop10-20050125/">http://www.w3.org/TR/2005/REC-xop10-20050125/</a> |

### 3.43.4 Interaction Diagram



HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

### 3.43.4.1 Retrieve Document Set Request

#### 3.43.4.1.1 Trigger Events

4505 The Document Consumer obtains document(s) uniqueId via the Registry Stored Query transaction. If the Registry Stored Query was sent to the Initiating Gateway the Document Consumer shall address the Retrieve Document Set to the Initiating Gateway. In this case no resolution of repositoryUniqueId is needed by the Document Consumer. The Document Consumer shall specify the homeCommunityId element in the Retrieve Document Set transaction if it was found in the entry containing the uniqueId of the document being retrieved. 4510 For more information regarding the homeCommunityId see Section 3.38.4.1.2.

Once the document(s) uniqueId have been obtained, the Document Consumer will start the Retrieve Document Set Request with the Document Repository.

#### 3.43.4.1.2 Message Semantics

4515 The Retrieve Document Set Request shall carry the following information:

- A required repositoryUniqueId that identifies the repository from which the document is to be retrieved. This value corresponds to XDSDocumentEntry.repositoryUniqueId.
  - A required documentUniqueId that identifies the document within the repository. This value corresponds to the XDSDocumentEntry.uniqueId.
  - If available, the homeCommunityId element that identifies the community holding the document. The homeCommunityId element shall be specified if the XDSDocumentEntry containing the uniqueId of the document contains the homeCommunityId attribute. See ITI TF-2a: 3.18.4.1.2 for details.
- 4520

4525 The repositoryUniqueId associated to each document requested can be different therefore allowing a single request to identify multiple repositories.

#### 3.43.4.1.3 Expected Actions

When receiving a Retrieve Document Set Request, a Document Repository or an Initiating Gateway shall generate a Retrieve Document Set Response containing the requested documents or error codes if the documents could not be retrieved.

4530 An XCA Initiating Gateway receiving the Retrieve Document Set Request shall use the homeCommunityId to obtain the Web Services endpoint of the Responding Gateways or, in the case where homeCommunityId identifies the local community, use the repositoryUniqueId to obtain the Web Services endpoint of the Document Repositories. The process of obtaining the Web Services endpoint is not further specified in this transaction. The Initiating Gateway shall 4535 send Cross Gateway Retrieves/Retrieve Document Set transactions to each appropriate Responding Gateway/Document Repository, consolidate the results, and return them to the Document Consumer.

### 3.43.4.1.3.1 Basic Patient Privacy Enforcement Option

If the Basic Patient Privacy Enforcement Option is implemented:

- 4540     • The Document Consumer Actor shall abide by the XDS Affinity Domain Policies represented by the confidentialityCode in the metadata associated with the document. The Document Consumer Actor likely will have user access controls or business rule capabilities to determine the details of how confidentiality codes apply to query results. The details of this are product specific and not specified by IHE. These rules shall reduce the query results to only those that are appropriate to the current situation for that actor and user.
- 4545
- 4550     • The Document Consumer Actor shall be able to be configured with Patient Privacy Policies, Patient Privacy Policy Identifiers (OIDs) and associated information necessary to understand and enforce the XDS Affinity Domain Policy. The details of this are product specific and not specified by IHE.

### 3.43.4.2 Retrieve Document Set Response

#### 3.43.4.2.1 Trigger Events

This message will be triggered by a Retrieve Document Set Request Message

#### 3.43.4.2.2 Message Semantics

- 4555 The Retrieve Document Set Response Message shall carry the following information, for each of the returned documents:
- A homeCommunityId. This value shall be the same as the homeCommunityId value in the Retrieve Document Set Request Message. If the homeCommunityId value is not present in the Retrieve Document Set Request Message, this shall not be present.
  - 4560     • A required repositoryUniqueId that identifies the repository from which the document is to be retrieved. This value shall be the same as the value of the repositoryUniqueId in the original Retrieve Document Set Request Message. This value corresponds to XDSDocumentEntry.repositoryUniqueId.
  - 4565     • A required documentUniqueId that identifies the document within the repository. This value shall be the same as the documentUniqueId in the original Retrieve Document Set Request Message. This value corresponds to the XDSDocumentEntry.uniqueId.
  - The retrieved document as a XOP Infoset
  - The MIME type of the retrieved document
  - Errors or warnings in case the document(s) could not be retrieved successfully
- 4570 If the documentUniqueId is associated with an On-Demand Document Entry, the Retrieve Document Set Response Message shall contain a NewDocumentUniqueId element that identifies the document that is returned in the Retrieve Document Set Response. This identifier shall be

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| <b>HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.</b> |
|-----------------------------------------------------------------------------------------------------------|

different than the DocumentUniqueId element which identifies the On-Demand Document Entry. The Retrieve Document Set Response Message may also include a NewRepositoryUniqueId element that identifies the Document Repository which holds the document returned in the Retrieve Document Set Response. If this element is not included, the document returned in the response has not been persisted for later retrieval. If the On-Demand Document Source implements the Persistence of Retrieved Documents Option, this element shall be specified. If a future Retrieve Document Set Message for the same DocumentUniqueId returns the same NewDocumentUniqueId, the content of the document shall be identical to the prior returned content. On-Demand Document Source Actors are encouraged to re-use Document uniqueId's whenever content has not changed in order to facilitate identification of new content by Document Consumers.

#### **3.43.4.2.3 Expected Actions**

4585 A Document Repository or On-Demand Document Source shall return the document(s) indicated in the request.

The Document Repository shall return the document or an error code in case the document could not be return. The conditions of failure and possible error messages are given in the ebRS standard and detailed in ITI TF-3: 4.2.4 Error Reporting.

4590 An On-Demand Document Source which supports the Persistence of Retrieved Documents Option shall save the document content returned in the retrieve response and register a Stable Document Entry which describes the saved document. The On-Demand Document Source shall complete the registration of the Stable Document Entry prior to responding to the Retrieve Document Set request. If a prior document has been saved this new document may, depending on the type of data generated by the Document Source, replace the prior document. The registration of the new Stable Document Entry shall include

4595 A Submission Set

A DocumentEntry representing the stable DocumentEntry.

A HasMember association linking DocumentEntry to SubmissionSet.

4600 An IsSnapshotOf Association which identifies the sourceObject as the new Stable Document Entry and the targetObject as the On-Demand Document Entry which contains the uniqueID used in the Retrieve Document Set request. See ITI TF-3: 4.2.2.2 for information about the IsSnapshotOf Association.

4605 If this is not the first request for this on-demand document and a prior document was replaced, a Replace Association which identifies the prior document.

#### **3.43.4.2.3.1 Compatibility of Options**

If the Document Consumer does not support the On-Demand Documents Option it will never send a Retrieve Document Set request for an On-Demand Document entry. In this case, none of the new attributes will be included in the response.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

4610 If the Document Consumer does support the On-Demand Documents Option, it will only direct requests for On-Demand Document Entries to responders which have specified their unique repositoryUniqueid in the On-Demand Document Entry from the registry. Thus, unless there is an error in the metadata, there are no compatibility concerns with this transaction.

**3.43.5 Protocol Requirements**

4615 Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

The Retrieve Document Set transaction shall use SOAP12 and MTOM with XOP encoding (labeled MTOM/XOP in this specification). See ITI TF-2x: Appendix V for details. The Document Repository shall:

- 4620
- Accept the Retrieve Document Set Request message in MTOM/XOP format.
  - Generate the Retrieve Document Set Response message in MTOM/XOP format

The Document Consumer shall:

- Generate the Retrieve Document Set Request message in MTOM/XOP format.
- Accept the Retrieve Document Set Response message in MTOM/XOP format.

4625

**WSDL Namespace Definitions**

|       |                                               |
|-------|-----------------------------------------------|
| ihe   | urn:ihe:iti:xds-b:2007                        |
| rs    | urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0    |
| lcm   | urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0   |
| query | urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0 |

Document Repository: These are the requirements for the Retrieve Document Set transaction presented in the order in which they would appear in the Document Repository WSDL definition:

4630

- The following types shall be imported (xsd:import) in the /definitions/types section:
  - namespace="urn:ihe:iti:xds-b:2007", schema="IHEXDS.xsd"
- The /definitions/message/part/@element attribute of the Retrieve Document Set Request message shall be defined as "ihe:RetrieveDocumentSetRequest"

4635

- The /definitions/message/part/@element attribute of the Retrieve Document Set Response message shall be defined as "ihe:RetrieveDocumentSetResponse"
- Refer to Table 3.43.5.b below for additional attribute requirements

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

4640 To support the Asynchronous Web Services Exchange Option on the Document Consumer, the Document Repository shall support the use of a non-anonymous response EPR in the WS-Addressing replyTo header.

**Table 3.43.5.b: Additional Attribute Requirements**

| Attribute                                                   | Value                                         |
|-------------------------------------------------------------|-----------------------------------------------|
| /definitions/portType/operation@name                        | DocumentConsumer_ RetrieveDocumentSet         |
| /definitions/portType/operation/input/@wsaw:Action          | urn:ihe:iti:2007: RetrieveDocumentSet         |
| /definitions/portType/operation/output/@wsaw:Action         | urn:ihe:iti:2007: RetrieveDocumentSetResponse |
| /definitions/binding/operation/soap12:operation/@soapAction | urn:ihe:iti:2007: RetrieveDocumentSet         |

4645 These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.43.5.1 Sample SOAP Messages.

For informative WSDL for the Document Repository Actor see in ITI TF-2x: Appendix W.

The <ihe:RetrieveDocumentSetRequest/> element is defined as:

- 4650 • One or more <ihe:DocumentRequest/> elements, each one representing an individual document that the Document Consumer wants to retrieve from the Document Repository. Each <ihe:DocumentRequest/> element contains:
  - 4655 • A required <ihe:RepositoryUniqueId/> element that identifies the repository from which the document is to be retrieved. This value corresponds to XSDSDocumentEntry.repositoryUniqueId.
  - A required <ihe:DocumentUniqueId/> that identifies the document within the repository. This value corresponds to the XSDSDocumentEntry.uniqueId.
  - An optional <ihe:HomeCommunityId/> element that corresponds to the home attribute of the Identifiable class in ebRIM.

4660 This allows the Document Consumer to specify one or more documents to retrieve from the Document Repository.

The <ihe:RetrieveDocumentResponse/> element is defined as:

- A required /ihe:RetrieveDocumentSetResponse/rs:RegistryResponse element
- An optional sequence of <ihe:DocumentResponse/> elements containing

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- 4665      • A <ihe:HomeCommunityId/> element. The value of this element shall be the same as the value of the /RetrieveDocumentSetRequest/DocumentRequest/HomeCommunityId element in the Retrieve Document Set Request Message. If the <ihe:HomeCommunityId/> element is not present in the Retrieve Document Set Request Message, this value shall not be present.
- 4670      • A required <ihe:RepositoryUniqueId/> that identifies the repository from which the document is to be retrieved. The value of this element shall be the same as the value of the /RetrieveDocumentSetRequest/DocumentRequest/RepositoryUniqueId element in the original Retrieve Document Set Request Message. This value corresponds to XSDSDocumentEntry.repositoryUniqueId.
- 4675      • A required <ihe:DocumentUniqueId/> that identifies the document within the repository. The value of this element shall be the same as the value of the /RetrieveDocumentSetRequest/DocumentRequest/DocumentUniqueId element in the original Retrieve Document Set Request Message. This value corresponds to XSDSDocumentEntry.uniqueId.
- 4680      • A required <ihe:Document/> element that contains the retrieved document in base64binary encoded format
- A required <ihe:mimeType/> element that indicates the MIME type of the retrieved document
- 4685      • An optional <ihe:NewDocumentUniqueId/> element that identifies the document returned in the request when retrieval is of an On-Demand Document. This is required when retrieval is of an On-Demand Document.
- An optional <ihe:NewRepositoryUniqueId/> element that identifies the Document Repository that will support retrieval of the document created as a result of retrieval of the On-Demand Document. This is required when the On-Demand Document Source supports the Persistence of Retrieved Documents Option.
- 4690

The /RetrieveDocumentSetResponse/rs:RegistryResponse/@status attributes provides the overall status of the request: It shall contain one of the following values:

urn:oasis:names:tc:ebxml-regrep:ResponseStatusType:Success

urn:ihe:iti:2007:ResponseStatusType:PartialSuccess

4695      urn:oasis:names:tc:ebxml-regrep:ResponseStatusType:Failure

See ITI TF-3: 4.2.4 Error Reporting for the interpretation of these values.

For each document requested in a /RetrieveDocumentSetRequest/DocumentRequest element:

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

- 4700 • If a warning is reported when retrieving the document, then a `/RetrieveDocumentSetResponse/rs:RegistryResponse/rs:RegistryErrorList/rs:RegistryError` element shall be returned with:
  - `@severity` is `urn:oasis:names:tc:ebxml-regrep:ErrorSeverityType:Warning`
  - `@errorCode` is specified
  - `@codeContext` contains the warning message
  - `@location` contains the `DocumentUniqueId` of the document requested
- 4705 • The document shall be returned in an instance of `/RetrieveDocumentSetResponse/DocumentResponse/Document` as a XOP Infoset. The returned document and warning are correlated via the `DocumentUniqueId`.
- 4710 • If an error is reported when retrieving a document, then a `/RetrieveDocumentSetResponse/rs:RegistryResponse/rs:RegistryErrorList/rs:RegistryError` element shall be returned with:
  - `@severity` is `urn:oasis:names:tc:ebxml-regrep:ErrorSeverityType:Error`
  - `@errorCode` is specified
  - `@codeContext` contains the error message
  - `@location` contains the `DocumentUniqueId` of the document requested
- 4715 • No corresponding `RetrieveDocumentSetResponse/DocumentResponse` element shall be returned
- 4720 • If the document is successfully retrieved (without warning) then no `/RetrieveDocumentSetResponse/rs:RegistryResponse/rs:RegistryErrorList/rs:RegistryError` element shall be present and a `/RetrieveDocumentSetResponse/DocumentResponse/Document` element shall be returned containing the document as a XOP Infoset.

The `/RetrieveDocumentSetResponse/rs:RegistryResponse/rs:ResponseSlotList` element is not used in this transaction.

- 4725 The `/RetrieveDocumentSetResponse/rs:RegistryResponse/@requestId` attribute is not used in this transaction.

A full XML Schema Document for the XDS.b types is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.43.5.1 Sample SOAP Messages

- 4730 The samples in the following two sections show a typical request and its relative response. The sample messages also show the WS-Addressing headers `<Action/>`, `<MessageID/>`,

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

<ReplyTo/>...; these WS-Addressing headers are populated according to ITI TF-2x: Appendix V: Web Services for IHE Transactions.

### 3.43.5.1.1 Sample Retrieve Document Set SOAP Request

#### 3.43.5.1.1.1 Synchronous Web Services Exchange

4735

```
POST /tf6/services/xdsrepositoryb HTTP/1.1
Content-Type: multipart/related;
 boundary=MIMEBoundaryurn_uuid_3448B7F8EA6E8B9DFC1289514997517;
 type="application/xop+xml";
4740 start="<0.urn:uuid:3448B7F8EA6E8B9DFC1289514997518@apache.org>";
 start-info="application/soap+xml"
User-Agent: Axis2
Host: ihexds.nist.gov:5000
```

4745

```
--MIMEBoundaryurn_uuid_3448B7F8EA6E8B9DFC1289514997517
Content-Type: application/xop+xml; charset=UTF-8;
 type="application/soap+xml"
Content-Transfer-Encoding: binary
4750 Content-ID: <0.urn:uuid:3448B7F8EA6E8B9DFC1289514997518@apache.org>
```

4750

```
<?xml version='1.0' encoding='UTF-8'?>
<soapenv:Envelope xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope">
 <soapenv:Header xmlns:wsa="http://www.w3.org/2005/08/addressing">
 <wsa:To soapenv:mustUnderstand="1">
4755 >http://localhost:5000/tf6/services/xdsrepositoryb</wsa:To>
 <wsa:MessageID soapenv:mustUnderstand="1">
 >urn:uuid:3448B7F8EA6E8B9DFC1289514997508</wsa:MessageID>
 <wsa:Action soapenv:mustUnderstand="1">
 >urn:ihe:iti:2007:RetrieveDocumentSet</wsa:Action>
4760 </soapenv:Header>
 <soapenv:Body>
 <RetrieveDocumentSetRequest xmlns="urn:ihe:iti:xds-b:2007">
 <DocumentRequest>
4765 <RepositoryUniqueId>1.19.6.24.109.42.1.5</RepositoryUniqueId>
 <DocumentUniqueId>1.42.20101110141555.15</DocumentUniqueId>
 </DocumentRequest>
 </RetrieveDocumentSetRequest>
 </soapenv:Body>
</soapenv:Envelope>
4770 --MIMEBoundaryurn_uuid_3448B7F8EA6E8B9DFC1289514997517--
```

This request message is in MTOM/XOP format because request/response message pairs must always be in the same format (MTOM/XOP vs. SIMPLE SOAP) and the response requires MTOM/XOP: one part for descriptive metadata and a second part for document contents.

4775

#### 3.43.5.1.1.2 Asynchronous Web Services Exchange

4780

```
<s:Envelope
 xmlns:s="http://www.w3.org/2003/05/soap-envelope"
 xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
4785 <a:Action s:mustUnderstand="1">urn:ihe:iti:2007:RetrieveDocumentSet</a:Action>
 <a:MessageID>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:MessageID>
 <a:ReplyTo>
4785 <a:Address>
 http://192.168.2.4:9080/XdsService/DocumentConsumerReceiver.svc</a:Address>
```

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

```

4790 </a:ReplyTo>
 <a:To
s:mustUnderstand="1">http://localhost:2647/XdsService/DocumentRepositoryReceiver.svc</a:To>
 </s:Header>
 <s:Body>
 <RetrieveDocumentSetRequest xmlns="urn:ihe:iti:xds-b:2007">
 <DocumentRequest>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
4795 </DocumentRequest>
 <DocumentRequest>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2301</DocumentUniqueId>
4800 </DocumentRequest>
 </RetrieveDocumentSetRequest>
 </s:Body>
</s:Envelope>

```

### 3.43.5.1.2 Sample Retrieve Document Set SOAP Response

#### 4805 3.43.5.1.2.1 Synchronous Web Services Exchange

In the following example, the HTTP header `Transfer-Encoding: chunked` and the corresponding chunk annotations were removed for readability.

```

4810 HTTP/1.1 200 OK
Server: Apache-Coyote/1.1
Content-Type: multipart/related;
 boundary=MIMEBoundaryurn_uuid_E910375860336E2B8F1289514978310;
 type="application/xop+xml";
4815 start="0.urn:uuid:E910375860336E2B8F1289514978311@apache.org";
 start-info="application/soap+xml";
Date: Thu, 11 Nov 2010 22:36:15 GMT

4820 --MIMEBoundaryurn_uuid_E910375860336E2B8F1289514978310
Content-Type: application/xop+xml; charset=UTF-8;
 type="application/soap+xml"
Content-Transfer-Encoding: binary
Content-ID: <0.urn:uuid:E910375860336E2B8F1289514978311@apache.org>

4825 <?xml version='1.0' encoding='UTF-8'?>
<soapenv:Envelope xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope"
 xmlns:wsa="http://www.w3.org/2005/08/addressing">
 <soapenv:Header>
 <wsa:Action soapenv:mustUnderstand="1"
4830 >urn:ihe:iti:2007:RetrieveDocumentSetResponse</wsa:Action>
 <wsa:RelatesTo>urn:uuid:3448B7F8EA6E8B9DFC1289514997508</wsa:RelatesTo>
 </soapenv:Header>
 <soapenv:Body>
 <xdsb:RetrieveDocumentSetResponse xmlns:xdsb="urn:ihe:iti:xds-b:2007">
 <rs:RegistryResponse xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0"
4835 status="urn:oasis:names:tc:ebxml-regrep:ResponseStatusType:Success"/>
 <xdsb:DocumentResponse>
 <xdsb:RepositoryUniqueId
4840 >1.19.6.24.109.42.1.5</xdsb:RepositoryUniqueId>
 <xdsb:DocumentUniqueId
 >1.42.20101110141555.15</xdsb:DocumentUniqueId>
 <xdsb:mimeType>text/plain</xdsb:mimeType>
 <xdsb:Document>
 <xop:Include

```

```

4845 href="cid:1.urn:uuid:E910375860336E2B8F1289514978312@apache.org"
 xmlns:xop="http://www.w3.org/2004/08/xop/include" />
 </xdsb:Document>
 </xdsb:DocumentResponse>
 </xdsb:RetrieveDocumentSetResponse>
4850 </soapenv:Body>
</soapenv:Envelope>

--MIMEBoundaryurn_uuid_E910375860336E2B8F1289514978310
Content-Type: text/plain
4855 Content-Transfer-Encoding: binary
Content-ID: <1.urn:uuid:E910375860336E2B8F1289514978312@apache.org>

Four score and seven years ago our fathers brought forth on this continent a new nation,
conceived in Liberty, and dedicated to the proposition that all men are created equal.
4860 --MIMEBoundaryurn_uuid_E910375860336E2B8F1289514978310--

```

This example shows the ‘wire format’ for MTOM/XOP. The Document element contains a <xop:Include> element that points to the document contents as a separate attachment.

4865 Note: In some systems, the ‘in memory’ format replaces the <xop:Include> with the Base64 encoded contents of the document. This is done so the entire message contents fits into an XML parse tree.

A second form of the response is possible, an un-optimized MTOM/XOP message. In this form the message is still formatted as a multipart but the document contents is not split out into a separate part of the multipart. Some popular Web Service toolkits generate this form for very small documents. The same response in this form looks like:

```

4870 HTTP/1.1 200 OK
Server: Apache-Coyote/1.1
Content-Type: multipart/related;
4875 boundary=MIMEBoundaryurn_uuid_E910375860336E2B8F1289514978310;
 type="application/xop+xml";
 start="0.urn:uuid:E910375860336E2B8F1289514978311@apache.org";
 start-info="application/soap+xml";
Date: Thu, 11 Nov 2010 22:36:15 GMT

4880 --MIMEBoundaryurn_uuid_E910375860336E2B8F1289514978310
Content-Type: application/xop+xml; charset=UTF-8;
 type="application/soap+xml"
Content-Transfer-Encoding: binary
4885 Content-ID: <0.urn:uuid:E910375860336E2B8F1289514978311@apache.org>

<?xml version='1.0' encoding='UTF-8'?>
<soapenv:Envelope xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope"
 xmlns:wsa="http://www.w3.org/2005/08/addressing">
 <soapenv:Header>
4890 <wsa:Action soapenv:mustUnderstand="1"
 >urn:ihe:iti:2007:RetrieveDocumentSetResponse</wsa:Action>
 <wsa:RelatesTo>urn:uuid:3448B7F8EA6E8B9DFC1289514997508</wsa:RelatesTo>
 </soapenv:Header>
 <soapenv:Body>
4895 <xdsb:RetrieveDocumentSetResponse xmlns:xdsb="urn:ihe:iti:xds-b:2007">
 <rs:RegistryResponse
 xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0"
 status="urn:oasis:names:tc:ebxml-regrep:ResponseType:Success" />
4900 <xdsb:DocumentResponse>
 <xdsb:RepositoryUniqueId
 >1.19.6.24.109.42.1.5</xdsb:RepositoryUniqueId>
 <xdsb:DocumentUniqueId

```

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

```

4905 >1.42.20101110141555.15</xdsb:DocumentUniqueId>
 <xdsb:mimeType>text/plain</xdsb:mimeType>
 <xdsb:Document>
 Base64 encoded contents of document go here
 </xdsb:Document>
 </xdsb:DocumentResponse>
4910 </xdsb:RetrieveDocumentSetResponse>
 </soapenv:Body>
</soapenv:Envelope>
--MIMEBoundaryurn_uuid_E910375860336E2B8F1289514978310--

```

### 3.43.5.1.2.2 Asynchronous Web Services Exchange

```

4915 <s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action
4920 s:mustUnderstand="1">urn:ihe:iti:2007:RetrieveDocumentSetResponse</a:Action>
 <a:MessageID>urn:uuid:D6C21225-8E7B-454E-9750-821622C099DB</a:MessageID>
 <a:RelatesTo>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:RelatesTo>
 <a:To
4925 s:mustUnderstand="1">http://localhost:2647/XdsService/DocumentConsumerReceiver.svc</a:To>
 </s:Header>
 <s:Body>
 <RetrieveDocumentSetResponse
4930 xmlns="urn:ihe:iti:xds-b:2007"
 xmlns:lcm="urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0"
 xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"
 xmlns:rjm="urn:oasis:names:tc:ebxml-regrep:xsd:rjm:3.0"
 xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0">
 <rs:RegistryResponse status="urn:oasis:names:tc:ebxml-
4935 regrep:ResponseStatusType:Success" />
 <DocumentResponse>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
 <mimeType>text/xml</mimeType>

 <Document>UjBsR09EbGhjZ0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</Document>
4940 </DocumentResponse>
 <DocumentResponse>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
 <mimeType>text/xml</mimeType>

4945 <Document>UjBsR09EbGhjZ0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</Document>
 </DocumentResponse>
 </RetrieveDocumentSetResponse>
 </s:Body>
 </s:Envelope>

```

### 4950 3.43.5.1.3 Sample Retrieve Document Set Response from On-Demand Document Entry

The following example shows the response to retrieval of a dynamic document entry where the responder supports later retrieval of the document created.

```

4955 <s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
xmlns:a="http://www.w3.org/2005/08/addressing">
 <s:Header>
 <a:Action
 s:mustUnderstand="1">urn:ihe:iti:2007:RetrieveDocumentSetResponse</a:Action>

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

4960 <a:RelatesTo>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:RelatesTo>
</s:Header>
<s:Body>
 <RetrieveDocumentSetResponse
4965 xmlns="urn:ihe:iti:xds-b:2007"
 xmlns:lcm="urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0"
 xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"
 xmlns:rims="urn:oasis:names:tc:ebxml-regrep:xsd:rims:3.0"
 xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0">
4970 <rs:RegistryResponse status="urn:oasis:names:tc:ebxml-
regrep:ResponseStatusType:Success"/>
 <DocumentResponse>
 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
4975 <NewDocumentUniqueId>1.3.6.1.4...2897</NewDocumentUniqueId>
 <NewRepositoryUniqueId>1.3.6.1.4...1000</NewRepositoryUniqueId>
 <mimeType>text/xml</mimeType>
 <Document>UjBsR09EbGhjZ0dTQUxNQUFBUNBRU1tQ1p0dU1GUXhEUzhi</Document>
 </DocumentResponse>
 <DocumentResponse>
4980 <RepositoryUniqueId>1.3.6.1.4...1000</RepositoryUniqueId>
 <DocumentUniqueId>1.3.6.1.4...2300</DocumentUniqueId>
 <mimeType>text/xml</mimeType>
 <Document>UjBsR09EbGhjZ0dTQUxNQUFBUNBRU1tQ1p0dU1GUXhEUzhi</Document>
 </DocumentResponse>
4985 </RetrieveDocumentSetResponse>
</s:Body>
</s:Envelope>

```

### 3.43.6 Security Considerations

4990 Relevant XDS Affinity Domain Security background is discussed in the XDS Security Considerations Section (see ITI TF-1: 10.7).

#### 3.43.6.1 Audit Record Considerations

The Retrieve Document Set transaction is either a PHI-Import event or a PHI-Export event, depending on the actor, as defined in ITI TF-2a: Table 3.20.6-1, with the following exceptions.

4995 The Document Repository Actor, On-Demand Document Source, and Initiating Gateway shall generate an “Export” event. This may be an event for each Retrieve Document transaction, or multiple transactions for the same patient may be heuristically combined. The heuristics for this combination are not specified by IHE. It is intended to reduce the volume of audit records. Combination is permitted when the active participants and patient are the same, and the time difference is considered insignificant.

5000 The Document Consumer Actor shall generate an “Import” event. This may be one event per transaction, or multiple transactions may be reported as a single event using a heuristic for combining transactions. Combination is permitted when the active participants and patient are the same, and the time difference is considered insignificant.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

5005

If some documents were retrieved successfully and others were not, the Actors involved shall record a “success” audit event for those documents retrieved successfully and a “failure” audit event for those documents not retrieved successfully.

### 3.43.6.1.1 Document Consumer audit message:

|                                                      | Field Name            | Opt | Value Constraints                                         |
|------------------------------------------------------|-----------------------|-----|-----------------------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification | EventID               | M   | EV(110107, DCM, “Import”)                                 |
|                                                      | EventActionCode       | M   | “C” (Create)                                              |
|                                                      | EventDateTime         | M   | <i>not specialized</i>                                    |
|                                                      | EventOutcomeIndicator | M   | <i>not specialized</i>                                    |
|                                                      | EventTypeCode         | M   | EV(“ITI-43”, “IHE Transactions”, “Retrieve Document Set”) |
| Source (Document Repository) (1)                     |                       |     |                                                           |
| Destination (Document Consumer) (1)                  |                       |     |                                                           |
| Human Requestor (0..n)                               |                       |     |                                                           |
| Audit Source (Document Consumer) (1)                 |                       |     |                                                           |
| Patient (0..1)                                       |                       |     |                                                           |
| Document (1..n) ( <i>see combining rules above</i> ) |                       |     |                                                           |

Where:

|                                                     |                            |   |                                                |
|-----------------------------------------------------|----------------------------|---|------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M | SOAP endpoint URI                              |
|                                                     | AlternativeUserID          | U | <i>not specialized</i>                         |
|                                                     | UserName                   | U | <i>not specialized</i>                         |
|                                                     | UserIsRequestor            | M | “false”                                        |
|                                                     | RoleIDCode                 | M | EV(110153, DCM, “Source”)                      |
|                                                     | NetworkAccessPointTypeCode | M | “1” for machine (DNS) name, “2” for IP address |
|                                                     | NetworkAccessPointID       | M | The machine name or IP address.                |

|                                                          |                            |   |                                                                                                                                     |
|----------------------------------------------------------|----------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M | If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, <i>not specialized</i> . |
|                                                          | AlternativeUserID          | M | the process ID as used within the local operating system in the local system logs.                                                  |
|                                                          | UserName                   | U | <i>not specialized</i>                                                                                                              |
|                                                          | UserIsRequestor            | U | <i>not specialized</i>                                                                                                              |
|                                                          | RoleIDCode                 | M | EV(110152, DCM, “Destination”)                                                                                                      |
|                                                          | NetworkAccessPointTypeCode | M | “1” for machine (DNS) name, “2” for IP address                                                                                      |
|                                                          | NetworkAccessPointID       | M | The machine name or IP address.                                                                                                     |

5010

|                                                                         |                            |    |                                                                     |
|-------------------------------------------------------------------------|----------------------------|----|---------------------------------------------------------------------|
| <b>Human Requestor (if known)</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M  | Identity of the human that initiated the transaction.               |
|                                                                         | AlternativeUserID          | U  | <i>not specialized</i>                                              |
|                                                                         | UserName                   | U  | <i>not specialized</i>                                              |
|                                                                         | UserIsRequestor            | U  | <i>not specialized</i>                                              |
|                                                                         | RoleIDCode                 | U  | Access Control role(s) the user holds that allows this transaction. |
|                                                                         | NetworkAccessPointTypeCode | NA |                                                                     |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|  |                      |    |  |
|--|----------------------|----|--|
|  | NetworkAccessPointID | NA |  |
|--|----------------------|----|--|

|                                                                                   |                              |          |                        |
|-----------------------------------------------------------------------------------|------------------------------|----------|------------------------|
| <b>Audit Source</b><br><small>AuditMessage/<br/>AuditSourceIdentification</small> | <i>AuditSourceID</i>         | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditEnterpriseSiteID</i> | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditSourceTypeCode</i>   | <i>U</i> | <i>not specialized</i> |

|                                                                                                 |                                       |          |                                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------|----------|----------------------------------|
| <b>Patient (if-known)</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M        | “1” (Person)                     |
|                                                                                                 | ParticipantObjectTypeCodeRole         | M        | “1” (Patient)                    |
|                                                                                                 | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | ParticipantObjectID                   | M        | The patient ID in HL7 CX format. |
|                                                                                                 | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>           |
|                                                                                                 | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>           |

|                                                                                       |                                       |          |                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Document</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M        | “2” (System)                                                                                                                                                                                                                                                                                                                                                          |
|                                                                                       | ParticipantObjectTypeCodeRole         | M        | “3” (report)                                                                                                                                                                                                                                                                                                                                                          |
|                                                                                       | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>                                                                                                                                                                                                                                                                                                                                                |
|                                                                                       | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i> | <i>not specialized</i>                                                                                                                                                                                                                                                                                                                                                |
|                                                                                       | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>                                                                                                                                                                                                                                                                                                                                                |
|                                                                                       | ParticipantObjectID                   | M        | The value of <ihe:DocumentUniqueId/>                                                                                                                                                                                                                                                                                                                                  |
|                                                                                       | <i>ParticipantObjectName</i>          | <i>C</i> | <i>not specialized</i>                                                                                                                                                                                                                                                                                                                                                |
|                                                                                       | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>                                                                                                                                                                                                                                                                                                                                                |
|                                                                                       | ParticipantObjectDetail               | M        | The ParticipantObjectDetail element may occur more than once. In one element, the value of <ihe:RepositoryUniqueId/> in value attribute, “Repository Unique Id” in type attribute<br>In another element, the value of “ihe:homeCommunityID” as the value of the attribute <i>type</i> and the value of the homeCommunityID as the value of the attribute <i>value</i> |

5015 **3.43.6.1.2 Document Repository, On-Demand Document Source, and Initiating Gateway audit message:**

|                                                                      | Field Name                   | Opt      | Value Constraints                                         |
|----------------------------------------------------------------------|------------------------------|----------|-----------------------------------------------------------|
| <b>Event</b><br><small>AuditMessage/<br/>EventIdentification</small> | EventID                      | M        | EV(110106, DCM, “Export”)                                 |
|                                                                      | EventActionCode              | M        | “R” (Read)                                                |
|                                                                      | <i>EventDateTime</i>         | <i>M</i> | <i>not specialized</i>                                    |
|                                                                      | <i>EventOutcomeIndicator</i> | <i>M</i> | <i>not specialized</i>                                    |
|                                                                      | EventTypeCode                | M        | EV(“ITI-43”, “IHE Transactions”, “Retrieve Document Set”) |
| Source (Document Repository) (1)                                     |                              |          |                                                           |
| Destination (Document Consumer) (1)                                  |                              |          |                                                           |
| Audit Source (Document Repository) (1)                               |                              |          |                                                           |
| Document (1..n) ( <i>see combining rules above</i> )                 |                              |          |                                                           |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

Where:

|                                                     |                            |          |                                                                                    |
|-----------------------------------------------------|----------------------------|----------|------------------------------------------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M        | SOAP endpoint URI                                                                  |
|                                                     | AlternativeUserID          | M        | the process ID as used within the local operating system in the local system logs. |
|                                                     | <i>UserName</i>            | <i>U</i> | <i>not specialized</i>                                                             |
|                                                     | UserIsRequestor            | M        | “false”                                                                            |
|                                                     | RoleIDCode                 | M        | EV(110153, DCM, “Source”)                                                          |
|                                                     | NetworkAccessPointTypeCode | M        | “1” for machine (DNS) name, “2” for IP address                                     |
|                                                     | NetworkAccessPointID       | M        | The machine name or IP address.                                                    |

|                                                          |                            |          |                                                                                                                             |
|----------------------------------------------------------|----------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Destination</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M        | If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized. |
|                                                          | <i>AlternativeUserID</i>   | <i>U</i> | <i>not specialized</i>                                                                                                      |
|                                                          | <i>UserName</i>            | <i>U</i> | <i>not specialized</i>                                                                                                      |
|                                                          | <i>UserIsRequestor</i>     | <i>U</i> | <i>not specialized</i>                                                                                                      |
|                                                          | RoleIDCode                 | M        | EV(110152, DCM, “Destination”)                                                                                              |
|                                                          | NetworkAccessPointTypeCode | M        | “1” for machine (DNS) name, “2” for IP address                                                                              |
|                                                          | NetworkAccessPointID       | M        | The machine name or IP address.                                                                                             |

|                                                                   |                              |          |                        |
|-------------------------------------------------------------------|------------------------------|----------|------------------------|
| <b>Audit Source</b><br>AuditMessage/<br>AuditSourceIdentification | <i>AuditSourceID</i>         | <i>U</i> | <i>not specialized</i> |
|                                                                   | <i>AuditEnterpriseSiteID</i> | <i>U</i> | <i>not specialized</i> |
|                                                                   | <i>AuditSourceTypeCode</i>   | <i>U</i> | <i>not specialized</i> |

|                                                                           |                                       |                                                                                                                                                                                                                                                                                                                                                                       |                                      |
|---------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Document URI</b><br>(AuditMessage/<br>ParticipantObjectIdentification) | ParticipantObjectTypeCode             | M                                                                                                                                                                                                                                                                                                                                                                     | “2” (System)                         |
|                                                                           | ParticipantObjectTypeCodeRole         | M                                                                                                                                                                                                                                                                                                                                                                     | “3” (report)                         |
|                                                                           | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i>                                                                                                                                                                                                                                                                                                                                                              | <i>not specialized</i>               |
|                                                                           | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i>                                                                                                                                                                                                                                                                                                                                                              | <i>not specialized</i>               |
|                                                                           | <i>ParticipantObjectSensitivity</i>   | <i>U</i>                                                                                                                                                                                                                                                                                                                                                              | <i>not specialized</i>               |
|                                                                           | ParticipantObjectID                   | M                                                                                                                                                                                                                                                                                                                                                                     | The value of <ihe:DocumentUniqueId/> |
|                                                                           | <i>ParticipantObjectName</i>          | <i>C</i>                                                                                                                                                                                                                                                                                                                                                              | <i>not specialized</i>               |
|                                                                           | <i>ParticipantObjectQuery</i>         | <i>U</i>                                                                                                                                                                                                                                                                                                                                                              | <i>not specialized</i>               |
| ParticipantObjectDetail                                                   | M                                     | The ParticipantObjectDetail element may occur more than once. In one element, the value of <ihe:RepositoryUniqueId/> in value attribute, “Repository Unique Id” in type attribute<br>In another element, the value of “ihe:homeCommunityID” as the value of the attribute <i>type</i> and the value of the homeCommunityID as the value of the attribute <i>value</i> |                                      |

5020

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.


### 3.44 Patient Identity Feed HL7 V3

5025 This section corresponds to transaction ITI-44 of the IHE IT Infrastructure Technical Framework. Transaction ITI-44 is used by the Patient Identity Source, Patient Identifier Cross-reference Manager and Document Registry Actors.

#### 3.44.1 Scope

The scope is identical to ITI TF-2a: 3.8.1.

#### 3.44.2 Use Case Roles



5030 **Actor:** Patient Identity Source

**Role:** Provides notification to the Patient Identifier Cross-reference Manager and Document Registry for any patient identification related events including: creation, updates, merges, etc.

**Corresponding HL7 v3 Application Roles:**

Patient Registry Informer (PRPA\_AR201301UV02)

5035 **Actor:** Patient Identifier Cross-reference Manager

**Role:** Serves a well-defined set of Patient Identification Domains. Based on information provided in each Patient Identification Domain by a Patient Identification Source Actor, it manages the cross-referencing of patient identifiers across Patient Identification Domains.

**Corresponding HL7 v3 Application Roles:**

5040 Patient Registry Tracker (PRPA\_AR201302UV02)

**Actor:** Document Registry

**Role:** Uses patient identifiers provided by Patient Identity Source to ensure that XDS Documents metadata registered is associated with a known patient and updates patient identity in document metadata by tracking identity change operations (e.g., merge).

5045 **Corresponding HL7 v3 Application Roles:**

Patient Registry Tracker (PRPA\_AR201302UV02)

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

### 3.44.3 Referenced Standards

HL7 Version 3 Edition 2008 Patient Administration DSTU, Patient Topic (found at <http://www.hl7.org/memonly/downloads/v3edition.cfm#V32008>).

### 5050 3.44.4 Interaction Diagrams




Figure 3.44-1: Patient Identity Sequence

#### 3.44.4.1 Patient Identity Management – Add or Revise Patient Record

##### 3.44.4.1.1 Trigger Events

5055 The following events from a Patient Identity Source will trigger one of the Add or Revise Patient Record messages:

##### **Patient Registry Record Added (PRPA\_TE201301UV02)**

This trigger event signals that a new patient was added to a Patient Identity Source.

5060 Changes to patient demographics (e.g., change in patient name, patient address, etc.) shall trigger the following Patient Registry Record Revised message:

##### **Patient Registry Record Revised (PRPA\_TE201302UV02)**

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

This trigger event signals that patient information was revised in a Patient Identity Source.

5065 The Patient Identifier Cross-reference Manager shall only perform cross-referencing logic on messages received from Patient Identity Source Actors. For a given Patient Identifier Domain there shall be one and only one Patient Identity Source Actor, but a given Patient Identity Source Actor may serve more than one Patient Identifier Domain.

#### **3.44.4.1.2 Message Semantics**

5070 The Patient Identity Feed transaction is carried out by the HL7 v3 Patient Activate (PRPA\_MT201301UV02) and Patient Revise (PRPA\_MT201302UV02) messages, as defined in the subsequent sections. The Patient Identity Source shall generate the message whenever a patient is registered or when some piece of patient demographic data changes. The components of the message listed below are required, and their detailed descriptions are provided in the following subsections.

5075 Each message shall be acknowledged by the HL7 v3 Accept Acknowledgement (MCCI\_MT000200UV01), which is described in ITI TF-2x: Appendix O.

The message information model in Section 3.44.4.1.2.2 describes the relevant data elements for this transaction. Specific requirements for the particular actors are found in Section 3.44.4.1.3 Expected Actions.

#### **3.44.4.1.2.1 Major Components of the Patient Registry Record Added/Revised Messages**

##### **Patient**

5085 The *Patient* class is the entry point to the R-MIMs for the *Patient Activate* (PRPA\_RM201301UV02) and *Patient Revise* (PRPA\_RM201302UV02) models. The patient identifiers are captured using an Instance Identifier (II) data type. Please see ITI TF-2x: Appendix E for a detailed description about the use of the HL7 V3 II data type for patient identifiers.

##### **Provider Organization**

5090 The Patient class is scoped by the provider organization where this person is a patient. The HL7 definition of the CMET requires that the provider organization needs to be identified by an id attribute, and at least one of address, telecommunications address, or contact person to be present. The id attribute SHALL have only a root, expressed as an ISO OID.

##### **Person**

5095 The *Person* class contains identifying and demographic data elements for the focal person similar to those in the HL7 v2.x PID segment such as name, gender, date of birth, marital status and deceased indicator and time.

### Language Communication

Information about what language(s) should be used to communicate with the focal person can be sent in the *LanguageCommunication* class.

### PersonalRelationship

5100 This is used for sending information pertaining to the mother's maiden name.

### Citizen

Citizenship information for a person, including citizen identifier and effective time can be sent in the *Citizen* class. The nation that scopes the *Citizen* role, as identified by *Nation.code*, is mandatory.

5105 **Other Identifiers**

The *OtherIDs* class is used to capture other identifiers associated with the person such as a driver's license number or social security number. In this transaction the IDs assigned by the scoping provider organization are represented in the *id* attribute of the *Patient* class. All other IDs are represented in the *OtherIDs* class. For the purposes of interoperability where both HL7 V3 and HL7 v2.x based transactions are used, the following requirement is imposed on the *OtherIDs.id* attribute and on the *scopingOrganization.id* attribute:

*OtherIDs.id.root* SHALL be identical to *scopingOrganization.id.root*

*scopingOrganization.id.extension* SHALL NOT have any value

Please see ITI TF-2x: E.2 for details on the use of the II data type for patient identifiers.

5115 **3.44.4.1.2.2 Message Information Model of the Patient Registry Record Added/Revised Messages**

Below is the Message Information Model for both the *Patient Activate* and *Patient Revise* messages, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this transaction. It is a strict common subset of the *Patient Activate* (*PRPA\_RM201301UV02*) and *Patient Revise* (*PRPA\_RM201302UV02*) RMIMs. While HL7 defines two models for the two messages, a single common subset is sufficient for the purposes of this IHE transaction.

5125 The base RMIMs can be found on the HL7 V3 2008 Edition CD at [Edition2008/domains/uvpa/editable/PRPA\\_RM201301UV.htm](#) and [Edition2008/domains/uvpa/editable/PRPA\\_RM201302UV.htm](#). The following restrictions are made on the original RMIMs to arrive at the restricted model:

The focal entity choice is restricted to be only a person

The relationship holder of the personal relationship is restricted to be a person (using CMET COCT\_MT030207UV)

5130 The provider organization which is scoping the patient role is required in both the Add and Revise messages (it is optional in the original Revise message definition).

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

The following roles are omitted:

asPatientOfOtherProvider

guarantor

5135 guardian

contactParty

asMember


careGiver

asStudent

5140 The following participations are omitted:

subjectOf (administrativeObservation)

coveredPartyOf (coverage)



5145

Figure 3.44.4.1.2-1: RMIM Diagram

The attributes of this model are described in the following table. Note that CMETs are not discussed, as the HL7 definitions for them are being used.

5150

Table 3.44.4.1.2-1: Model Attributes

| PRPA_HD201301IHE<br>Patient Activate/Revise    | This HMD extract defines the message used to report that a new patient record was added, or a patient record was updated.<br>Derived from Figure 3.44.4.1.2-1 (PRPA_RM201301IHE) |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Patient</b>                                 | The primary record for the focal person in a Patient Identity Source                                                                                                             |
| classCode [1..1] (M)<br>Patient (CS) {CNE:PAT} | Structural attribute; this is a "patient" role                                                                                                                                   |
| id [1..*] (M)                                  | Identifiers designated by this patient identity source for the focal                                                                                                             |

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

| <b>PRPA_HD201301IHE<br/>Patient Activate/Revise</b>                              | <b>This HMD extract defines the message used to report that a new patient record was added, or a patient record was updated.<br/>Derived from Figure 3.44.4.1.2-1<br/>(PRPA_RM201301IHE)</b>                                                                                  |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Patient ( <a href="#">SET&lt;II&gt;</a> )                                        | person                                                                                                                                                                                                                                                                        |
| statusCode [1..1]<br>Patient (CS) {CNE:active, fixed value= "active"}            | A value specifying the state of this record in a patient registry (based on the RIM role class state-machine). This record is active.                                                                                                                                         |
| confidentialityCode [0..*]<br>Patient (SET<CE>) {CWE:Confidentiality}            | Value(s) that control the disclosure of information about this living subject as a patient                                                                                                                                                                                    |
| veryImportantPersonCode [0..1]<br>Patient (CE) {CWE:PatientImportance}           | A code specifying the patient's special status granted by the scoper organization, often resulting in preferred treatment and special considerations. Examples include board member, diplomat.                                                                                |
| <b>Person</b>                                                                    | A subtype of LivingSubject representing a human being<br>Either Person.name or Patient.id must be non-null                                                                                                                                                                    |
| classCode [1..1] (M)<br>Person (CS) {CNE:PSN, fixed value= "PSN"}                | Structural attribute; this is a "person" entity                                                                                                                                                                                                                               |
| determinerCode [1..1] (M)<br>Person (CS) {CNE:INSTANCE, fixed value= "INSTANCE"} | Structural attribute; this is a specific person                                                                                                                                                                                                                               |
| name [1..*]<br>Person (BAG<PN>)                                                  | Name(s) for this person                                                                                                                                                                                                                                                       |
| telecom [0..*]<br>Person (BAG<TEL>)                                              | Telecommunication address(es) for communicating with this person                                                                                                                                                                                                              |
| administrativeGenderCode [0..1]<br>Person (CE) {CWE:AdministrativeGender}        | A value representing the gender (sex) of this person. Note: this attribute does not include terms related to clinical gender which is a complex physiological, genetic and sociological concept that requires multiple observations in order to be comprehensively described. |
| birthTime [0..1]<br>Person (TS)                                                  | The date and time this person was born                                                                                                                                                                                                                                        |
| deceasedInd [0..1]<br>Person (BL)                                                | An indication that this person is dead                                                                                                                                                                                                                                        |
| deceasedTime [0..1]<br>Person (TS)                                               | The date and time this person died                                                                                                                                                                                                                                            |
| multipleBirthInd [0..1]<br>Person (BL)                                           | An indication that this person was part of a multiple birth                                                                                                                                                                                                                   |
| multipleBirthOrderNumber [0..1]<br>Person (INT)                                  | The order in which this person was born if part of a multiple birth                                                                                                                                                                                                           |
| addr [0..*]<br>Person (BAG<AD>)                                                  | Address(es) for corresponding with this person                                                                                                                                                                                                                                |
| maritalStatusCode [0..1]<br>Person (CE) {CWE:MaritalStatus}                      | A value representing the domestic partnership status of this person                                                                                                                                                                                                           |
| religiousAffiliationCode [0..1]<br>Person (CE) {CWE:ReligiousAffiliation}        | A value representing the primary religious preference of this person                                                                                                                                                                                                          |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

| <b>PRPA_HD201301IHE<br/>Patient Activate/Revise</b>                        | <b>This HMD extract defines the message used to report that a new patient record was added, or a patient record was updated.<br/>Derived from Figure 3.44.4.1.2-1 (PRPA_RM201301IHE)</b>                                      |
|----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| raceCode [0..*]<br>Person (SET<CE>) {CWE:Race}                             | A set of values representing the races of this person                                                                                                                                                                         |
| ethnicGroupCode [0..*]<br>Person (SET<CE>) {CWE:Ethnicity}                 | A set of values representing the ethnic groups of this person                                                                                                                                                                 |
| <b>OtherIDs</b>                                                            | Used to capture additional identifiers for the person such as a Drivers' license or Social Security Number. Please see notes above in the Major Components section on the use of OtherIDs.                                    |
| classCode [1..1] (M)<br>Role (CS) {CNE:ROL}                                | Structural attribute. This can be any specialization of "role" except for Citizen, or Employee.                                                                                                                               |
| id [1..*] (M)<br>Role (SET<II>)                                            | One or more identifiers issued to the focal person by the associated scopingOrganization (e.g., a Driver's License number issued by a DMV)                                                                                    |
| <b>PersonalRelationship</b>                                                | A personal relationship between the focal living subject and another living subject                                                                                                                                           |
| classCode [1..1] (M)<br>Role (CS) {CNE:PRS, fixed value= "PRS"}            | Structural attribute; this is a "personal relationship" role                                                                                                                                                                  |
| id [0..*]<br><a href="#">Role (SET&lt;II&gt;)</a>                          | Identifier(s) for this personal relationship                                                                                                                                                                                  |
| code [1..1] (M)<br>Role (CE) {CWE:PersonalRelationshipRoleType}            | A required value specifying the type of personal relationship between the relationshipHolder and the scoping living subject drawn from the PersonalRelationshipRoleType domain, for example, spouse, parent, unrelated friend |
| statusCode [0..1]<br>Role (CE)<br>{CWE:RoleStatus}                         | A value specifying the state of this personal relationship (based on the RIM Role class state-machine), for example, following divorce a spouse relationship would be "terminated".                                           |
| effectiveTime [0..1]<br>Role (IVL<TS>)                                     | An interval of time specifying the period during which this personal relationship is in effect, if such time is applicable and known.                                                                                         |
| <b>Citizen</b>                                                             | Used to capture person information relating to citizenship.                                                                                                                                                                   |
| classCode [1..1] (M)<br>Role (CS) {CNE:CIT, fixed value= "CIT"}            | Structural attribute; this is a "citizen" role                                                                                                                                                                                |
| id [0..*]<br>Role (SET<II>)                                                | Identifier(s) for the focal person as a citizen of a nation                                                                                                                                                                   |
| effectiveTime [0..1]<br>Employee (IVL<TS>)                                 | An interval of time specifying the period during which this employment relationship is in effect, if such time limit is applicable and known.                                                                                 |
| <b>Nation</b>                                                              | A politically organized body of people bonded by territory and known as a nation.                                                                                                                                             |
| classCode [1..1] (M)<br>Organization (CS) {CNE:NAT, fixed value= "NAT"}    | Structural attribute; this is a 'nation' type of entity                                                                                                                                                                       |
| determinerCode [1..1] (M)<br>Organization (CS) {CNE:INSTANCE, fixed value= | Structural attribute; this is a specific entity                                                                                                                                                                               |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                                              |                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRPA_HD201301IHE<br/>Patient Activate/Revise</b>                          | <b>This HMD extract defines the message used to report that a new patient record was added, or a patient record was updated.<br/>Derived from Figure 3.44.4.1.2-1<br/>(PRPA_RM201301IHE)</b>                                                                                                                                                                          |
| "INSTANCE" }                                                                 |                                                                                                                                                                                                                                                                                                                                                                       |
| code [1..1] (M)<br>Organization (CD) {CWE:NationEntityType}                  | A value that identifies a nation state                                                                                                                                                                                                                                                                                                                                |
| name [0..1]<br>Organization (ON)                                             | A non-unique textual identifier or moniker for this nation                                                                                                                                                                                                                                                                                                            |
| <b>Employee</b>                                                              | A relationship of the focal person with an organization to receive wages or salary. The purpose of this class is to identify the type of relationship the employee has to the employer rather than the nature of the work actually performed. For example, it can be used to capture whether the person is a Military Veteran or not..                                |
| classCode [1..1] (M)<br>Employee (CS) {CNE:EMP}                              | Structural attribute; this is an "employee" role                                                                                                                                                                                                                                                                                                                      |
| statusCode [0..1]<br>Employee (CS) {CNE:RoleStatus}                          | A value specifying the state of this employment relationship (based on the RIM Role class state-machine), for example, active, suspended, terminated.                                                                                                                                                                                                                 |
| statusCode [0..1]<br>Employee (CS) {CNE:RoleStatus}                          | A value specifying the state of this employment relationship (based on the RIM Role class state-machine), for example, active, suspended, terminated.                                                                                                                                                                                                                 |
| effectiveTime [0..1]<br>Employee (IVL<TS>)                                   | An interval of time specifying the period during which this employment relationship is in effect, if such time limit is applicable and known.                                                                                                                                                                                                                         |
| occupationCode [0..1]<br>Employee (CE) {CWE:EmployeeOccupationCode}          | A code qualifying the classification of kind-of-work based upon a recognized industry or jurisdictional standard. OccupationCode is used to convey the person's occupation as opposed to jobClassCode (not used in this transaction) which characterizes this particular job. For example, it can be used to capture whether the person is a Military Veteran or not. |
| <b>BirthPlace</b>                                                            | The birthplace of the focal living subject.                                                                                                                                                                                                                                                                                                                           |
| classCode [1..1] (M)<br>Birthplace (CS) {CNE:BIRTHPL}                        | Structural attribute; this is a "birthplace" role.                                                                                                                                                                                                                                                                                                                    |
| id [0..*]                                                                    | A living subject's birth place represented by a unique identifier.                                                                                                                                                                                                                                                                                                    |
| addr [0..*]<br>Patient (BAG<AD>)                                             | A living subject's birth place represented as an address. Note: Either BirthPlace.addr or an associated Place.name must be valued.                                                                                                                                                                                                                                    |
| classCode [1..1] (M)<br>Birthplace (CS) {CNE:BIRTHPL}                        | Structural attribute; this is a "birthplace" role.                                                                                                                                                                                                                                                                                                                    |
| <b>LanguageCommunication</b>                                                 | A language communication capability of the focal person                                                                                                                                                                                                                                                                                                               |
| languageCode [1..1] (M)<br>LanguageCommunication (CE)<br>{CWE:HumanLanguage} | A value representing a language for which the focal person has some level of proficiency for written or spoken communication. Examples: Spanish, Italian, German, English, American Sign                                                                                                                                                                              |
| preferenceInd [0..1]<br>LanguageCommunication (BL)                           | An indicator specifying whether or not this language is preferred by the focal person for the associated mode                                                                                                                                                                                                                                                         |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.44.4.1.2.3 Control Act and Transmission Wrappers

Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.44.4.1.2-2 contains the Transmission and Control Act wrappers used for the two interactions, and the associated constraints.

5155

**Table 3.44.4.1.2-2: Wrappers and Constraints**

| Transmission Wrapper                                                                                                                                                                                                                         | Trigger Event Control Act Wrapper                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MCCI_MT000100UV01 – Send Message Payload                                                                                                                                                                                                     | MFMI_MT700701UV01 – Master File / Registry Notification Control Act, Role Subject                                                                                                                                                                                          |
| <p>The value of interactionId SHALL be set to PRPA_IN201301UV02 or PRPA_IN201302UV02</p> <p>The value of processingModeCode SHALL be set to T</p> <p>The acceptAckCode SHALL be set to AL</p> <p>There SHALL be only one receiver Device</p> | <p>The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE201301UV02 or PRPA_TE201302UV02 respectively</p> <p>RegistrationEvent.statusCode SHALL be set to “active”</p> <p>There SHALL be no InReplacementOf act relationship for these interactions.</p> |

The composite message schemas which describe the full payload of these interactions, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The HL7 V3 2008 Normative Edition schemas are at [Edition2008/processable/multicacheschemas/PRPA\\_IN201301UV02.xsd](#) and [Edition2008/processable/multicacheschemas/PRPA\\_IN201302UV02.xsd](#).

5160

### 3.44.4.1.2.4 Web Services Types and Messages

The Patient Registry Record Added/Revised messages will be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V.

5165

The following WSDL naming conventions SHALL apply:

```

"add" message -> "PRPA_IN201301UV02_Message"
"revise" message -> "PRPA_IN201302UV02_Message"
acknowledgement -> "MCCI_IN000002UV01_Message"

```

The following WSDL snippet describes the types for these messages:

5170

```

...
<types>
 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-
org:v3"
5175 xmlns:hl7="urn:hl7-org:v3">
 <!-- Include the message schema -->
 <xsd:import namespace="urn:hl7-org:v3"
schemaLocation=" ../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201301UV02.xs
d"/>
5180 <xsd:element name="PRPA_IN201301UV02"/>
 </xsd:schema>
 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"

```

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

```

xmlns:hl7="urn:hl7-org:v3">
<!-- Include the message schema -->
5185 <xsd:import namespace="urn:hl7-org:v3"
schemaLocation="../../../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201302UV02.xsd"/>
<xsd:element name="PRPA_IN201302UV02"/>
</xsd:schema>
5190 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
xmlns:hl7="urn:hl7-org:v3">
<!-- Include the message schema -->
<xsd:import namespace="urn:hl7-org:v3"
5195 schemaLocation="../../../schema/HL7V3/NE2008/multicacheschemas/MCCI_IN000002UV01.xsd"/>
<xsd:element name="MCCI_IN000002UV01"/>
</xsd:schema>
</types>
...

```

5200 The messages are described by the following snippet:

```

...
<message name="PRPA_IN201301UV02_Message">
<part element="hl7:PRPA_IN201301UV02" name="Body"/>
</message>
5205 <message name="PRPA_IN201302UV02_Message">
<part element="hl7:PRPA_IN201302UV02" name="Body"/>
</message>
<message name="MCCI_IN000002UV01_Message">
5210 <part element="hl7:MCCI_IN000002UV01" name="Body"/>
</message>
...

```

The port types for the WSDL describing the Patient Identity Feed Service are described together with the expected actions of the actors which receive these messages in Sections 3.44.4.1.3 and 3.44.4.1.4.

### 5215 3.44.4.1.3 Expected Actions – PIX Manager

The Patient Identifier Cross-reference Manager shall be capable of accepting attributes specified in Table 3.44.4.1.2-1 above. This is to ensure that the Patient Identifier Cross-reference Manager can handle a sufficient set of corroborating information in order to perform its cross-referencing function.

5220 The Patient Identifier Cross-reference Manager shall only recognize a single Patient Identity Source per domain.

The cross-referencing process (algorithm, human decisions, etc.) is performed within the Patient Identifier Cross-reference Manager, but its specification is beyond the scope of IHE.

5225 Once the Patient Identifier Cross-reference Manager has completed its cross-referencing function, it shall make the newly cross-referenced identifiers available to PIX queries and send out notification to any Patient Identifier Cross-reference Consumers that have been configured as

being interested in receiving such notifications using the PIX Update Notification HL7 V3 transaction (see Section 3.46 for the details of that transaction).

### 3.44.4.1.3.1 Web Services Port Type and Binding Definitions

5230 **IHE-WSP201) The attribute /wsdl:definitions/@name SHALL be “PIXManager”.**

The following WSDL naming conventions SHALL apply:

```

wsdl:definitions/@name="PIXManager" :
 "add" message -> "PRPA_IN201301UV02_Message"
 "revise" message -> "PRPA_IN201302UV02_Message"
5235 acknowledgement -> "MCCI_IN000002UV01_Message"
 portType -> "PIXManager_PortType"
 add operation -> "PIXManager_PRPA_IN201301UV02"
 revise operation -> "PIXManager_PRPA_IN201302UV02"
5240 SOAP 1.2 binding -> "PIXManager_Binding_Soap12"
 SOAP 1.2 port -> "PIXManager_Port_Soap12"

```

The following WSDL snippets specify the Patient Identity Feed Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

#### 3.44.4.1.3.1.1 Port Type

```

5245 <portType name="PIXManager_PortType">
 <operation name="PIXManager_PRPA_IN201301UV02">
5250 <input message="tns:PRPA_IN201301UV02_Message" wsaw:Action="urn:hl7-
 org:v3:PRPA_IN201301UV02"/>
 <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
 org:v3:MCCI_IN000002UV01"/>
 </operation>
 <operation name="PIXManager_PRPA_IN201302UV02">
5255 <input message="tns:PRPA_IN201302UV02_Message" wsaw:Action="urn:hl7-
 org:v3:PRPA_IN201302UV02"/>
 <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
 org:v3:MCCI_IN000002UV01"/>
 </operation>
 </portType>

```

#### 3.44.4.1.3.1.2 Bindings

SOAP 1.2 binding:

```

...
 <binding name="PIXManager_Binding_Soap12" type="PIXManager_PortType">
 <wsoap12:binding style="document"
5265 transport="http://schemas.xmlsoap.org/soap/http"/>
 <operation name="PIXManager_PRPA_IN201301UV02">
 <wsoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201301UV02"/>
 <input>
 <wsoap12:body use="literal"/>
5270 </input>
 <output>

```

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

```

 <wssoap12:body use="literal"/>
 </output>
</operation>
5275 <operation name="PIXManager_PRPA_IN201302UV02">
 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201302UV02"/>
 <input>
 <wssoap12:body use="literal"/>
 </input>
5280 <output>
 <wssoap12:body use="literal"/>
 </output>
 </operation>
5285 </binding>
 ...

```

An informative WSDL for the PIX Manager implementing the PIXV3 Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.44.4.1.3.2 Message Examples

Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

#### 5290 3.44.4.1.4 Expected Actions – Document Registry

The Document Registry shall be capable of accepting attributes in the Patient Registry Record Added or Patient Registry Record Revised messages as specified in Table 3.44.4.1.2-1. The Patient Identity Feed transaction contains more than what the XDS Document Registry needs for its operation.

5295 The Document Registry shall store only the patient identifiers of the patient identification domain designated by the Affinity Domain for document sharing in the registry. Patient identifiers of other patient identification domains, if present in a received message, shall be ignored.

#### 3.44.4.1.4.1 Web Services Port Type and Binding Definitions

5300 **IHE-WSP201) The attribute /wsdl:definitions/@name SHALL be “DocumentRegistry”.**

The following WSDL naming conventions SHALL apply:

```

wsdl:definitions/@name="DocumentRegistry":
"add" message -> "PRPA_IN201301UV02_Message"
"revise" message -> "PRPA_IN201302UV02_Message"
5305 acknowledgement -> "MCCI_IN000002UV01_Message"
portType -> "DocumentRegistry_PortType"
add operation -> "DocumentRegistry_PRPA_IN201301UV02"
revise operation -> "DocumentRegistry_PRPA_IN201302UV02"
SOAP 1.2 binding -> "DocumentRegistry_Binding_Soap12"
5310 SOAP 1.2 port -> "DocumentRegistry_Port_Soap12"

```

The following WSDL snippets specify the Patient Identity Feed Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

**3.44.4.1.3.1.1 Port Type**

```

5315 <portType name="DocumentRegistry_PortType">
 <operation name="DocumentRegistry_PRPA_IN201301UV02">
5320 <input message="tns:PRPA_IN201301UV02_Message" wsaw:Action="urn:hl7-
 org:v3:PRPA_IN201301UV02"/>
 <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
 org:v3:MCCI_IN000002UV01"/>
 </operation>
 <operation name="DocumentRegistry_PRPA_IN201302UV02">
5325 <input message="tns:PRPA_IN201302UV02_Message" wsaw:Action="urn:hl7-
 org:v3:PRPA_IN201302UV02"/>
 <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
 org:v3:MCCI_IN000002UV01"/>
 </operation>
 </portType>

```

**3.44.4.1.3.1.2 Bindings**

SOAP 1.2 binding:

```

...
 <binding name="DocumentRegistry_Binding_Soap12"
5335 type="DocumentRegistry_PortType">
 <wssoap12:binding style="document"
 transport="http://schemas.xmlsoap.org/soap/http"/>
 <operation name="DocumentRegistry_PRPA_IN201301UV02">
5340 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201301UV02"/>
 <input>
 <wssoap12:body use="literal"/>
 </input>
 <output>
 <wssoap12:body use="literal"/>
 </output>
5345 </operation>
 <operation name="DocumentRegistry_PRPA_IN201302UV02">
 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201302UV02"/>
 <input>
5350 <wssoap12:body use="literal"/>
 </input>
 <output>
 <wssoap12:body use="literal"/>
 </output>
 </operation>
5355 </binding>
...

```

An informative WSDL for the Document Registry implementing the XDS.b Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

**3.44.4.1.3.2 Message Examples**

5360 Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

### 3.44.4.2 Patient Identity Management – Patient Identity Merge

#### 3.44.4.2.1 Trigger Events

5365 When two patients' records are found to identify the same patient by a Patient Identity Source in a Patient Identifier Domain, the Patient Identity Source shall indicate this information using the following trigger:

##### **Patient Registry Duplicates Resolved (PRPA\_TE201304UV02)**

This trigger event signals that duplicate records were resolved in a patient registry.

5370 A Patient Registry Duplicates Resolved message indicates that the Patient Identity Source has done a merge within a specific Patient Identification Domain. That is, the surviving identifier (patient ID) has subsumed a duplicate patient identifier.

#### 3.44.4.2.2 Message Semantics

5375 The Patient Registry Duplicates Resolved interaction is carried out by the HL7 v3 Patient Demographics message (PRPA\_MT201303UV02). The message shall be generated by the system (Patient Identity Source) that performs the update whenever two patient records are found to reference the same person.

The components of the HL7 Merge Patient message listed below are required, and the detailed description of the message is provided in Sections 3.44.4.2.2.1 to 3.44.4.2.2.4.

Each message shall be acknowledged by the HL7 v3 Accept Acknowledgement (MCCI\_MT000200UV01), which is described in ITI TF-2x: Appendix O.

5380 When two Patient identifiers are to be merged, the subsumed identifier is referenced in the Registry Trigger Event Control Act Wrapper and the payload is sent for the surviving identifier. For example, if Patients A, B, and C are all to be merged into Patient B, then two messages are sent. In the first message Patient A's identifier is referenced in the Registry Trigger Event Control Act Wrapper via the *replacementOf* act relationship and Patients B's identifier is referenced in the *Patient* class of the payload. In the second message Patient C's identifier is referenced in the wrapper, and Patient B's identifier is, again, in the payload.

5385 The message information model in Section 3.44.4.2.2.2 describes the relevant data elements for this transaction. Specific requirements for the particular actors are found in Section 3.44.4.2.3 Expected Actions.

##### 5390 **3.44.4.2.2.1 Major Components of the Patient Registry Duplicates Resolved Patient**

5395 The *Patient* class is the entry point to the R-MIM for the *Patient Demographics* (PRPA\_RM201303UV02) in the Patient Identity Source. The patient identifier is represented using an Instance Identifier (II) data type. Please see ITI TF-2x: Appendix E for a detailed description about the use of the HL7 V3 II data type for patient identifiers.

### Provider Organization

5400 The Patient class is scoped by the provider organization which is the assigning authority for the patient's identifier. For this message the provider organization class is optional. The HL7 definition of the CMET requires that the provider organization needs to be identified by an id attribute, and at least one of address, telecommunications address, or contact person to be present. The id attribute SHALL have only a root expressed as an ISO OID, and it shall match the root of the Patient.id attribute

### Person

5405 The *Person* class contains the name for the focal person (similarly to the requirement for the HL7 v2.x PID segment).

### 3.44.4.2.2 Message Information Model of the Patient Registry Duplicates Resolved Message


5410 Below is the Message Information Model for the Duplicates Resolved message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this transaction. It is a strict subset of the *Patient Demographics (PRPA\_RM201303UV02)* RMIM.

The base RMIM can be found on the HL7 V3 2008 Edition CD at [Edition2008/domains/uvpa/editable/PRPA\\_RM201303UV.htm](#). The following restrictions were made on the original RMIMs to arrive at the restricted model:

- The focal entity choice is restricted to be only a person
- All optional classes are removed
- All optional attributes in the Patient and Person class are removed

5420 This restricted model makes clear the purpose of this message – it is to inform about the merge of identities in the Patient Identity Source. If there are any updates to the demographics of the patient in question, this information shall be relayed via a Patient Registry Record Revised message. This follows the semantics of the Patient Identity Feed transaction as defined in ITI TF-2a: 3.8, and is a restriction on the semantics of this message as defined by HL7 (where any demographics information can be updated with the Duplicates Resolved message).

The provider organization is also optionally available.



5425

**Figure 3.44.4.2.2-1: Message Information Model for Duplicates Resolved Message**

The attributes of this model are described in the following table.

5430

**Table 3.44.4.2.2-1: Model Attributes**

| PRPA_HD201303IHE<br>Duplicates Resolved                               | This HMD extract defines the message used to report that two patient identifiers were merged (i.e., a duplicate was resolved).<br>Derived from Figure 3.44.4.2.2-1 (PRPA_RM201303IHE) |
|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Patient</b>                                                        | The primary record for the focal person in a Patient Identity Source                                                                                                                  |
| classCode [1..1] (M)<br>Patient (CS) {CNE:PAT}                        | Structural attribute; this is a "patient" role                                                                                                                                        |
| id [1..*] (M)<br>Patient (SET<II>)                                    | Identifiers designated by various patient identity sources for the focal person                                                                                                       |
| statusCode [1..1]<br>Patient (CS) {CNE:active, fixed value= "active"} | A value specifying the state of this record in a patient registry (based on the RIM role class state-machine). This record is active.                                                 |
| <b>Person</b>                                                         | A subtype of LivingSubject representing a human being<br>Both Person.name and Patient.id must be non-null                                                                             |
| classCode [1..1] (M)<br>Person (CS) {CNE:PSN, fixed value= "PSN"}     | Structural attribute; this is a "person" entity                                                                                                                                       |
| determinerCode [1..1] (M)<br>Person (CS) {CNE:INSTANCE, fixed value=  | Structural attribute; this is a specific person                                                                                                                                       |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                 |                                                                                                                                                                                                   |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRPA_HD201303IHE<br/>Duplicates Resolved</b> | <b>This HMD extract defines the message used to report that two patient identifiers were merged (i.e., a duplicate was resolved).<br/>Derived from Figure 3.44.4.2.2-1<br/>(PRPA_RM201303IHE)</b> |
| "INSTANCE" }                                    |                                                                                                                                                                                                   |
| name [1..*]<br>Person (BAG<PN>)                 | Name(s) for this person                                                                                                                                                                           |

### 3.44.4.2.2.3 Control Act and Transmission Wrappers

Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.44.4.1.2-2 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

5435

**Table 3.44.4.2.2-3: Wrappers and Constraints**

| Transmission Wrapper                                                                                                                                                                                 | Trigger Event Control Act Wrapper                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MCCI_MT000100UV01 – Send Message Payload                                                                                                                                                             | MFMI_MT700701UV01 – Master File / Registry Notification Control Act, Role Subject                                                                                                                                                                                                                                                                                                                                          |
| The value of interactionId SHALL be set to PRPA_IN201304UV02<br>The value of processingModeCode SHALL be set to T<br>The acceptAckCode SHALL be set to AL<br>There SHALL be only one receiver Device | The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE201304UV02<br>RegistrationEvent.statusCode SHALL be set to “active”<br>There SHALL be an InReplacementOf act relationship<br>The value of PriorRegistration.statusCode SHALL be “obsolete”<br>There SHALL be a PriorRegisteredRole role<br>There SHALL be a single PriorRegisteredRole.id attribute, representing the subsumed patient identifier. |

The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schemas from the HL7 V3 2008 Normative Edition can be found at [Edition2008/processable/multicacheschemas/PRPA\\_IN201304UV02.xsd](http://www.hl7.org/standard/2008/processable/multicacheschemas/PRPA_IN201304UV02.xsd).

5440

### 3.44.4.2.2.4 Web Services Types and Messages

The Patient Registry Resolve Duplicates message will be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V.

5445

The following WSDL naming conventions SHALL apply:

```

"resolve duplicates" message -> "PRPA_IN201304UV02_Message"
Acknowledgement -> "MCCI_IN000002UV01_Message"

```

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

The following WSDL snippet describes the types for these messages:

```

5450 ...
 <types>
 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-
org:v3"
xmlns:hl7="urn:hl7-org:v3">
5455 <!-- Include the message schema -->
 <xsd:import namespace="urn:hl7-org:v3"
schemaLocation="../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201304UV02.xs
d"/>
 <xsd:element name="PRPA_IN201304UV02"/>
 </xsd:schema>
5460 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
xmlns:hl7="urn:hl7-org:v3">
 <!-- Include the message schema -->
 <xsd:import namespace="urn:hl7-org:v3"
schemaLocation="../schema/HL7V3/NE2008/multicacheschemas/MCCI_IN000002UV01.xs
5465 d"/>
 <xsd:element name="MCCI_IN000002UV01"/>
 </xsd:schema>
 </types>
 ...

```

5470 The messages are described by the following snippet:

```

 ...
 <message name="PRPA_IN201304UV02_Message">
5475 <part element="hl7:PRPA_IN201304UV02" name="Body"/>
 </message>
 <message name="MCCI_IN000002UV01_Message">
 <part element="hl7:MCCI_IN000002UV01" name="Body"/>
 </message>
 ...

```

5480 The port types for the WSDL describing the Resolved Duplicates Service are described together with the expected actions of the actors which receive these messages in Section 3.44.4.2.3 and 3.44.4.2.4.

### 3.44.4.2.3 Expected Actions – PIX Manager

The Patient Identifier Cross-reference Manager shall be capable of accepting attributes in the Resolve Duplicates message as specified in Table 3.44.4.2.2-1.

5485 The Patient Identifier Cross-reference Manager shall perform the Expected Actions similar to the ones specified in ITI TF-2a: 3.8.4.2.3. The particular behavior is described below.

5490 When the Patient Identifier Cross-reference Manager receives the Resolve Duplicates message type of the Patient Identity Feed transaction, it shall cross-reference the patient identifiers provided in the wrapper and the payload of the message by replacing any references it is maintaining internally to the patient ID provided in the wrapper by the patient ID included in the payload. After the identifier references are replaced, the Patient Identifier Cross-reference

Manager shall reapply its internal cross-referencing logic/ policies before providing the updated information via either the PIX Query or PIX Notification transactions.

### 3.44.4.2.3.1 Web Services Port Type and Binding Definitions

5495 **IHE-WSP201) The attribute /wsdl:definitions/@name SHALL be “PIXManager”.**

The following WSDL naming conventions SHALL apply:

```

wsdl:definitions/@name="PIXManager" :
"merge" message -> "PRPA_IN201304UV02_Message"
acknowledgement -> "MCCI_IN000002UV01_Message"
5500 portType -> "PIXManager_PortType"
merge operation -> "PIXManager_PRPA_IN201304UV02"
SOAP 1.2 binding -> "PIXManager_Binding_Soap12"
SOAP 1.2 port -> "PIXManager_Port_Soap12"

```

5505 The following WSDL snippets specify the Patient Identity Feed Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

#### 3.44.4.2.3.1.1 Port Type

```

5510 <portType name="PIXManager_PortType">
 <operation name="PIXManager_PRPA_IN201304UV02">
<input message="tns:PRPA_IN201304UV02_Message" wsaw:Action="urn:hl7-
org:v3:PRPA_IN201304UV02"/>
<output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
org:v3:MCCI_IN000002UV01"/>
5515 </operation>
 </portType>

```

#### 3.44.4.2.3.1.2 Bindings

SOAP 1.2 binding:

```

5520 ...
 <binding name="PIXManager_Binding_Soap12" type="PIXManager_PortType">
 <wssoap12:binding style="document"
transport="http://schemas.xmlsoap.org/soap/http"/>
 <operation name="PIXManager_PRPA_IN201304UV02">
5525 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201304UV02"/>
 <input>
 <wssoap12:body use="literal"/>
 </input>
 <output>
5530 <wssoap12:body use="literal"/>
 </output>
 </operation>
 </binding>
...

```

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

5535 An informative WSDL for the PIX Manager implementing the PIXV3 Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### **3.44.4.2.3.2 Message Examples**

Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

### **3.44.4.2.4 Expected Actions – Document Registry**

5540 The Document Registry shall be capable of accepting attributes in the Resolve Duplicates message as specified in Table 3.44.4.2.2.2-1. Other attributes may exist, but the Document Registry shall ignore them.

The Document Registry shall perform the Expected Actions similar to the ones specified in ITI TF-2a: 3.8.4.2.4. The particular behavior is described below.

5545 When the Document Registry receives the Resolve Duplicates message of the Patient Identity Feed transaction, it shall merge the patient identity specified in the PriorRegistrationRole.id attribute of the Control-Act wrapper (subsumed patient identifier) into the patient identity specified in Patient.id attribute of the message payload (surviving patient identifier) in its registry. After the merge, all Document Submission Sets (including all Documents and Folders  
5550 beneath them) under the secondary patient identity before the merge shall point to the primary patient identity. The secondary patient identity shall no longer be referenced in the future services provided by the Document Registry.

Changes resulting from a Resolve Duplicates message are not reversible. No un-resolve message is supported by this transaction.

5555 See ITI TF-2a: 3.18.4.1.2.3.8.1 of the Technical Framework for details of how this message type affects results of a Stored Query transaction and the end of ITI TF-2a: 3.14.4.1.2.12 to see how it affects the Register transaction.

A Resolve Duplicates message contains two attributes of interest:

- PriorRegistrationRole.id – subsumed patient identifier: the patient identifier which is to become obsolete
  - Patient.id – surviving patient identifier: the patient identifier which is to remain active.
- 5560

After a duplicate resolution, the Patient.id attribute represents all records formerly represented by either the Patient.id attribute or the PriorRegistrationRole.id attribute. All other attributes may be ignored.

5565 The following conditions shall be detected by the Document Registry. Messages containing these conditions shall not update the state of the Document Registry.

- The subsumed patient identifier is not issued by the correct Assigning Authority according to the Affinity Domain configuration.

- 5570 • The surviving patient identifier is not issued by the correct Assigning Authority according to the Affinity Domain configuration.
- The subsumed and surviving patient identifiers are the same.
- The subsumed patient identifier has already been subsumed by an earlier message.
- The surviving patient identifier has already been subsumed by an earlier message.
- 5575 • The subsumed patient identifier does not convey a currently active patient identifier known to the Document Registry.

If none of the above conditions occur then the Document Registry shall perform the following duties:

- 5580 • Records the merge. Only the subsumed and surviving patient identifiers need be remembered. A patient identifier merge affects the processing of future Register Document Set [ITI-14] transactions. See ITI TF-2a: 3.14.4.1.2.12 XDS Registry Adaptor for details.
- Multiple merge transactions can form a recorded merge chain, where the Subsumed identifier of the current merge is the Surviving identifier of a previous merge.
- 5585 • Register Document Set transactions referencing a subsumed identifier are rejected with an XDSUnknownPatientId error.
- Stored Query transactions referencing a subsumed identifier return no content.
- Stored Query transactions referencing a surviving identifier successfully match the entire recorded merge chain and return appropriate metadata.
- No change in the Registry Query transaction.
- 5590 Note: This transaction does not specify how the merge is to be implemented. It may or may not change the stored form of the metadata. It only specifies the observable results from the perspective of the Registry Stored Query transaction [ITI-18] and the Register Document Set-b transaction [ITI-42].

#### 3.44.4.2.4.1 Web Services Port Type and Binding Definitions

**IHE-WSP201) The attribute /wsdl:definitions/@name SHALL be “DocumentRegistry”.**

5595 The following WSDL naming conventions SHALL apply:

```

wsdl:definitions/@name="DocumentRegistry" :
 "resolve duplicates" message -> "PRPA_IN201304UV02_Message"
 acknowledgement -> "MCCI_IN000002UV01_Message"
 portType -> "DocumentRegistry_PortType"
5600 resolve duplicates operation -> "DocumentRegistry_PRPA_IN201304UV02"
 SOAP 1.2 binding -> "DocumentRegistry_Binding_Soap12"
 SOAP 1.2 port -> "DocumentRegistry_Port_Soap12"

```

5605 The following WSDL snippets specify the Patient Identity Feed Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.44.4.2.4.1.1 Port Type

```

5610 <portType name="DocumentRegistry_PortType">
 <operation name="DocumentRegistry_PRPA_IN201304UV02">
5610 <input message="tns:PRPA_IN201304UV02_Message" wsaw:Action="urn:hl7-
 org:v3:PRPA_IN201304UV02"/>
 <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
 org:v3:MCCI_IN000002UV01"/>
 </operation>
5615 </portType>

```

### 3.44.4.2.4.1.2 Bindings

SOAP 1.2 binding:

```

...
5620 <binding name="DocumentRegistry_Binding_Soap12"
 type="DocumentRegistry_PortType">
 <wssoap12:binding style="document"
 transport="http://schemas.xmlsoap.org/soap/http"/>
 <operation name="DocumentRegistry_PRPA_IN201304UV02">
5625 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201304UV02"/>
 <input>
 <wssoap12:body use="literal"/>
 </input>
 <output>
 <wssoap12:body use="literal"/>
5630 </output>
 </operation>
 </binding>
...

```

5635 An informative WSDL for the Document Registry implementing the XDS.b Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.44.4.2.4.2 Message Examples

Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.44.5 Security Requirements

5640 This transaction is generally used in profiles that require actors to be grouped with a Secure Node as defined in the IHE Audit Trail and Node Authentication Integration Profile. This use of the ATNA Profile in an XDS Affinity Domain does not require a centralized XDS Affinity Domain Audit Record Repository.

5645 The use of ATNA along with XDS does require that each member of the XDS Affinity Domain have audit and security mechanisms in place. See ITI TF-1: Appendix G and ITI-TF-2x: Appendix K.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

The individual actors involved are often members of different secure domains. The data transfers between different secure domains need different protection than transfers within a secure domain and shall be encrypted with TLS authentication of both hosts.

5650 Transfers within a single secure domain may choose to omit encryption if it is unnecessary, so it is recommended that the online transfer security mechanisms be configurable. Certificate management and exchange is defined as part of the XDS Affinity Domain business relationships and no IHE Integration Profile is specified at this time, see ITI TF-1: Appendix L.

5655 Each transaction will result in audit records describing the transaction. Each secure domain has its own audit server to capture the records for the actors that are within that domain. Access to audit records by other enterprises within the XDS Affinity Domain is managed and controlled by the business relationship terms of the XDS Affinity Domain. There is no automatic IHE transaction for such access.

### 3.44.5.1 Security Audit Record

5660 When grouped with ATNA Secure Node or Secure Application Actors, this transaction is to be audited as “Patient Record” event, as defined in ITI TF-2a: Table 3.20.6-1. The following tables show items that are required to be part of the audit record for this transaction.

5665 Logically, a merge operation consists of a delete on one patient record, and an update of another patient record. Separate audit records shall be written for the delete operation and the update operation.

#### 3.44.5.1.1 Patient Identity Source audit message

|                                                                                   | Field Name            | Opt | Value Constraints                                           |
|-----------------------------------------------------------------------------------|-----------------------|-----|-------------------------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification                              | EventID               | M   | EV(110110, DCM, “Patient Record”)                           |
|                                                                                   | EventActionCode       | M   | “C” (create) , “U” (update), or “D” (delete) as appropriate |
|                                                                                   | EventDateTime         | M   | <i>not specialized</i>                                      |
|                                                                                   | EventOutcomeIndicator | M   | <i>not specialized</i>                                      |
|                                                                                   | EventTypeCode         | M   | EV(“ITI-44”, “IHE Transactions”, “Patient Identity Feed”)   |
| Source (Patient Identity Source Actor) (1)                                        |                       |     |                                                             |
| Human Requestor (0..n)                                                            |                       |     |                                                             |
| Destination (Patient Identifier Cross-reference Manager or Document Registry) (1) |                       |     |                                                             |
| Audit Source (Patient Identity Source Actor) (1)                                  |                       |     |                                                             |
| Patient (1)                                                                       |                       |     |                                                             |

Where:

|                                                     | Field Name                 | Opt | Value Constraints                                                                  |
|-----------------------------------------------------|----------------------------|-----|------------------------------------------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | U   | <i>not specialized</i>                                                             |
|                                                     | AlternativeUserID          | M   | the process ID as used within the local operating system in the local system logs. |
|                                                     | UserName                   | U   | <i>not specialized</i>                                                             |
|                                                     | UserIsRequestor            | U   | <i>not specialized</i>                                                             |
|                                                     | RoleIDCode                 | M   | EV(110153, DCM, “Source”)                                                          |
|                                                     | NetworkAccessPointTypeCode | M   | “1” for machine (DNS) name, “2” for IP address                                     |
|                                                     | NetworkAccessPointID       | M   | the machine name or IP address.                                                    |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                                                         |                            |    |                                                                     |
|-----------------------------------------------------------------------------------------|----------------------------|----|---------------------------------------------------------------------|
| <b>Human Requestor (if known)</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | UserID                     | M  | identity of the human that initiated the transaction.               |
|                                                                                         | AlternativeUserID          | U  | not specialized                                                     |
|                                                                                         | UserName                   | U  | not specialized                                                     |
|                                                                                         | UserIsRequestor            | U  | not specialized                                                     |
|                                                                                         | RoleIDCode                 | U  | Access Control role(s) the user holds that allows this transaction. |
|                                                                                         | NetworkAccessPointTypeCode | NA |                                                                     |
|                                                                                         | NetworkAccessPointID       | NA |                                                                     |

|                                                                          |                            |   |                                                |
|--------------------------------------------------------------------------|----------------------------|---|------------------------------------------------|
| <b>Destination</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | UserID                     | M | SOAP endpoint URI.                             |
|                                                                          | AlternativeUserID          | U | not specialized                                |
|                                                                          | UserName                   | U | not specialized                                |
|                                                                          | UserIsRequestor            | U | not specialized                                |
|                                                                          | RoleIDCode                 | M | EV(110152, DCM, "Destination")                 |
|                                                                          | NetworkAccessPointTypeCode | M | "1" for machine (DNS) name, "2" for IP address |
|                                                                          | NetworkAccessPointID       | M | the machine name or IP address.                |

5670

|                                                                                   |                       |   |                 |
|-----------------------------------------------------------------------------------|-----------------------|---|-----------------|
| <b>Audit Source</b><br><small>AuditMessage/<br/>AuditSourceIdentification</small> | AuditSourceID         | U | not specialized |
|                                                                                   | AuditEnterpriseSiteID | U | not specialized |
|                                                                                   | AuditSourceTypeCode   | U | not specialized |

|                                                                                           |                                |   |                                                             |
|-------------------------------------------------------------------------------------------|--------------------------------|---|-------------------------------------------------------------|
| <b>Patient</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentif<br/>ication)</small> | ParticipantObjectTypeCode      | M | "1" (person)                                                |
|                                                                                           | ParticipantObjectTypeCodeRole  | M | "1" (patient)                                               |
|                                                                                           | ParticipantObjectDataLifeCycle | U | not specialized                                             |
|                                                                                           | ParticipantObjectIDTypeCode    | M | not specialized                                             |
|                                                                                           | ParticipantObjectSensitivity   | U | not specialized                                             |
|                                                                                           | ParticipantObjectID            | M | the patient ID in HL7 CX format (see ITI TF-2x: appendix E) |
|                                                                                           | ParticipantObjectName          | U | not specialized                                             |
|                                                                                           | ParticipantObjectQuery         | U | not specialized                                             |
|                                                                                           | ParticipantObjectDetail        | M | Type=II (the literal string), Value=the value of message.id |

### 3.44.5.1.2 Patient Identifier Cross-reference Manager audit message

|                                                                                    | Field Name            | Opt | Value Constraints                                          |
|------------------------------------------------------------------------------------|-----------------------|-----|------------------------------------------------------------|
| <b>Event</b><br><small>AuditMessage/<br/>EventIdentification</small>               | EventID               | M   | EV(110110, DCM, "Patient Record")                          |
|                                                                                    | EventActionCode       | M   | "C" (create), "U" (update), or "D" (delete) as appropriate |
|                                                                                    | EventDateTime         | M   | not specialized                                            |
|                                                                                    | EventOutcomeIndicator | M   | not specialized                                            |
|                                                                                    | EventTypeCode         | M   | EV("ITI-44", "IHE Transactions", "Patient Identity Feed")  |
| Source (Patient Identity Source Actor) (1)                                         |                       |     |                                                            |
| Destination (Patient Identifier Cross-reference Manager or Document Registry) (1)  |                       |     |                                                            |
| Audit Source (Patient Identifier Cross-reference Manager or Document Registry) (1) |                       |     |                                                            |
| Patient(1)                                                                         |                       |     |                                                            |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

Where:

|                                                     |                            |   |                                                |
|-----------------------------------------------------|----------------------------|---|------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | U | not specialized                                |
|                                                     | AlternativeUserID          | U | not specialized                                |
|                                                     | UserName                   | U | not specialized                                |
|                                                     | UserIsRequestor            | U | not specialized                                |
|                                                     | RoleIDCode                 | M | EV(110153, DCM, "Source")                      |
|                                                     | NetworkAccessPointTypeCode | M | "1" for machine (DNS) name, "2" for IP address |
|                                                     | NetworkAccessPointID       | M | the machine name or IP address.                |

|                                                          |                            |   |                                                                                    |
|----------------------------------------------------------|----------------------------|---|------------------------------------------------------------------------------------|
| <b>Destination</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M | SOAP endpoint URI                                                                  |
|                                                          | AlternativeUserID          | M | the process ID as used within the local operating system in the local system logs. |
|                                                          | UserName                   | U | not specialized                                                                    |
|                                                          | UserIsRequestor            | M | "false"                                                                            |
|                                                          | RoleIDCode                 | M | EV(110152, DCM, "Destination")                                                     |
|                                                          | NetworkAccessPointTypeCode | M | "1" for machine (DNS) name, "2" for IP address                                     |
|                                                          | NetworkAccessPointID       | M | the machine name or IP address.                                                    |

5675

|                                                                   |                       |   |                 |
|-------------------------------------------------------------------|-----------------------|---|-----------------|
| <b>Audit Source</b><br>AuditMessage/<br>AuditSourceIdentification | AuditSourceID         | U | not specialized |
|                                                                   | AuditEnterpriseSiteID | U | not specialized |
|                                                                   | AuditSourceTypeCode   | U | not specialized |

|                                                                          |                                |   |                                                              |
|--------------------------------------------------------------------------|--------------------------------|---|--------------------------------------------------------------|
| <b>Patient</b><br>(AuditMessage/<br>ParticipantObjectIdentif<br>ication) | ParticipantObjectTypeCode      | M | "1" (person)                                                 |
|                                                                          | ParticipantObjectTypeCodeRole  | M | "1" (patient)                                                |
|                                                                          | ParticipantObjectDataLifeCycle | U | not specialized                                              |
|                                                                          | ParticipantObjectIDTypeCode    | M | not specialized                                              |
|                                                                          | ParticipantObjectSensitivity   | U | not specialized                                              |
|                                                                          | ParticipantObjectID            | M | the patient ID in HL7 CX format (see ITI TF-2x: appendix E). |
|                                                                          | ParticipantObjectName          | U | not specialized                                              |
|                                                                          | ParticipantObjectQuery         | U | not specialized                                              |
|                                                                          | ParticipantObjectDetail        | M | Type=II (the literal string), Value=the value of message.id  |

### 3.44.5.1.3 Document Registry audit message

Document Registry audit message are the same as Patient Identifier Cross-reference Manager audit message as presented in Section 3.44.5.1.2.

5680

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**


### 3.45 PIXV3 Query

5685 This section corresponds to transaction ITI-45 of the IHE IT Infrastructure Technical Framework. Transaction ITI-45 is used by the Patient Identifier Cross-reference Consumer and Patient Identifier Cross-reference Manager Actors.

#### 3.45.1 Scope

The scope is identical to ITI TF-2a: 3.9.1, PIX Query Scope.

#### 3.45.2 Use Case Roles



5690 **Actor:** Patient Identifier Cross-reference Consumer

**Role:** Queries the Patient Identifier Cross-reference Manager for a list of corresponding patient identifiers, if any

**Corresponding HL7 v3 Application Roles:**

Patient Registry Query Placer (PRPA\_AR201303UV02)

5695 **Actor:** Patient Identifier Cross-reference Manager

**Role:** Manages the cross-referencing of patient identifiers across Patient Identification Domains. Upon request it returns a list of corresponding patient identifiers, if any.

**Corresponding HL7 v3 Application Roles:**


Patient Registry Query Fulfiller (PRPA\_AR201304UV02)

#### 5700 3.45.3 Referenced Standards

HL7 Version 3 Edition 2008 Patient Administration DSTU, Patient Topic (found at <http://www.hl7.org/memonly/downloads/v3edition.cfm#V32008>)

Implementers of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V Web Services for IHE Transactions.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

5705 **3.45.4 Interaction Diagrams****Figure 3.45.4-1: Get Corresponding Identifiers Sequence****3.45.4.1 Get Corresponding Identifiers****3.45.4.1.1 Trigger Events**

5710 A Patient Identifier Cross-reference Consumer's need to get the patient identifier associated with a domain for which it needs patient related information will trigger the request for corresponding patient identifiers message based on the following HL7 trigger event:

**Patient Registry Get Identifiers Query (PRPA\_TE201309UV02)**

This query requests all other identifiers associated with a particular person identifier.

5715 **3.45.4.1.2 Message Semantics**

The Get Corresponding Identifiers transaction is initiated by the HL7 Patient Registry Query by Identifier (PRPA\_MT201307UV02) message. The Patient Identifier Cross-reference Consumer shall generate the query message whenever it needs to obtain corresponding patient identifier(s) from other Patient Identification Domain(s). The components of the message listed below are required, and their detailed descriptions are provided in the following subsections.

5720 The receiver shall respond to the query by sending the Patient Identifiers message (PRPA\_MT201304UV02), which uses the Application Level Acknowledgement transmission wrapper. This satisfies the requirements of original mode acknowledgment; no intermediate Accept Acknowledgement message is to be sent. All appropriate identifiers shall be returned in a single response; therefore no continuation queries are allowed in this transaction.

5725

### 3.45.4.1.2.1 Major Components of the Patient Registry Query by Identifier

#### PatientIdentifier Parameter

5730 This required parameter specifies the identifier associated with the person whose information is being queried. For this parameter item, a single patient identifier is specified in the PatientIdentifier.value attribute. Please see Appendix E for the use of the II data type for patient identifiers.

#### DataSource Parameter


5735 This optional parameter specifies the assigning authority/authorities of the Patient Identity Domain(s) whose identifiers need to be returned. If no such parameter is supplied, the PIX Manager is required to return the identifiers from all known Patient Identity Domains.

### 3.45.4.1.2.2 Message Information Model of the Patient Registry Query by Identifier Message

5740 Below is the Message Information Model for the Query by Identifier message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this transaction. It is a strict subset of the *Patient Registry Query by Identifier (PRPA\_RM201307UV02) RMIM*.

The base RMIM can be found on the HL7 V3 2008 Edition CD at [Edition2008/domains/uvpa/editable/PRPA\\_RM201307UV.htm](http://www.hl7.org/standard/2008/01/01/editions/2008/domains/uvpa/editable/PRPA_RM201307UV.htm). The following restrictions were made on the original RMIMs to arrive at the restricted model:

- 5745 • Exactly one PatientIdentifier parameter SHALL be present
- Exactly one PatientIdentifier.value attribute SHALL be present
- If one or more DataSource parameters are present, each SHALL contain exactly one DataSource.value parameter
- 5750 • The optional attributes ParameterList.id, QueryByParameter responseElementGroupId, QueryByParameter.modifyCode, and QueryByParameter.executionAndDeliveryTime were removed from the model
- QueryByParameter.responsePriorityCode is required and is fixed to I (Immediate)
- QueryByParameter.statusCode is defaulted to "new".



5755

**Figure 3.45.4.1.2-1: Message Information Model for the Query by Identifier message**

The attributes of this model are described in the following table.

5760

**Table 3.45.4.1.2-2: Model Attributes**

|                                                                      |                                                                                                                                                                 |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRPA_HD201307IHE<br/>Patient Registry Query by Identifier</b>     | <b>This HMD extract defines the message used to query a patient registry for a list of identifiers.<br/>Derived from Figure 3.45.4.1.2-1 (PRPA_RM201307IHE)</b> |
| <b>QueryByParameter</b>                                              | The entry point for the domain content in this query                                                                                                            |
| queryId [1..1]<br>QueryByParameter (II)                              | Unique identifier for the query                                                                                                                                 |
| statusCode [1..1] (M)<br>QueryByParameter (CS) {CNE:QueryStatusCode, | There are no continuations necessary for this type of query, so the status is always "new"                                                                      |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

| <b>PRPA_HD201307IHE</b><br><b>Patient Registry Query by Identifier</b>                    | <b>This HMD extract defines the message used to query a patient registry for a list of identifiers. Derived from Figure 3.45.4.1.2-1 (PRPA_RM201307IHE)</b>                                          |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| fixed value="new"}                                                                        |                                                                                                                                                                                                      |
| responsePriorityCode [1..1]<br>QueryByParameter (CS) {CNE:QueryPriority, fixed value="I"} | The PIX manager is required to send an immediate response.                                                                                                                                           |
| <b>DataSource</b>                                                                         | Optional parameter specifying the assigning authority of a Patient Identity Domain                                                                                                                   |
| value [1..1]<br>ParameterItem (II)                                                        | The identifier for the Patient Identity Domain's assigning authority.<br>IHE restriction:<br>The value.root attribute SHALL be a valid ISO OID<br>The value.extension attribute SHALL NOT be present |
| semanticsText [1..1]<br>ParameterItem (ST){default= "DataSource.id"}                      |                                                                                                                                                                                                      |
| <b>PatientIdentifier</b>                                                                  |                                                                                                                                                                                                      |
| value [1..1] (M)<br>ParameterItem (II)                                                    | The patient identifier known to the PIX Consumer                                                                                                                                                     |
| semanticsText [1..1]<br>ParameterItem (ST){default= "Patient.id"}                         |                                                                                                                                                                                                      |

The Patient Identifier Cross-reference Consumer shall provide the patient identifier in the PatientIdentifier.value attribute according to the rules specified in ITI TF-2x: Appendix E.

5765 If the requesting system wishes to select the Patient Identity Domains from which patient identifiers are returned, it does so by sending as many DataSource parameters as domains for which it wants to receive patient identifiers. Each instance of the DataSource parameter shall provide the Assigning Authority identifier for a specific domain using the DataSource.value attribute. Note that the DataSource.value.extension attribute shall not be provided, and the DataSource.value.root attribute shall contain a valid ISO OID. The responding system shall 5770 return the Patient.id value for each requested domain, if a value is known. Note that the value of Patient.id.root attribute shall match the DataSource.value.root attribute representing the corresponding Assigning Authority.

5775 If no DataSource parameter is specified the Patient Identifier Cross-reference Manager shall return patient identifiers for all domains for which it possesses a corresponding identifier (subject to local publication restrictions).

### 3.45.4.1.2.3 Control Act and Transmission Wrappers

Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.44.4.1.2-2 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

5780

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

**Table 3.45.4.1.2-4: Wrappers and Constraints**

| Transmission Wrapper                                                                                                                                                                                                    | Trigger Event Control Act Wrapper                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MCCI_MT000100UV01 – Send Message Payload                                                                                                                                                                                | QUQI_MT021001UV01 – Query Control Act Request: Query By Parameter                                                                                                                                                               |
| <p>The value of interactionId SHALL be set to PRPA_IN201309UV02</p> <p>The value of processingModeCode SHALL be set to T</p> <p>The acceptAckCode SHALL be set to AL</p> <p>There SHALL be only one receiver Device</p> | <p>The value of ControlActProcess.moodCode SHALL be set to EVN</p> <p>The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE201309UV02</p> <p>The value of authorOrPerformer.typeCode SHALL be set to AUT</p> |

5785 The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schemas from the HL7 V3 2008 Normative Edition are at [Edition2008/processable/multicacheschemas/PRPA\\_IN201309UV02.xsd](#).

#### 3.45.4.1.2.4 Web Services Types and Messages

The Patient Registry Query by Identifier message and response will be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V.

5790 The following WSDL naming conventions SHALL apply:

Query by Identifier -> "PRPA\_IN201309UV02\_Message"

Query Response -> "PRPA\_IN201310UV02\_Message"

The following WSDL snippet describes the types for these messages:

```

5795 <types>
 ...
 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-
org:v3"
 xmlns:hl7="urn:hl7-org:v3">
5800 <!-- Include the message schema -->
 <xsd:import namespace="urn:hl7-org:v3"
 schemaLocation="../../../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201309UV02.xs
d"/>
 <xsd:element name="PRPA_IN201309UV02"/>
 </xsd:schema>
5805 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
 xmlns:hl7="urn:hl7-org:v3">
 <!-- Include the message schema -->
 <xsd:import namespace="urn:hl7-org:v3"
5810 schemaLocation="../../../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201310UV02.xs
d"/>
 <xsd:element name="PRPA_IN201310UV02"/>
 </xsd:schema>
 </types>
 ...

```

5815 The messages are described by the following snippet:

...

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

```

 <message name="PRPA_IN201309UV02_Message">
5820 <part element="hl7:PRPA_IN201309UV02" name="Body"/>
 </message>
 <message name="PRPA_IN201310UV02_Message">
5825 <part element="hl7:PRPA_IN201310UV02" name="Body"/>
 </message>

```

The port types for the WSDL describing the Resolved Duplicates Service are described together with the expected actions of the actors which receive these messages in Section 3.45.4.1.3.

### 5825 3.45.4.1.3 Expected Actions

The Patient Identifier Cross-reference Manager shall be capable of accepting attributes as specified in Table 3.45.4.1.2-1 above.

5830 The Patient Identifier Cross-reference Manager shall be capable of accepting multiple concurrent PIX Query requests (Get Corresponding Identifiers messages) and responding correctly using the Return Corresponding Identifiers message.

#### 3.45.4.1.3.1 Web Services Port Type and Binding Definitions

**IHE-WSP201) The attribute /wsdl:definitions/@name SHALL be “PIXManager”.**

The following WSDL naming conventions SHALL apply:

```

5835 wsdl:definitions/@name="PIXManager" :
 "get identifiers" query -> "PRPA_IN201309UV02_Message"
 "get identifiers" response -> "PRPA_IN201310UV02_Message"
 portType -> "PIXManager_PortType"
 get identifiers operation -> "PIXManager_PRPA_IN201309UV02"
5840 SOAP 1.2 binding -> "PIXManager_Binding_Soap12"
 SOAP 1.2 port -> "PIXManager_Port_Soap12"

```

The following WSDL snippets specify the PIXV3 Query Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

#### 3.45.4.1.3.1.1 Port Type

```

5845 <portType name="PIXManager_PortType">
 <operation name="PIXManager_PRPA_IN201309UV02">
5850 <input message="tns:PRPA_IN201309UV02_Message" wsaw:Action="urn:hl7-
org:v3:PRPA_IN201309UV02"/>
 <output message="tns:PRPA_IN201310UV02_Message" wsaw:Action="urn:hl7-
org:v3:PRPA_IN201310UV02"/>
 </operation>
 </portType>

```

#### 3.45.4.1.3.1.2 Bindings

```

5855 SOAP 1.2 binding:
...
 <binding name="PIXManager_Binding_Soap12" type="PIXManager_PortType">

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

5860 <wssoap12:binding style="document"
transport="http://schemas.xmlsoap.org/soap/http"/>
 <operation name="PIXManager_PRPA_IN201309UV02">
 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201309UV02"/>
 <input>
 <wssoap12:body use="literal"/>
 </input>
5865 <output>
 <wssoap12:body use="literal"/>
 </output>
 </operation>
5870 </binding>
...

```

An informative WSDL for the PIX Manager implementing the PIXV3 Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.45.4.1.3.2 Message Examples

5875 Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.45.4.2 Return Corresponding Identifiers

#### 3.45.4.2.1 Trigger Events

The Patient Identifier Cross-reference Manager's response to the Get Corresponding Identifiers message will trigger the following message:

#### 5880 Patient Registry Get Identifiers Query Response (PRPA\_TE201310UV02)

This query response returns all other identifiers associated with a particular person identifier.

#### 3.45.4.2.2 Message Semantics

5885 The Return Corresponding Identifiers message is conducted by the HL7 Patient Identifiers message. The Patient Identifier Cross-reference Manager shall generate this message in direct response to the Patient Registry Query by Identifier message previously received. This message satisfies the Application Level, Original Mode Acknowledgement for the query message.

#### 3.45.4.2.2.1 Major Components of the Get Corresponding Identifiers Query Response

##### Patient

5890 The *Patient* class is the entry point to the R-MIM for the *Patient Identifiers* (PRPA\_RM201304UV02). This is where at least one of the requested patient IDs will be listed.

##### Person

The *Person* class contains the name of the patient for additional verification purposes.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

### Provider Organization

5895 The Patient class is optionally scoped by the provider organization where this person is a patient. The HL7 definition of the CMET requires that the provider organization needs to be identified by an id attribute, and at least one of address, telecommunications address, or contact person to be present. The id attribute SHALL have only a root, expressed as an ISO OID, and at least one of the id attributes of the Patient class SHALL have a matching root component. See ITI TF-2x:  
5900 Appendix E on the use of the II data type for patient identifiers.

### Other Identifiers

The *OtherIDs* class can optionally be used to capture other identifiers associated with the person such as driver's license number or social security number). It is important to recognize that the HL7 RIM distinguishes between person-level IDs and patient-level IDs. In this transaction,  
5905 however, the Patient Identity Cross-Reference Manager has the option to send all identifiers in the id attributes of the Patient class. If that is the case, the OtherIDs class shall not be used. For the purposes of interoperability where both HL7 V3 and HL7 v2.x based transactions are used, and the OtherIDs class is present, the following requirement is imposed on the OtherIDs.id attribute and on the scopingOrganization.id attribute:


5910           OtherIDs.id.root SHALL be identical to scopingOrganization.id.root  
              scopingOrganization.id.extension SHALL NOT have any value

### 3.45.4.2.2.2 Message Information Model of the Patient Identifiers Message

Below is the Message Information Model for the Patient Identifiers message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this  
5915 transaction. It is a strict subset of the *Patient Identifiers (PRPA\_RM201304UV02)* RMIM.

The base RMIM can be found on the HL7 V3 2008 Edition CD at [Edition2008/domains/uvpa/editable/PRPA\\_RM201304UV.htm](http://www.hl7.org/standard/2008/01/01/editions/2008/domains/uvpa/editable/PRPA_RM201304UV.htm). The following restrictions were made on the original RMIMs to arrive at the restricted model:

- The focal entity choice is restricted to be only a person
- 5920 • All optional classes are removed, except for the provider organization, and other identifiers
- All optional attributes in the Patient and Person class are removed



5925

Figure 3.45.4.2.2-1: Message Information Model for the Patient Identifiers Message

The attributes of this model are described in the following table.

5930

Table 3.45.4.2.2-3: Model Attributes

| PRPA_HD201304IHE<br>PatientIdentifiers                                | This HMD extract defines the message used to respond to the Patient Registry Query By Identifier Derived from Figure 3.45.4.2.2-1 (PRPA_RM201304IHE) |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Patient</b>                                                        | The primary record for the focal person in a Patient Identity Cross-Reference Manager                                                                |
| classCode [1..1] (M)<br>Patient (CS) {CNE:PAT}                        | Structural attribute; this is a "patient" role                                                                                                       |
| id [1..*] (M)<br>Patient (SET<II>)                                    | Linked patient identifiers from one or more Patient Identity Domains                                                                                 |
| statusCode [1..1]<br>Patient (CS) {CNE:active, fixed value= "active"} | A value specifying the state of this record in a patient registry (based on the RIM role class state-machine). This record is active.                |
| <b>Person</b>                                                         | A subtype of LivingSubject representing a human being<br>Both Person.name and Patient.id must be non-null                                            |
| classCode [1..1] (M)                                                  | Structural attribute; this is a "person" entity                                                                                                      |

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

| <b>PRPA_HD201304IHE<br/>PatientIdentifiers</b>                                  | <b>This HMD extract defines the message used to respond to the Patient Registry Query By Identifier<br/>Derived from Figure 3.45.4.2.2-1<br/>(PRPA_RM201304IHE)</b> |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Person (CS) {CNE:PSN, fixed value= "PSN"}                                       |                                                                                                                                                                     |
| determinerCode [1..1] (M)<br>Person (CS) {CNE:INSTANCE, fixed value="INSTANCE"} | Structural attribute; this is a specific person                                                                                                                     |
| name [1..*]<br>Person (BAG<PN>)                                                 | Name(s) for this person                                                                                                                                             |
| <b>OtherIDs</b>                                                                 | Used to capture additional identifiers for the person such as a Drivers' license or Social Security Number.                                                         |
| classCode [1..1] (M)<br>Role (CS) {CNE:ROL}                                     | Structural attribute. This can be any specialization of "role"                                                                                                      |
| id [1..*] (M)<br>Role (SET<II>)                                                 | One or more identifiers issued to the focal person by the associated scopingOrganization (e.g., a Driver's License number issued by a DMV)                          |

### 3.45.4.2.2.3 Control Act and Transmission Wrappers

Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.44.4.1.2-2 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

5935

**Table 3.45.4.2-5: Wrappers and Constraints**

| <b>Transmission Wrapper</b>                                                                                                                                                                          | <b>Trigger Event Control Act Wrapper</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MCCI_MT000300UV01 – Send Application Acknowledgement                                                                                                                                                 | MFML_MT700711UV01 – Master File/Registry Query Response Control Act (Role Subject)                                                                                                                                                                                                                                                                                                                                                                                                         |
| The value of interactionId SHALL be set to PRPA_IN201310UV02<br>The value of processingModeCode SHALL be set to T<br>The acceptAckCode SHALL be set to NE<br>There SHALL be only one receiver Device | The value of ControlActProcess.moodCode SHALL be set to EVN<br>The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE201310UV02<br>There SHALL be zero or one RegistrationEvents present in this message.<br>If a RegistrationEvent is part of the message, there SHALL be exactly one Patient role present in the payload.<br>There SHALL be no replacementOf act-relationship present in this message<br>There SHALL be a QueryByParameter copy of the original query. |

The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schema

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

5940 from the HL7 V3 2008 Normative Edition are at  
[Edition2008/processable/multicacheschemas/PRPA\\_IN201310UV02.xsd](#)).

#### 3.45.4.2.2.4 Web Services Types and Messages

Since this is a response to a query, please see Section 3.45.4.1.2.4 for the web services components of this message.

#### 5945 3.45.4.2.3 Expected Actions - Patient Identifier Cross-reference Manager

The Patient Identifier Cross-reference Manager shall return the attributes within the message that are required by the HL7 standard, as shown in Figure 3.45.4.2.2-1.

5950 A RegistrationEvent, and the associated Patient class are returned only when the Patient Identifier Cross-reference Manager recognizes the specified Patient ID in the query parameter, and an identifier exists for the specified patient in at least one other domain. The Patient Identifier Cross-reference Manager shall use at one or more Patient.id attributes (and, optionally, zero or more OtherIDs.id attributes) to convey the patient IDs which uniquely identify the patient within each Patient Identification Domain. The identifiers are captured using an Instance Identifier (II) data type. See ITI TF-2x: Appendix E for a detailed description of the use of the II  
5955 data type for patient identifiers.

It is wholly the responsibility of the Patient Identifier Cross-reference Manager to perform the matching of patient identifiers based on the patient identifier it receives. The information provided by the Patient Identifier Cross-reference Manager to the Patient Identifier Cross-reference Consumer is a list of cross-referenced identifiers in one or more of the domains  
5960 managed by the Patient Identifier Cross-reference Manager, in addition to the original identifier used in the query. The identifier used in the query is returned only in the copy of the QueryByParameter parameter list. The list of cross-references is not made available until the set of policies and processes for managing the cross-reference function have been completed. The policies of administering identities adopted by the cooperating domains are completely internal  
5965 to the Patient Identifier Cross-reference Manager and are outside of the scope of this framework. Possible matches should not be communicated until the healthcare institution policies and processes embodied in the Patient Identifier Cross-reference Manager reach a positive matching decision.

5970 The Patient Identifier Cross-reference Manager shall respond to the query request as described by the following 6 cases:

**Case 1:** The Patient Identifier Cross-reference Manager recognizes the specified Patient ID sent by the Patient Identifier Cross-reference Consumer in PatientIdentifier.value, and corresponding identifiers exist for the specified patient in at least one of the domains requested in DataSource.value (one identifier per domain). (See Case 6 below for the required behavior if  
5975 there are multiple identifiers recognized within a given Identifier Domain by the Patient Identifier Cross-reference Manager.)

**AA** (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).

- OK** (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper).
- 5980 A single RegistrationEvent class is returned, where at least one of the identifiers, which the Patient Identifier Cross-reference Manager did recognize as belonging to a requested domain, is returned in Patient.id. Subsequent such identifiers, if any, are returned in either Patient.id or OtherIDs.id, not including the queried-for patient identifier that is returned in the QueryByParameter parameter list (control act wrapper).
- 5985 **Case 2:** The Patient Identifier Cross-reference Manager recognizes the specified Patient ID sent by the Patient Identifier Cross-reference Consumer in PatientIdentifier.value, there are no specific domains requested in the query (no DataSource parameters are present), and corresponding identifiers exist for the specified patient in at least one other domain known to the Patient Identifier Cross-reference Manager (one identifier per domain).
- 5990 **AA** (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).
- 5995 **OK** (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper).
- A single RegistrationEvent class is returned, where at least one of the identifiers, which the Patient Identifier Cross-reference Manager did recognize as belonging to a domain different from the domain of the queried-for patient identifier, is returned in Patient.id. Subsequent such identifiers, if any, are returned in either Patient.id or OtherIDs.id, not including the queried-for patient identifier, which is returned in the QueryByParameter parameter list (control act wrapper).
- 6000 **Case 3:** The Patient Identifier Cross-reference Manager recognizes the specified Patient ID sent in PatientIdentifier.value, but no identifier exists for that patient in any of the domains sent in DataSource.value.
- 6005 **AA** (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).
- NF** (no data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper).
- No RegistrationEvent is returned.
- The queried-for patient identifier is returned in the QueryByParameter parameter list (control act wrapper).
- 6010 **Case 4:** The Patient Identifier Cross-reference Manager does not recognize the Patient ID sent in the PatientIdentifier.value.
- AE** (application error) is returned in Acknowledgement.typeCode (transmission wrapper) and in QueryAck.queryResponseCode (control act wrapper).
- 6010 No RegistrationEvent is returned.
- The queried-for patient identifier is returned in the QueryByParameter parameter list (control act wrapper).
- An AcknowledgmentDetail class is returned in which the attributes typeCode, code, and location are valued as follows.

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| <b>HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.</b> |
|-----------------------------------------------------------------------------------------------------------|

6015

| Attribute | VALUE                                                                     |
|-----------|---------------------------------------------------------------------------|
| typeCode  | E                                                                         |
| code      | 204 (Unknown Key Identifier)                                              |
| location  | XPath expression for the value element of the PatientIdentifier parameter |

**Case 5:** The Patient Identifier Cross-reference Manager does not recognize one or more of the Patient Identification Domains for which an identifier has been requested.

**AE** (application error) is returned in Acknowledgement.typeCode (transmission wrapper) and in QueryAck.queryResponseCode (control act wrapper).

6020 No RegistrationEvent is returned.

The queried-for patient identification domains are returned in the QueryByParameter parameter list (control act wrapper).

For each domain that was not recognized, an AcknowledgmentDetail class is returned in which the attributes typeCode, code, and location are valued as follows:

6025

| Attribute | VALUE                                                                                                                      |
|-----------|----------------------------------------------------------------------------------------------------------------------------|
| typeCode  | E                                                                                                                          |
| Code      | 204 (Unknown Key Identifier)                                                                                               |
| Location  | XPath expression for the value element of the DataSource parameter (which includes the repetition number of the parameter) |

**Case 6:** The Patient Identifier Cross-reference Manager recognizes the specified Patient ID sent by the Patient Identifier Cross-reference Consumer in PatientIdentifier.value, and corresponding identifiers exist for the specified patient in at least one of the domains requested in DataSource.value, and there are multiple identifiers within at least one of the requested domains.

6030 **AA** (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).

**OK** (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper)

A single RegistrationEvent class is returned, where at least one of the identifiers, which the Patient Identifier Cross-reference Manager did recognize as belonging to a requested domain, is returned in Patient.id. Subsequent such identifiers, if any, are returned in either Patient.id or OtherIDs.id, not including the queried-for patient identifier that is returned in the QueryByParameter parameter list (control act wrapper).

6035

If the Patient Identifier Cross-reference Manager chooses to return multiple identifiers associated with the same domain, it shall return these identifiers either grouped in a single instance of the OtherIDs class, or all represented via repetitions of the Patient.id attribute.

6040 **3.45.4.2.3.1 Web Services Port Type and Binding Definitions**

The WSDL snippets for this message are shown in Section 3.45.4.1.3.1

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| <b>HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.</b> |
|-----------------------------------------------------------------------------------------------------------|

**3.45.4.2.3.2 Message Examples**

Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

**3.45.4.2.4 Expected Actions - Patient Identifier Cross-reference Consumer**

6045 The Patient Identifier Cross-reference Consumer will use the list of patient identifier aliases provided by the Patient Identifier Cross-reference Manger to perform the functions, for which it requested the list. The identifiers found in both Patient.id and OtherIDs.id attributes shall be considered together to form a complete list of patient identifiers from the different Patient Identity domains (either requested or available).

6050 In the case where the returned list of identifiers contains multiple identifiers for a single domain, the Patient Identifier Cross-reference Consumer shall either use ALL of the multiple identifiers from the given domain or it shall ignore ALL of the multiple identifiers from the given domain.

6055 This allows Patient Identifier Cross-reference Consumers capable of handling multiple identities for a single patient within a single domain (i.e., those that can correctly aggregate the information associated with the different identifiers) to do so. For those Patient Identifier Cross-reference Consumers not capable of handling this situation, ignoring the entire list of different identifiers prevents the consumer from presenting incomplete data.

**3.45.5 Security Requirements**

No transaction specific security considerations.

6060 **3.45.5.1 Audit Record Considerations**

When grouped with ATNA Secure Node or Secure Application Actors, this transaction is to be audited as “Query Information” event, as defined in ITI TF-2a: Table 3.20.6-1. The following tables show items that are required to be part of the audit record for this transaction.

**3.45.5.1.1 Patient Identifier Cross-reference Consumer audit message:**

|                                                              | Field Name                   | Opt      | Value Constraints                             |
|--------------------------------------------------------------|------------------------------|----------|-----------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification         | EventID                      | M        | EV(110112, DCM, “Query”)                      |
|                                                              | EventActionCode              | M        | “E” (Execute)                                 |
|                                                              | <i>EventDateTime</i>         | <i>M</i> | <i>not specialized</i>                        |
|                                                              | <i>EventOutcomeIndicator</i> | <i>M</i> | <i>not specialized</i>                        |
|                                                              | EventTypeCode                | M        | EV(“ITI-45”, “IHE Transactions”, “PIX Query”) |
| Source (Patient Identifier Cross-reference Consumer) (1)     |                              |          |                                               |
| Human Requestor (0..n)                                       |                              |          |                                               |
| Destination (Patient Identifier Cross-reference Manager) (1) |                              |          |                                               |
| Audit Source (Patient Identity Cross-reference Consumer) (1) |                              |          |                                               |
| Patient (0..n)                                               |                              |          |                                               |
| Query Parameters(1)                                          |                              |          |                                               |

6065

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

Where:

|                                                                     |                                   |          |                                                                                    |
|---------------------------------------------------------------------|-----------------------------------|----------|------------------------------------------------------------------------------------|
| <b>Source</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | <i>UserID</i>                     | <i>U</i> | <i>not specialized</i>                                                             |
|                                                                     | <i>AlternativeUserID</i>          | <i>M</i> | the process ID as used within the local operating system in the local system logs. |
|                                                                     | <i>UserName</i>                   | <i>U</i> | <i>not specialized</i>                                                             |
|                                                                     | <i>UserIsRequestor</i>            | <i>U</i> | <i>not specialized</i>                                                             |
|                                                                     | <i>RoleIDCode</i>                 | <i>M</i> | EV(110153, DCM, "Source")                                                          |
|                                                                     | <i>NetworkAccessPointTypeCode</i> | <i>M</i> | "1" for machine (DNS) name, "2" for IP address                                     |
|                                                                     | <i>NetworkAccessPointID</i>       | <i>M</i> | the machine name or IP address.                                                    |

|                                                                                         |                                   |           |                                                                     |
|-----------------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------------------------------------------------------|
| <b>Human Requestor (if known)</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | <i>UserID</i>                     | <i>M</i>  | identity of the human that initiated the transaction.               |
|                                                                                         | <i>AlternativeUserID</i>          | <i>U</i>  | <i>not specialized</i>                                              |
|                                                                                         | <i>UserName</i>                   | <i>U</i>  | <i>not specialized</i>                                              |
|                                                                                         | <i>UserIsRequestor</i>            | <i>U</i>  | <i>not specialized</i>                                              |
|                                                                                         | <i>RoleIDCode</i>                 | <i>U</i>  | Access Control role(s) the user holds that allows this transaction. |
|                                                                                         | <i>NetworkAccessPointTypeCode</i> | <i>NA</i> |                                                                     |
|                                                                                         | <i>NetworkAccessPointID</i>       | <i>NA</i> |                                                                     |

|                                                                          |                                   |          |                                                |
|--------------------------------------------------------------------------|-----------------------------------|----------|------------------------------------------------|
| <b>Destination</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | <i>UserID</i>                     | <i>M</i> | SOAP endpoint URI                              |
|                                                                          | <i>AlternativeUserID</i>          | <i>U</i> | <i>not specialized</i>                         |
|                                                                          | <i>UserName</i>                   | <i>U</i> | <i>not specialized</i>                         |
|                                                                          | <i>UserIsRequestor</i>            | <i>M</i> | "false"                                        |
|                                                                          | <i>RoleIDCode</i>                 | <i>M</i> | EV(110152, DCM, "Destination")                 |
|                                                                          | <i>NetworkAccessPointTypeCode</i> | <i>M</i> | "1" for machine (DNS) name, "2" for IP address |
|                                                                          | <i>NetworkAccessPointID</i>       | <i>M</i> | the machine name or IP address.                |

6070

|                                                                                   |                              |          |                        |
|-----------------------------------------------------------------------------------|------------------------------|----------|------------------------|
| <b>Audit Source</b><br><small>AuditMessage/<br/>AuditSourceIdentification</small> | <i>AuditSourceID</i>         | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditEnterpriseSiteID</i> | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditSourceTypeCode</i>   | <i>U</i> | <i>not specialized</i> |

|                                                                                      |                                       |                        |                                                              |
|--------------------------------------------------------------------------------------|---------------------------------------|------------------------|--------------------------------------------------------------|
| <b>Patient</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | <i>ParticipantObjectTypeCode</i>      | <i>M</i>               | "1" (Person)                                                 |
|                                                                                      | <i>ParticipantObjectTypeCodeRole</i>  | <i>M</i>               | "1" (Patient)                                                |
|                                                                                      | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i>               | <i>not specialized</i>                                       |
|                                                                                      | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i>               | <i>not specialized</i>                                       |
|                                                                                      | <i>ParticipantObjectSensitivity</i>   | <i>U</i>               | <i>not specialized</i>                                       |
|                                                                                      | <i>ParticipantObjectID</i>            | <i>M</i>               | The patient ID in HL7 CX format (see ITI TF-2x: appendix E). |
|                                                                                      | <i>ParticipantObjectName</i>          | <i>U</i>               | <i>not specialized</i>                                       |
|                                                                                      | <i>ParticipantObjectQuery</i>         | <i>U</i>               | <i>not specialized</i>                                       |
| <i>ParticipantObjectDetail</i>                                                       | <i>U</i>                              | <i>not specialized</i> |                                                              |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

| <b>Query Parameters</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> |                                       |          |                                                           |
|-----------------------------------------------------------------------------------------------|---------------------------------------|----------|-----------------------------------------------------------|
|                                                                                               | ParticipantObjectTypeCode             | M        | "2" (system object)                                       |
|                                                                                               | ParticipantObjectTypeCodeRole         | M        | "24" (query)                                              |
|                                                                                               | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                               | ParticipantObjectIDTypeCode           | M        | EV("ITI-45", "IHE Transactions", "PIX Query")             |
|                                                                                               | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                               | <i>ParticipantObjectID</i>            | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                               | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                               | ParticipantObjectQuery                | M        | the QueryByParameter segment of the query, base64 encoded |
|                                                                                               | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>                                    |

### 3.45.5.1.2 Patient Identifier Cross-reference Manager audit message:

|                                                                      | Field Name                   | Opt      | Value Constraints                             |
|----------------------------------------------------------------------|------------------------------|----------|-----------------------------------------------|
| <b>Event</b><br><small>AuditMessage/<br/>EventIdentification</small> | EventID                      | M        | EV(110112, DCM, "Query")                      |
|                                                                      | EventActionCode              | M        | "E" (Execute)                                 |
|                                                                      | <i>EventDateTime</i>         | <i>M</i> | <i>not specialized</i>                        |
|                                                                      | <i>EventOutcomeIndicator</i> | <i>M</i> | <i>not specialized</i>                        |
|                                                                      | EventTypeCode                | M        | EV("ITI-45", "IHE Transactions", "PIX Query") |
| Source (Patient Identifier Cross-reference Manager) (1)              |                              |          |                                               |
| Destination (Patient Identifier Cross-reference Consumer) (1)        |                              |          |                                               |
| Audit Source (Patient Identifier Cross-reference Manager) (1)        |                              |          |                                               |
| Patient (0..n)                                                       |                              |          |                                               |
| Query Parameters(1)                                                  |                              |          |                                               |

6075

Where:

| <b>Source</b><br><small>AuditMessage/<br/>ActiveParticipant</small> |                            |          |                                                |
|---------------------------------------------------------------------|----------------------------|----------|------------------------------------------------|
|                                                                     | UserID                     | <i>U</i> | <i>not specialized</i>                         |
|                                                                     | AlternativeUserID          | <i>U</i> | <i>not specialized</i>                         |
|                                                                     | <i>UserName</i>            | <i>U</i> | <i>not specialized</i>                         |
|                                                                     | <i>UserIsRequestor</i>     | <i>U</i> | <i>not specialized</i>                         |
|                                                                     | RoleIDCode                 | M        | EV(110153, DCM, "Source")                      |
|                                                                     | NetworkAccessPointTypeCode | M        | "1" for machine (DNS) name, "2" for IP address |
|                                                                     | NetworkAccessPointID       | M        | the machine name or IP address.                |

| <b>Destination</b><br><small>AuditMessage/<br/>ActiveParticipant</small> |                            |          |                                                                                    |
|--------------------------------------------------------------------------|----------------------------|----------|------------------------------------------------------------------------------------|
|                                                                          | UserID                     | M        | SOAP endpoint URI                                                                  |
|                                                                          | <i>AlternativeUserID</i>   | M        | the process ID as used within the local operating system in the local system logs. |
|                                                                          | <i>UserName</i>            | <i>U</i> | <i>not specialized</i>                                                             |
|                                                                          | UserIsRequestor            | M        | "false"                                                                            |
|                                                                          | RoleIDCode                 | M        | EV(110152, DCM, "Destination")                                                     |
|                                                                          | NetworkAccessPointTypeCode | M        | "1" for machine (DNS) name, "2" for IP address                                     |
|                                                                          | NetworkAccessPointID       | M        | the machine name or IP address.                                                    |

| <b>Audit Source</b><br><small>AuditMessage/<br/>AuditSourceIdentification</small> |                              |          |                        |
|-----------------------------------------------------------------------------------|------------------------------|----------|------------------------|
|                                                                                   | <i>AuditSourceID</i>         | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditEnterpriseSiteID</i> | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditSourceTypeCode</i>   | <i>U</i> | <i>not specialized</i> |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                                          |                                       |          |                                                              |
|--------------------------------------------------------------------------|---------------------------------------|----------|--------------------------------------------------------------|
| <b>Patient</b><br>(AuditMessage/<br>ParticipantObjectIdentif<br>ication) | ParticipantObjectTypeCode             | M        | “1” (Person)                                                 |
|                                                                          | ParticipantObjectTypeCodeRole         | M        | “1” (Patient)                                                |
|                                                                          | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>                                       |
|                                                                          | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i> | <i>not specialized</i>                                       |
|                                                                          | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>                                       |
|                                                                          | ParticipantObjectID                   | M        | The patient ID in HL7 CX format (see ITI TF-2x: appendix E). |
|                                                                          | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>                                       |
|                                                                          | <i>ParticipantObjectQuery</i>         | <i>U</i> | <i>not specialized</i>                                       |
|                                                                          | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>                                       |

|                                                                                       |                                       |          |                                                           |
|---------------------------------------------------------------------------------------|---------------------------------------|----------|-----------------------------------------------------------|
| <b>Query<br/>Parameters</b><br>(AuditMessage/<br>ParticipantObjectIdentif<br>ication) | ParticipantObjectTypeCode             | M        | “2” (system object)                                       |
|                                                                                       | ParticipantObjectTypeCodeRole         | M        | “24” (query)                                              |
|                                                                                       | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                       | ParticipantObjectIDTypeCode           | M        | EV(“ITI-45”, “IHE Transactions”, “PIX Query”)             |
|                                                                                       | <i>ParticipantObjectSensitivity</i>   | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                       | <i>ParticipantObjectID</i>            | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                       | <i>ParticipantObjectName</i>          | <i>U</i> | <i>not specialized</i>                                    |
|                                                                                       | ParticipantObjectQuery                | M        | the QueryByParameter segment of the query, base64 encoded |
|                                                                                       | <i>ParticipantObjectDetail</i>        | <i>U</i> | <i>not specialized</i>                                    |

6080

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**


### 3.46 PIXV3 Update Notification

This section corresponds to transaction ITI-46 of the IHE IT Infrastructure Technical Framework. Transaction ITI-46 is used by the Patient Identifier Cross-reference Consumer and Patient Identifier Cross-reference Manager Actors.

#### 6085 3.46.1 Scope

The scope is identical to the scope of transaction ITI-10, described in ITI TF-2a: 3.10.1.

#### 3.46.2 Use Case Roles



**Actor:** Patient Identifier Cross-reference Manager

6090 **Role:** It serves a well-defined set of Patient Identification Domains. The Patient Identifier Cross-reference Manager manages the cross-referencing of patient identifiers across Patient Identification Domains by providing a list of patient ID “aliases” via notification to a configured list of interested Patient Identifier Cross-reference Consumers.

**Corresponding HL7 v3 Application Roles:**

6095 **Patient Registry Informer (PRPA\_AR201301UV02)**

**Actor:** Patient Identifier Cross-reference Consumer

**Role:** Receives notifications from the Patient Identifier Cross-reference Manager of changes to patient ID aliases. Typically the Patient Identifier Cross-reference Consumer uses this information to maintain information links about patients in a different patient ID domain.

6100 **Corresponding HL7 v3 Application Roles:**

**Patient Registry Tracker (PRPA\_AR201302UV02)**


#### 3.46.3 Referenced Standards

HL7 Version 3 Edition 2008 Patient Administration DSTU, Patient Topic (found at <http://www.hl7.org/memonly/downloads/v3edition.cfm#V32008>)

6105 Implementers of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V Web Services for IHE Transactions.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

### 3.46.4 Interaction Diagrams



**Figure 3.46-1: Update Patient Information Sequence**

#### 6110 3.46.4.1 Update Patient Information

##### 3.46.4.1.1 Trigger Events

The Patient Identifier Cross-reference Manager shall notify a Patient Identifier Cross-reference Consumer when there is a change in a set of cross-referenced patient identifiers for any of the patient identifiers belonging to Patient Identifier Domains of interest to the consumer. The configuration of the domains of interest to a Patient Cross-reference Consumer is maintained by the Patient Cross-reference Manager.

Several notifications may have to be issued to communicate a single update to a set of cross-reference patient identifiers as required to reflect all the changes on the resulting sets of cross-reference patient Identifiers belonging to Patient Identifier Domains of interest to the Patient Identifier Cross-referencing Consumer.

The following HL7 trigger event will be used to update to the list of patient identifiers:

##### **Patient Registry Record Revised (PRPA\_TE201302UV02)**

This trigger event signals that patient information was revised in a patient registry.

##### 3.46.4.1.2 Message Semantics

The PIX Update Notification transaction is conducted by the Patient Revise (PRPA\_MT201302UV02) message. The Patient Identifier Cross-reference Manager initiates this transaction whenever identifier list information is updated for a patient.

Each message shall be acknowledged by the HL7 V3 Accept Acknowledgement (MCCI\_MT000200UV01), which is described in ITI TF-2x: Appendix O.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

6130 It is wholly the responsibility of the Patient Identifier Cross-reference Manager to perform the matching of patient identifiers based on the patient traits it receives. The information provided by the Patient Identifier Cross-reference Manager to Patient Identifier Cross-reference Consumer Actors shall only contain a list of cross-referenced identifiers for the domains of interest as configured with the Patient Identifier Cross-reference Manager in two or more of the domains managed by the Patient Identifier Cross-reference Manager. Multiple notifications may need to be sent. For example:

Consumer CON\_A is configured to receive update notifications for domains DOM\_A and DOM\_AD. Notifications are sent as follows:

6140 A PIXV3 Patient Registry Record Add message is sent for a patient for DOM\_A. The update notification shall contain the patient identifier for DOM\_A.

A PIXV3 Patient Registry Record Add message is processed for DOM\_AD. The Patient Identifier Cross-reference Manager cross references this patient with DOM\_A. The update notification shall contain the patient identifiers for both DOM\_A and DOM\_AD.

6145 A PIXV3 Patient Registry Record Revise message is processed for DOM\_AD changing the patient address. The Patient Identifier Cross-reference Manager cross references determines this patient is no longer the same patient as DOM\_A. Two update notifications shall be sent. One containing the patient identifier for DOM\_A. The other one containing the patient identifier for DOM\_AD.

6150 The list of cross-references is not made available until the set of policies and processes for managing the cross-reference function have been completed. The policies of administering identities adopted by the cooperating domains are completely internal to the Patient Identifier Cross-reference Manager and are outside of the scope of this transaction. Possible matches should not be communicated until the healthcare institution policies and processes embodied in the Patient Identifier Cross-reference Manager reach a positive matching decision.

6155 The Patient Identifier Cross-reference Manager shall have configuration indicating which Identity Consumers are interested in receiving the PIXV3 Update Notification transactions. This configuration information shall include identification of the identity consumer systems interested in receiving notifications and, for each of those systems, a list of the patient identifier domains of interest. The Patient Identifier Cross-reference Manager should account for consumers interested in all domains.

Each message shall be acknowledged by the Accept Acknowledgment message sent by the receiver of the Patient Registry Record Revise message to its sender.

#### **3.46.4.1.2.1 Major Components of the Patient Registry Record Revised**

##### **6165 Patient**

The *Patient* class is the entry point to the R-MIM for the *Patient Revise* (*PRPA\_RM201302UV02*). This is where the updated list of patient identifiers will be present.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

## Person

The *Person* class contains the name of the patient for additional verification purposes.

## 6170 Provider Organization

The Patient class is optionally scoped by the provider organization where this person is a patient. The HL7 definition of the CMET requires that the provider organization needs to be identified by an id attribute, and at least one of address, telecommunications address, or contact person to be present. The id attribute SHALL have only a root, expressed as an ISO OID, and at least one of the id attributes of the Patient class SHALL have a matching root component (see ITI TF-2x: Appendix E on the use of the II data type for patient identifiers).

## Other Identifiers

The *OtherIDs* class can be optionally used to capture other identifiers associated with the person such as driver's license number or social security number). It is important to recognize that the HL7 RIM distinguishes between person-level IDs and patient-level IDs. In this transaction, however, the Patient Identity Cross-Reference Manager has the option to send all identifiers in the id attributes of the Patient class. If that is the case, the OtherIDs class shall not be used. For the purposes of interoperability where both HL7 V3 and HL7 v2.x based transactions are used, and the OtherIDs class is present, the following requirement is imposed on the OtherIDs.id attribute and on the scopingOrganization.id attribute:

OtherIDs.id.root SHALL be identical to scopingOrganization.id.root  
scopingOrganization.id.extension SHALL NOT have any value

### 3.46.4.1.2.2 Message Information Model of the Patient Registry Record Revise Message

6190 Below is the Message Information Model for the Patient Identifiers message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this transaction. It is a strict subset of the *Patient Revise (PRPA\_RM201302UV02)* RMIM.

6195 The base RMIM can be found on the HL7 V3 2008 Edition CD at [Edition2008/domains/uvpa/editable/PRPA\\_RM201302UV.htm](http://www.hl7.org/standard/2008/08/01/editions/2008/uvpa/editable/PRPA_RM201302UV.htm). The following restrictions were made on the original RMIMs to arrive at the restricted model (note that the resulting model is identical to the one described in Section 3.45.4.2.2.2):

The focal entity choice is restricted to be only a person

All optional classes are removed, except for the provider organization, and other identifiers

6200 All optional attributes in the Patient and Person class are removed




Figure 3.46.4.1.2-1: Message Information Model for the Patient Identifiers Message

6205 The attributes of this model are described in the following table.

Table 3.46.4.1.2-4: Model Attributes

| PRPA_HD201302IHE<br>PatientRevise                                     | This HMD extract defines the message used to send a Patient Update Notification<br>Derived from Figure 3.46.4.1.2-1<br>(PRPA_RM201302IHE) |
|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Patient</b>                                                        | The primary record for the focal person in a Patient Identity Cross-Reference Manager                                                     |
| classCode [1..1] (M)<br>Patient (CS) {CNE:PAT}                        | Structural attribute; this is a "patient" role                                                                                            |
| id [1..*] (M)<br>Patient (SET<II>)                                    | Linked identifiers from one or more Identity Domains                                                                                      |
| statusCode [1..1]<br>Patient (CS) {CNE:active, fixed value= "active"} | A value specifying the state of this record in a patient registry (based on the RIM role class state-machine). This record is active.     |
| <b>Person</b>                                                         | A subtype of LivingSubject representing a human being<br>Both Person.name and Patient.id must be non-null                                 |
| classCode [1..1] (M)<br>Person (CS) {CNE:PSN, fixed value= "PSN"}     | Structural attribute; this is a "person" entity                                                                                           |
| determinerCode [1..1] (M)                                             | Structural attribute; this is a specific person                                                                                           |

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

| <b>PRPA_HD201302IHE<br/>PatientRevise</b>          | <b>This HMD extract defines the message used to<br/>send a Patient Update Notification<br/>Derived from Figure 3.46.4.1.2-1<br/>(PRPA_RM201302IHE)</b> |
|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Person (CS) {CNE:INSTANCE, fixed value="INSTANCE"} |                                                                                                                                                        |
| name [1..*]<br>Person (BAG<PN>)                    | Name(s) for this person                                                                                                                                |
| <b>OtherIDs</b>                                    | Used to capture additional identifiers for the person such as a Drivers' license or Social Security Number.                                            |
| classCode [1..1] (M)<br>Role (CS) {CNE:ROL}        | Structural attribute. This can be any specialization of "role"                                                                                         |
| id [1..*] (M)<br>Role (SET<II>)                    | One or more identifiers issued to the focal person by the associated scopingOrganization (e.g., a Driver's License number issued by a DMV)             |

### 3.46.4.1.2.3 Control Act and Transmission Wrappers

6210 Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.46.4.1.2-2 contains the Transmission and Control Act wrappers used for the two interactions, and the associated constraints.

**Table 3.46.4.1.2-6: Wrappers and Constraints**

| <b>Transmission Wrapper</b>                                                                                                                                                                          | <b>Trigger Event Control Act Wrapper</b>                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MCCI_MT000100UV01 – Send Message Payload                                                                                                                                                             | MFMI_MT700701UV01 – Master File / Registry Notification Control Act, Role Subject                                                                                                                                         |
| The value of interactionId SHALL be set to PRPA_IN201302UV02<br>The value of processingModeCode SHALL be set to T<br>The acceptAckCode SHALL be set to AL<br>There SHALL be only one receiver Device | The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE201302UV02<br>RegistrationEvent.statusCode SHALL be set to "active"<br>There SHALL be no InReplacementOf act relationship for these interactions. |

6215 The composite message schemas which describe the full payload of these interactions, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schema from the HL7 V3 2008 Normative Edition can be found at [Edition2008/processable/multicacheschemas/PRPA\\_IN201302UV02.xsd](http://www.hl7.org/standard/2008/processable/multicacheschemas/PRPA_IN201302UV02.xsd)

### 3.46.4.1.2.4 Web Services Types and Messages

6220 The Patient Registry Record Revised message will be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V.

The following WSDL naming conventions SHALL apply:

"revise" message -> "PRPA\_IN201302UV02\_Message"

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

```
acknowledgement -> "MCCI_IN000002UV01_Message"
```

6225 The following WSDL snippet describes the types for these messages:

```

...
<types>
<xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
xmlns:hl7="urn:hl7-org:v3">
6230 <!-- Include the message schema -->
<xsd:import namespace="urn:hl7-org:v3"
schemaLocation="../../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201302UV02.xsd"/>
6235 <xsd:element name="PRPA_IN201302UV02"/>
</xsd:schema>
<xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
xmlns:hl7="urn:hl7-org:v3">
6240 <!-- Include the message schema -->
<xsd:import namespace="urn:hl7-org:v3"
schemaLocation="../../schema/HL7V3/NE2008/multicacheschemas/MCCI_IN000002UV01.xsd"/>
<xsd:element name="MCCI_IN000002UV01"/>
</xsd:schema>
</types>
6245 ...

```

The messages are described by the following snippet:

```

...
<message name="PRPA_IN201302UV02_Message">
6250 <part element="hl7:PRPA_IN201302UV02" name="Body"/>
</message>
<message name="MCCI_IN000002UV01_Message">
<part element="hl7:MCCI_IN000002UV01" name="Body"/>
</message>
...

```

6255 The port types for the WSDL describing the Patient Identity Feed Service are described together with the expected actions of the actors which receive these messages in Section 3.46.4.1.3.

### 3.46.4.1.3 Expected Actions - Patient Identifier Cross-reference Consumer

6260 Whenever the Patient Identifier Cross-reference Consumer receives updated identifier information in a Patient Revise message that results in a change to the cross-referencing of a patient, the actor shall update its internal identifier information for the affected patient(s) in all domains in which it is interested. The identifiers found in both Patient.id and OtherIDs.id attributes shall be considered together to form a complete list of patient identifiers from the different Patient Identity domains in which this actor is interested.

6265 In the case where the returned list of identifiers contains multiple identifiers for a single domain, the Patient Identifier Cross-reference Consumer shall either use ALL of the multiple identifiers from the given domain or it shall ignore ALL of the multiple identifiers from the given domain.

This allows Patient Identifier Cross-reference Consumers capable of handling multiple identities for a single patient within a single domain (i.e., those that can correctly aggregate the

6270 information associated with the different identifiers) to do so. For those Patient Identifier Cross-  
reference Consumers not capable of handling this situation, ignoring the entire list of different  
identifiers prevents the consumer from presenting incomplete data.

### 3.46.4.1.3.1 Web Services Port Type and Binding Definitions

**IHE-WSP201) The attribute /wsdl:definitions/@name SHALL be “PIXConsumer”.**

The following WSDL naming conventions SHALL apply:

6275 wsdl:definitions/@name="PIXConsumer" :  
PIX update message -> "PRPA\_IN201302UV02\_Message"  
acknowledgement -> "MCCI\_IN000002UV01\_Message"  
portType -> "PIXConsumer\_PortType"  
6280 get identifiers operation -> "PIXConsumer\_PRPA\_IN201302UV02"  
SOAP 1.2 binding -> "PIXConsumer\_Binding\_Soap12"  
SOAP 1.2 port -> "PIXConsumer\_Port\_Soap12"

The following WSDL snippets specify the Patient Update Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

#### 6285 3.46.4.1.3.1.1 Port Type

```

<portType name="PIXConsumer_PortType">
 <operation name="PIXConsumer_PRPA_IN201302UV02">
6290 <input message="tns:PRPA_IN201302UV02_Message" wsaw:Action="urn:hl7-
org:v3:PRPA_IN201302UV02"/>
<output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
org:v3:MCCI_IN000002UV01"/>
</operation>
 </portType>

```

#### 6295 3.46.4.1.3.1.2 Bindings

SOAP 1.2 binding:

```

...
 3 <binding name="PIXConsumer_Binding_Soap12" type="PIXConsumer_PortType">
6300 <wssoap12:binding style="document"
transport="http://schemas.xmlsoap.org/soap/http"/>
 <operation name="PIXConsumer_PRPA_IN201302UV02">
 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201302UV02"/>
6305 <input>
 <wssoap12:body use="literal"/>
</input>
 <output>
 <wssoap12:body use="literal"/>
 </output>
 </operation>
6310 </binding>
...

```

An informative WSDL for the PIX Consumer implementing the PIXV3 Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.46.4.1.3.2 Message Examples

6315 Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

### 3.46.5 Security Requirements

No transaction specific security considerations.

#### 3.46.5.1 Audit Record Considerations

6320 When grouped with ATNA Secure Node or Secure Application Actors, this transaction is to be audited as “Patient Record” event, as defined in ITI TF-2a: Table 3.20.6-1. The following tables show items that are required to be part of the audit record for this transaction.

##### 3.46.5.1.1 Patient Identifier Cross-reference Manager audit message:

|                                                               | Field Name            | Opt | Value Constraints                                           |
|---------------------------------------------------------------|-----------------------|-----|-------------------------------------------------------------|
| <b>Event</b><br>AuditMessage/<br>EventIdentification          | EventID               | M   | EV(110110, DCM, “Patient Record”)                           |
|                                                               | EventActionCode       | M   | “R” (Read)                                                  |
|                                                               | EventDateTime         | M   | not specialized                                             |
|                                                               | EventOutcomeIndicator | M   | not specialized                                             |
|                                                               | EventTypeCode         | M   | EV(“ITI-46”, “IHE Transactions”, “PIX Update Notification”) |
| Source (Patient Identifier Cross-reference Manager) (1)       |                       |     |                                                             |
| Human Requestor (0..n)                                        |                       |     |                                                             |
| Destination (Patient Identifier Cross-reference Consumer) (1) |                       |     |                                                             |
| Audit Source (Patient Identifier Cross-reference Manager) (1) |                       |     |                                                             |
| Patient IDs(1..n) (represents the components of PID-3)        |                       |     |                                                             |

Where:

|                                                     | Field Name                 | Opt | Value Constraints                                                                  |
|-----------------------------------------------------|----------------------------|-----|------------------------------------------------------------------------------------|
| <b>Source</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | U   | not specialized                                                                    |
|                                                     | AlternativeUserID          | M   | the process ID as used within the local operating system in the local system logs. |
|                                                     | UserName                   | U   | not specialized                                                                    |
|                                                     | UserIsRequestor            | U   | not specialized                                                                    |
|                                                     | RoleIDCode                 | M   | EV(110153, DCM, “Source”)                                                          |
|                                                     | NetworkAccessPointTypeCode | M   | “1” for machine (DNS) name, “2” for IP address                                     |
|                                                     | NetworkAccessPointID       | M   | the machine name or IP address.                                                    |

|                                                                         | Field Name                 | Opt | Value Constraints                                                   |
|-------------------------------------------------------------------------|----------------------------|-----|---------------------------------------------------------------------|
| <b>Human Requestor (if known)</b><br>AuditMessage/<br>ActiveParticipant | UserID                     | M   | identity of the human that initiated the transaction.               |
|                                                                         | AlternativeUserID          | U   | not specialized                                                     |
|                                                                         | UserName                   | U   | not specialized                                                     |
|                                                                         | UserIsRequestor            | U   | not specialized                                                     |
|                                                                         | RoleIDCode                 | U   | Access Control role(s) the user holds that allows this transaction. |
|                                                                         | NetworkAccessPointTypeCode | NA  |                                                                     |
|                                                                         | NetworkAccessPointID       | NA  |                                                                     |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

6325

|                                                                          |                            |   |                                                |
|--------------------------------------------------------------------------|----------------------------|---|------------------------------------------------|
| <b>Destination</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | UserID                     | M | SOAP endpoint URI.                             |
|                                                                          | <i>AlternativeUserID</i>   | U | <i>not specialized</i>                         |
|                                                                          | <i>UserName</i>            | U | <i>not specialized</i>                         |
|                                                                          | UserIsRequestor            | M | "false"                                        |
|                                                                          | RoleIDCode                 | M | EV(110152, DCM, "Destination")                 |
|                                                                          | NetworkAccessPointTypeCode | M | "1" for machine (DNS) name, "2" for IP address |
|                                                                          | NetworkAccessPointID       | M | the machine name or IP address.                |

|                                                                                   |                              |   |                        |
|-----------------------------------------------------------------------------------|------------------------------|---|------------------------|
| <b>Audit Source</b><br><small>AuditMessage/<br/>AuditSourceIdentification</small> | <i>AuditSourceID</i>         | U | <i>not specialized</i> |
|                                                                                   | <i>AuditEnterpriseSiteID</i> | U | <i>not specialized</i> |
|                                                                                   | <i>AuditSourceTypeCode</i>   | U | <i>not specialized</i> |

|                                                                                          |                                       |   |                                                              |
|------------------------------------------------------------------------------------------|---------------------------------------|---|--------------------------------------------------------------|
| <b>Patient IDs</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M | "1" (Person)                                                 |
|                                                                                          | ParticipantObjectTypeCodeRole         | M | "1" (Patient)                                                |
|                                                                                          | <i>ParticipantObjectDataLifeCycle</i> | U | <i>not specialized</i>                                       |
|                                                                                          | <i>ParticipantObjectIDTypeCode</i>    | M | <i>not specialized</i>                                       |
|                                                                                          | <i>ParticipantObjectSensitivity</i>   | U | <i>not specialized</i>                                       |
|                                                                                          | ParticipantObjectID                   | M | the patient ID in HL7 CX format (see ITI TF-2x: appendix E). |
|                                                                                          | <i>ParticipantObjectName</i>          | U | <i>not specialized</i>                                       |
|                                                                                          | <i>ParticipantObjectQuery</i>         | U | <i>not specialized</i>                                       |
|                                                                                          | ParticipantObjectDetail               | M | Type=II (the literal string), Value=the value of message.id  |

### 3.46.5.1.2 Patient Identifier Cross-reference Consumer audit message:

|                                                                      | Field Name                   | Opt | Value Constraints                                           |
|----------------------------------------------------------------------|------------------------------|-----|-------------------------------------------------------------|
| <b>Event</b><br><small>AuditMessage/<br/>EventIdentification</small> | EventID                      | M   | EV(110110, DCM, "Patient Record")                           |
|                                                                      | EventActionCode              | M   | "U" (update)                                                |
|                                                                      | <i>EventDateTime</i>         | M   | <i>not specialized</i>                                      |
|                                                                      | <i>EventOutcomeIndicator</i> | M   | <i>not specialized</i>                                      |
|                                                                      | EventTypeCode                | M   | EV("ITI-46", "IHE Transactions", "PIX Update Notification") |
| Source (Patient Identifier Cross-reference Manager) (1)              |                              |     |                                                             |
| Destination (Patient Identifier Cross-reference Consumer) (1)        |                              |     |                                                             |
| Audit Source (Patient Identifier Cross-reference Consumer) (1)       |                              |     |                                                             |
| Patient IDs(1..n) (represents the components of PID-3)               |                              |     |                                                             |

Where:

|                                                                     |                            |   |                                                |
|---------------------------------------------------------------------|----------------------------|---|------------------------------------------------|
| <b>Source</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | <i>UserID</i>              | U | <i>not specialized</i>                         |
|                                                                     | <i>AlternativeUserID</i>   | U | <i>not specialized</i>                         |
|                                                                     | <i>UserName</i>            | U | <i>not specialized</i>                         |
|                                                                     | <i>UserIsRequestor</i>     | U | <i>not specialized</i>                         |
|                                                                     | RoleIDCode                 | M | EV(110153, DCM, "Source")                      |
|                                                                     | NetworkAccessPointTypeCode | M | "1" for machine (DNS) name, "2" for IP address |
|                                                                     | NetworkAccessPointID       | M | the machine name or IP address.                |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

6330

|                                                                          |                            |          |                                                                                    |
|--------------------------------------------------------------------------|----------------------------|----------|------------------------------------------------------------------------------------|
| <b>Destination</b><br><small>AuditMessage/<br/>ActiveParticipant</small> | UserID                     | M        | SOAP endpoint URI.                                                                 |
|                                                                          | AlternativeUserID          | M        | the process ID as used within the local operating system in the local system logs. |
|                                                                          | <i>UserName</i>            | <i>U</i> | <i>not specialized</i>                                                             |
|                                                                          | UserIsRequestor            | M        | “false”                                                                            |
|                                                                          | RoleIDCode                 | M        | EV(110152, DCM, “Destination”)                                                     |
|                                                                          | NetworkAccessPointTypeCode | M        | “1” for machine (DNS) name, “2” for IP address                                     |
|                                                                          | NetworkAccessPointID       | M        | the machine name or IP address.                                                    |

|                                                                                   |                              |          |                        |
|-----------------------------------------------------------------------------------|------------------------------|----------|------------------------|
| <b>Audit Source</b><br><small>AuditMessage/<br/>AuditSourceIdentification</small> | <i>AuditSourceID</i>         | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditEnterpriseSiteID</i> | <i>U</i> | <i>not specialized</i> |
|                                                                                   | <i>AuditSourceTypeCode</i>   | <i>U</i> | <i>not specialized</i> |

|                                                                                          |                                       |                                                             |                                                              |
|------------------------------------------------------------------------------------------|---------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------|
| <b>Patient IDs</b><br><small>(AuditMessage/<br/>ParticipantObjectIdentification)</small> | ParticipantObjectTypeCode             | M                                                           | “1” (Person)                                                 |
|                                                                                          | ParticipantObjectTypeCodeRole         | M                                                           | “1” (Patient)                                                |
|                                                                                          | <i>ParticipantObjectDataLifeCycle</i> | <i>U</i>                                                    | <i>not specialized</i>                                       |
|                                                                                          | <i>ParticipantObjectIDTypeCode</i>    | <i>M</i>                                                    | <i>not specialized</i>                                       |
|                                                                                          | <i>ParticipantObjectSensitivity</i>   | <i>U</i>                                                    | <i>not specialized</i>                                       |
|                                                                                          | ParticipantObjectID                   | M                                                           | the patient ID in HL7 CX format (see ITI TF-2x: appendix E). |
|                                                                                          | <i>ParticipantObjectName</i>          | <i>U</i>                                                    | <i>not specialized</i>                                       |
|                                                                                          | <i>ParticipantObjectQuery</i>         | <i>U</i>                                                    | <i>not specialized</i>                                       |
| ParticipantObjectDetail                                                                  | M                                     | Type=II (the literal string), Value=the value of message.id |                                                              |

### 3.47 Patient Demographics Query HL7 V3


6335 This section corresponds to transaction ITI-47 of the IHE Technical Framework. Transaction ITI-47 is used by the Patient Demographics Consumer and Patient Demographics Supplier Actors. Additional components to be included if the Pediatric Demographics Option is supported are also indicated in Sections 3.47.4.1.2.1 to 3.47.4.1.2.4.

#### 3.47.1 Scope

6340 The scope is identical to ITI TF-2a: 3.21.1.

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

### 3.47.2 Use Case Roles



**Actor:** Patient Demographics Consumer

6345 **Role:** Requests a list of patients matching a minimal set of demographic criteria (e.g., ID or partial name) from the Patient Demographics Supplier. Populates its attributes with demographic information received from the Patient Demographics Supplier.

**Corresponding HL7 v3 Application Roles:**

Person Registry Query Placer (PRPA\_AR201303UV02)

**Actor:** Patient Demographics Supplier

6350 **Role:** Returns demographic information for all patients matching the demographic criteria provided by the Patient Demographics Consumer.

**Corresponding HL7 v3 Application Roles:**


Person Registry Query Fulfiller (PRPA\_AR201304UV02)

### 3.47.3 Referenced Standards

6355 HL7 Version 3 Edition 2008, Patient Administration DSTU, Patient Topic (found at <http://www.hl7.org/memonly/downloads/v3edition.cfm#V32008>)

Implementers of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V Web Services for IHE Transactions.

6360 **3.47.4 Interaction Diagrams**



**Figure 3.46.4-1: Find Candidates Query**

**3.47.4.1 Patient Demographics Query**

**3.47.4.1.1 Trigger Events**

6365 A Patient Demographics Consumer’s need to select a patient based on demographic information about patients whose information matches a set of known data will trigger the Patient Demographics Query based on the following HL7 trigger event:

**Find Candidates Query (PRPA\_TE201305UV02)**

6370 An application, in the role of Query Placer, sends a query-by-parameter message to request that the application return *all* person records that match the demographic information sent in the query parameters.

**3.47.4.1.2 Message Semantics**

6375 The Find Candidates Query is supported by the Patient Registry Query by Demographics (PRPA\_MT201306UV02) message. The Patient Demographics Consumer shall generate the query message whenever it needs to select from a list of patients whose information matches a set of demographic data.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

6380 The components of the Patient Registry Query by Demographics message with cardinality greater than 0 (as shown below) are required, and the detailed description of the message is provided in Sections 3.47.4.1.2.1 to 3.47.4.1.2.4. Additional components to be included if the Pediatric Demographics Option is supported are also indicated in Section 3.47.4.1.2.1 to 3.47.4.1.2.4.

6385 The receiver shall respond to the query by sending the Patient Registry Find Candidates Response message (PRPA\_MT201310UV02), which uses the Application Level Acknowledgement transmission wrapper. This satisfies the requirements of original mode acknowledgment; no intermediate Accept Acknowledgement is to be sent. The response message shall contain demographic records that reflect the best fit to all of the search criteria received in the Patient Registry Query by Demographics message.

### **3.47.4.1.2.1 Major Components of the Patient Registry Query by Demographics**

#### **LivingSubjectName Parameter**

6390 This optional parameter specifies the name of the person whose information is being queried. For this parameter item, a single person name (PN) data item shall be specified in the LivingSubjectName.value attribute. Only certain name parts within the PN data type (e.g., family name) may be specified. If the sender needs to indicate that the name parts specified are not limited to an exact match, then the *use* attribute of the *value* element shall be set to "SRCH".

6395 Handling of phonetic issues, alternate spellings, upper and lower case, partial matching, accented characters, etc. if deemed appropriate, is to be supported by the Patient Demographics Supplier rather than by the Patient Demographics Consumer. The Supplier shall return at least all exact matches to the query parameters sent by the Consumer. IHE does not further specify matching requirements, however, the MatchAlgorithm parameter may be used to indicate more specific requirements for the Supplier, based on an existing agreement on allowable values for MatchAlgorithm.value.

6400

#### **LivingSubjectAdministrativeGender Parameter**

6405 This optional parameter specifies the administrative gender of the person whose information is being queried. For this parameter item, a single administrative gender code shall be specified in the LivingSubjectAdministrativeGender.value attribute.

#### **LivingSubjectBirthTime Parameter**

6410 This optional parameter specifies the birth data and time of the person whose information is being queried. This parameter can convey an exact moment (e.g., January 1, 1960 @ 03:00:00 EST), an approximate date (e.g., January 1960), or even a range of dates (e.g., December 1, 1959 through March 31, 1960).

#### **PatientAddress Parameter**

This optional parameter specifies one or more addresses associated with the person whose information is being queried.

**LivingSubjectId Parameter**

6415 This optional repeating parameter specifies an identifier associated with the patient whose information is being queried (e.g., a local identifier, or an account identifier). If multiple instances of this parameter are provided in the query, all of the associated identifiers must match. The identifier specified in the LivingSubjectId.value attribute is expressed using the II data type. Please see Appendix E for the use of the II data type for patient identifiers.

**6420 OtherIDsScopingOrganization Parameter**

This optional repeating parameter specifies the assigning authority/authorities of the Patient Identity Domain(s) for which identifiers are to be returned. The identifier specified in the OtherIDsScopingOrganization.value attribute shall be expressed using the II data type, where the *root* element contains a valid ISO OID, and there is no *extension* element. If no such parameter is supplied, the patient demographics supplier is required to return the identifiers from all Patient Identity Domains known to it. Any parameter value which is not recognized by the target patient information source shall cause an error condition.

Additional components to be included if the Pediatric Demographics Option is supported are also indicated below:

**6430 MothersMaidenName Parameter**

This optional parameter specifies the maiden name of the mother of the person whose information is being queried. For this parameter item, a single person name (PN) data item shall be specified in the Person.value attribute. Within the PN data type, the given name and family name may be specified. If the sender needs to indicate that the name parts specified are not limited to an exact match, then the use attribute of the value element shall be set to "SRCH".

**PatientTelecom Parameter**

This optional parameter specifies the primary telephone number or email address of the person whose information is being queried.

6440 Additional components to be included if the Pediatric Demographics Option is supported are also indicated below:

**MothersMaidenName Parameter**

6445 This optional parameter specifies the maiden name of the mother of the person whose information is being queried. For this parameter item, a single person name (PN) data item shall be specified in the Person.value attribute. Within the PN data type, the given name and family name may be specified. If the sender needs to indicate that the name parts specified are not limited to an exact match, then the *use* attribute of the *value* element shall be set to "SRCH".


**PatientTelecom Parameter**

This optional parameter specifies the primary telephone number or email address of the person whose information is being queried.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.



- LivingSubjectBirthPlaceAddress



6485

**Figure 3.47.4.1.2-1: Message Information Model for the Query by Demographics Message**

The attributes of this model are described in the following table:

**Table 3.47.4.1.2-1: Model Attributes**

| <b>PRPA_HD201306IHE<br/>Patient Registry Query by Demographics</b>                           | <b>This HMD extract defines the message used to query a patient registry for records matching a set of demographics information.<br/>Derived from Figure 3.47.4.1.2-1 (PRPA_RM201306IHE)</b> |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>QueryByParameter</b>                                                                      | The entry point for the domain content in this query                                                                                                                                         |
| queryId [1..1]<br>QueryByParameter (II)                                                      | Unique identifier for the query                                                                                                                                                              |
| statusCode [1..1] (M)<br>QueryByParameter (CS) {CNE:QueryStatusCode, default="new"}          | The status of the query, default is "new"                                                                                                                                                    |
| responseModalityCode [1..1]<br>QueryByParameter (CS) {CNE:ResponseModality, fixed value="R"} | The mode of the response – always real-time.                                                                                                                                                 |
| responsePriorityCode [1..1]<br>QueryByParameter (CS) {CNE:QueryPriority, fixed value="I"}    | The Patient Demographics Supplier is required to send an immediate response.                                                                                                                 |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

| <b>PRPA_HD201306IHE</b><br><b>Patient Registry Query by Demographics</b>                  | <b>This HMD extract defines the message used to query a patient registry for records matching a set of demographics information.</b><br><b>Derived from Figure 3.47.4.1.2-1 (PRPA_RM201306IHE)</b>                          |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| initialQuantity [0..1]<br>QueryByParameter (INT)                                          | Defines the maximum size of the response that can be accepted by the requesting application                                                                                                                                 |
| initialQuantityCode [0..1]<br>QueryByParameter (CE) {CWE:QueryRequestLimit, default="RD"} | Defines the units associated with the initialQuantity; default is "records".                                                                                                                                                |
| <b>MatchAlgorithm</b>                                                                     | This parameter conveys instructions to the patient demographics supplier specifying the preferred matching algorithm to use                                                                                                 |
| value [1..1]<br>ParameterItem (ST)                                                        | The name of the algorithm                                                                                                                                                                                                   |
| semanticsText [1..1]<br>ParameterItem (ST){default= "MatchAlgorithm"}                     |                                                                                                                                                                                                                             |
| <b>MinimumDegreeMatch</b>                                                                 | This parameter conveys instructions to the patient demographics supplier specifying minimum degree of match to use in filtering results                                                                                     |
| value [1..1]<br>ParameterItem (INT)                                                       | The numeric value of the degree of match                                                                                                                                                                                    |
| semanticsText [1..1]<br>ParameterItem (ST){default= "MatchAlgorithm"}                     |                                                                                                                                                                                                                             |
| <b>LivingSubjectAdministrativeGender</b>                                                  | This query parameter is a code representing the administrative gender of a person in a patient registry.                                                                                                                    |
| value [1..1]<br>ParameterItem (CE) {CWE:AdministrativeGender}                             |                                                                                                                                                                                                                             |
| semanticsText [1..1]<br>ParameterItem (ST){default= "LivingSubject.administrativeGender"} |                                                                                                                                                                                                                             |
| <b>LivingSubjectBirthTime</b>                                                             | This query parameter is the birth date of a living subject.                                                                                                                                                                 |
| value [1..1]<br>ParameterItem (IVL<TS>)                                                   | A date or date range. This parameter can convey an exact moment (e.g., January 1, 1960 @ 03:00:00 EST), an approximate date (e.g., January 1960), or even a range of dates (e.g., December 1, 1959 through March 31, 1960). |
| semanticsText [1..1]<br>ParameterItem (ST){default= "LivingSubject.birthTime"}            |                                                                                                                                                                                                                             |
| <b>LivingSubjectId</b>                                                                    |                                                                                                                                                                                                                             |
| value [1..1] (M)<br>ParameterItem (II)                                                    | A patient identifier, used to assist in finding a match for the query.                                                                                                                                                      |
| semanticsText [1..1]<br>ParameterItem (ST){default= "LivingSubject.id"}                   |                                                                                                                                                                                                                             |
| <b>LivingSubjectName</b>                                                                  | This query parameter is the name of a person. If multiple instances of LivingSubjectName are provided, the receiver must consider them as possible alternatives, logically connected with an "or".                          |
| value [1..1]<br>ParameterItem (PN)                                                        | The name "use" attribute can convey that a name is to be matched using "fuzzy" matching, and does not require exact match. Only                                                                                             |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                                                        |                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRPA_HD201306IHE<br/>Patient Registry Query by Demographics</b>                     | <b>This HMD extract defines the message used to query a patient registry for records matching a set of demographics information.<br/>Derived from Figure 3.47.4.1.2-1<br/>(PRPA_RM201306IHE)</b>                        |
|                                                                                        | some of the name parts may be populated. If, for example, only a family name part of a person's name is sent, then the query would match all persons with that family name regardless of their given names or initials. |
| semanticsText [1..1]<br>ParameterItem (ST){default= "LivingSubject.name"}              |                                                                                                                                                                                                                         |
| <b>PatientAddress</b>                                                                  | This query parameter is a postal address for corresponding with a patient. There shall be only a single PatientAddress element                                                                                          |
| value [1..*]<br>ParameterItem (AD)                                                     | Multiple instances of the value element within a Patient Address may be specified and are combined with OR logic.                                                                                                       |
| semanticsText [1..1]<br>ParameterItem (ST){default= "Patient.addr"}                    |                                                                                                                                                                                                                         |
| OtherIDsScopingOrganization                                                            | Optional parameter specifying the assigning authority of a Patient Identity Domain                                                                                                                                      |
| value [1..1]<br>ParameterItem (II)                                                     | The identifier for a Patient Identity Domain's assigning authority.<br>IHE restriction:<br>The value.root attribute SHALL be a valid ISO OID<br>The value.extension attribute SHALL NOT be present                      |
| semanticsText [1..1]<br>ParameterItem (ST){default= "OtherIDs.scopingOrganization.id"} |                                                                                                                                                                                                                         |

6490

When Pediatric Demographics Option is supported, the following sections may be included.

|                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>MothersMaidenName</b>                                                        | Design Comments: This query parameter is the maiden name of a focal person's mother. It is included as a parameter because it is a common attribute for confirming the identity of persons in some registries. This parameter does not map to a single RIM attribute, instead, in RIM terms Mother's maiden name is the person name part of "family" with an EntityNamePartQualifier of "birth" for the person who is the player in a PersonalRelationship of type of "mother" to the focal person. |
| value [1..1]<br>ParameterItem (PN)                                              | Design Comments: A person name. In this case it may consist of only the given name part, the family name part, or both.                                                                                                                                                                                                                                                                                                                                                                             |
| semanticsText [1..1]<br>ParameterItem (ST){default= "Person.MothersMaidenName"} |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>PatientTelecom</b>                                                           | Design Comments: This query parameter is a telecommunications address for communicating with a living subject in the context of the target patient registry. It could be a telephone number, fax number or even an email address. There shall be only a single PatientTelecom element.                                                                                                                                                                                                              |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                     |                                                                                                                                                                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| value [1..*]<br>ParameterItem (TEL) | Design Comments: A telecommunications address. The scheme attribute specifies whether this is a telephone number, fax number, email address, etc. Multiple instances of the value element within a PatientTelecom may be specified and are combined with OR logic. |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 3.47.4.1.2.3 Control Act and Transmission Wrappers

6495 Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.44.4.1.2-2 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

**Table 3.47.4.1.2-7: Wrappers and Constraints**

| Transmission Wrapper                                                                                                                                                                                 | Trigger Event Control Act Wrapper                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MCCI_MT000100UV01 – Send Message Payload                                                                                                                                                             | QUQL_MT021001UV01 – Query Control Act Request: Query By Parameter                                                                                                                                                                                                  |
| The value of interactionId SHALL be set to PRPA_IN201305UV02<br>The value of processingModeCode SHALL be set to T<br>The acceptAckCode SHALL be set to AL<br>There SHALL be only one receiver Device | The value of ControlActProcess.moodCode SHALL be set to EVN<br>The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE201305UV02<br>If an authorOrPerformer participation is present, the value of authorOrPerformer.typeCode SHALL be set to AUT |

6500 The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schemas from the HL7 V3 2008 Normative Edition can be found at [Edition2008/processable/multicacheschemas/PRPA\\_IN201305UV02.xsd](http://www.hl7.org/standard/2008/processable/multicacheschemas/PRPA_IN201305UV02.xsd)

### 3.47.4.1.2.4 Web Services Types and Messages

The Patient Registry Query by Demographics message will be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V.

6505 The following WSDL naming conventions SHALL apply:  
 query message -> "PRPA\_IN201305UV02\_Message"

The following WSDL snippet describes the type for this message:

```

6510 <types>
 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
 xmlns:hl7="urn:hl7-org:v3">
 <!-- Include the message schema -->
 <xsd:import namespace="urn:hl7-org:v3"
 schemaLocation=" ../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201305UV02.xsd"/>
6515 <xsd:element name="PRPA_IN201305UV02"/>
 </xsd:schema>
 </types>

```

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

6520 The message is described by the following snippet:

```

...
<message name="PRPA_IN201305UV02_Message">
<part element="hl7:PRPA_IN201305UV02" name="Body" />
</message>

```

6525

The port types for the WSDL describing the Patient Demographics Service are described together with the expected actions of the actors which receive these messages in Section 3.47.4.2.3.

### 3.47.4.1.3 Expected Actions

6530 **3.47.4.1.3.1 Immediate Response**

The Patient Demographics Supplier shall immediately return a Find Candidates Response message as specified below in Section 3.47.4.2. The response message uses the Application Acknowledgement transmission wrapper, as specified in ITI TF-2x: Appendix O.1.3, and no other acknowledgments are part of this transaction.

6535 **3.47.4.1.3.2 Query Parameter Processing**

The Patient Demographics Supplier shall be capable of accepting, searching on, and responding with attributes in the Query Person by Demographics message.

6540 Handling of phonetic issues, alternate spellings, upper and lower case, partial matching, accented characters, etc., if deemed appropriate, is to be supported by the Patient Demographics Supplier rather than by the Patient Demographics Consumer. The Supplier shall return at least all exact matches to the query parameters sent by the Consumer; IHE does not further specify matching requirements, except as already discussed in the LivingSubjectName parameter description.

### 3.47.4.1.3.3 Incremental Response Processing

6545 The Patient Demographics Supplier, which supports the Continuation Option, shall be capable of accepting and processing the *QueryByParameter.responsePriorityCode* attribute. In particular, the Patient Demographics Supplier shall respond in immediate mode.

6550 Also, the Patient Demographics Supplier shall be able to interpret *QueryByParameter.initialQuantity* to return successive responses of partial lists of records. When processing incremental responses, the Patient Demographics Consumer shall request additional responses using the Query Control Act Request Continue/Cancel message (QUQI\_MT000001UV01), as described in Section 3.47.4.3.

### 3.47.4.1.3.4 Web Services Port Type and Binding Definitions

These definitions are part of the query response message. Please see Section 3.47.4.2.3 for more information.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

6555 **3.47.4.1.3.5 Message Examples**

Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

**3.47.4.2 Patient Demographics Query Response**

**3.47.4.2.1 Trigger Events**

6560 The Patient Demographics Supplier's response to the Find Candidates Query message is triggered by the following trigger:

**Find Candidates Response (PRPA\_TE201306UV02)**

An application returns a Patient Registry Find Candidates Response message populated with information it holds for *each* person whose record matches the demographic information sent as parameters in a query-by-parameter message.

6565 **3.47.4.2.2 Message Semantics**

6570 The Patient Registry Find Candidates Response message (PRPA\_MT201310UV02) is sent by the Patient Demographics Supplier in direct response to the query (PRPA\_MT201306UV02) or, if the Continuation Option is supported, the query continuation (QUQL\_MT000001UV01) message previously received. The components of the message with cardinality greater than 0 (as shown below) are required, and the detailed description of the message is provided in Sections 3.47.4.2.2.1 to 3.47.4.2.2.4. All other attributes of the message are optional.

**3.47.4.2.2.1 Major Components of the Patient Registry Find Candidates Response Message**

6575 This message shares all the major components of the Patient Activate/Revise messages, as described in Section 3.44.4.1.2.1. The only additional component is the QueryMatchObservation class.

**Query Match Observation**

The *QueryMatchObservation* class is used to convey information about the quality of the match for each record returned by the query response.


6580 **3.47.4.2.2.2 Message Information Model of the Patient Registry Find Candidates Response Message**

6585 Below is the Message Information Model for the Patient Registry Find Candidates Response message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this transaction. It is a strict common subset of the *Patient Registry Find Candidates Response (PRPA\_RM201310UV02)* RMIM.

The base RMIM can be found on the HL7 V3 2008 Edition CD at [Edition2008/domains/uvpa/editable/PRPA\\_RM201310UV.htm](http://www.hl7.org/standard/2008/08/01/editions/2008/domains/uvpa/editable/PRPA_RM201310UV.htm). The following restrictions were made on the original RMIMs to arrive at the restricted model:

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

- The focal entity choice is restricted to be only a person
- 6590 • The relationship holder of the personal relationship is restricted to be a person (using CMET COCT\_MT030207UV)
- The following roles are omitted:
  - asPatientOfOtherProvider
  - birthPlace
  - 6595 • guarantor
  - guardian
  - contactParty
  - asMember
  - careGiver
  - 6600 • asStudent
- The following participations are omitted:
  - subjectOf (administrativeObservation)
  - coveredPartyOf (coverage)



6605

**Figure 3.47.4.2.2-1: Message Information Model for the Patient Registry Find Candidates Response Message**

The attributes of this model are described in the following table. Note that CMETs are not discussed, as the HL7 definitions for them are being used.

6610

**Table 3.47.4.2.2-8: Model Attributes**

| <b>PRPA_HD201310IHE<br/>Patient Registry Find Candidates Response</b> | <b>This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.47.4.2.2-1 (PRPA_RM201310IHE)</b> |
|-----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Patient</b>                                                        | The primary record for the focal person in a Patient Demographics Supplier                                                                                                             |
| classCode [1..1] (M)<br>Patient (CS) {CNE:PAT}                        | Structural attribute; this is a "patient" role                                                                                                                                         |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

| <b>PRPA_HD201310IHE<br/>Patient Registry Find Candidates Response</b>            | <b>This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.47.4.2.2-1 (PRPA_RM201310IHE)</b>                                                                                        |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| id [1..*] (M)<br>Patient (SET<II>)                                               | Patient identifiers. Patient Identifiers from different Identity Domains may be contained either here, or in the OtherIDs.id attributes, but not in both places. At least one Patient Identifier shall be present in this attribute                                           |
| statusCode [1..1]<br>Patient (CS) {CNE:active, fixed value= "active"}            | A value specifying the state of this record in a patient registry (based on the RIM role class state-machine). This record is active.                                                                                                                                         |
| confidentialityCode [0..*]<br>Patient (SET<CE>) {CWE:Confidentiality}            | Value(s) that control the disclosure of information about this living subject as a patient                                                                                                                                                                                    |
| veryImportantPersonCode [0..1]<br>Patient (CE) {CWE:PatientImportance}           | A code specifying the patient's special status granted by the scoper organization, often resulting in preferred treatment and special considerations. Examples include board member, diplomat.                                                                                |
| <b>Person</b>                                                                    | A subtype of LivingSubject representing a human being<br><br>Either Person.name or Patient.id must be non-null                                                                                                                                                                |
| classCode [1..1] (M)<br>Person (CS) {CNE:PSN, fixed value= "PSN"}                | Structural attribute; this is a "person" entity                                                                                                                                                                                                                               |
| determinerCode [1..1] (M)<br>Person (CS) {CNE:INSTANCE, fixed value= "INSTANCE"} | Structural attribute; this is a specific person                                                                                                                                                                                                                               |
| name [1..*]<br>Person (BAG<PN>)                                                  | Name(s) for this person                                                                                                                                                                                                                                                       |
| telecom [0..*]<br>Person (BAG<TEL>)                                              | Telecommunication address(es) for communicating with this person                                                                                                                                                                                                              |
| administrativeGenderCode [0..1]<br>Person (CE) {CWE:AdministrativeGender}        | A value representing the gender (sex) of this person. Note: this attribute does not include terms related to clinical gender which is a complex physiological, genetic and sociological concept that requires multiple observations in order to be comprehensively described. |
| birthTime [0..1]<br>Person (TS)                                                  | The date and time this person was born                                                                                                                                                                                                                                        |
| deceasedInd [0..1]<br>Person (BL)                                                | An indication that this person is dead                                                                                                                                                                                                                                        |
| deceasedTime [0..1]<br>Person (TS)                                               | The date and time this person died                                                                                                                                                                                                                                            |
| multipleBirthInd [0..1]<br>Person (BL)                                           | An indication that this person was part of a multiple birth                                                                                                                                                                                                                   |
| multipleBirthOrderNumber [0..1]                                                  | The order in which this person was born if part                                                                                                                                                                                                                               |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

| <b>PRPA_HD201310IHE<br/>Patient Registry Find Candidates Response</b>     | <b>This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.47.4.2.2-1 (PRPA_RM201310IHE)</b>                                        |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Person (INT)                                                              | of a multiple birth                                                                                                                                                                                                           |
| addr [0..*]<br>Person (BAG<AD>)                                           | Address(es) for corresponding with this person                                                                                                                                                                                |
| maritalStatusCode [0..1]<br>Person (CE) {CWE:MaritalStatus}               | A value representing the domestic partnership status of this person                                                                                                                                                           |
| religiousAffiliationCode [0..1]<br>Person (CE) {CWE:ReligiousAffiliation} | A value representing the primary religious preference of this person                                                                                                                                                          |
| raceCode [0..*]<br>Person (SET<CE>) {CWE:Race}                            | A set of values representing the races of this person                                                                                                                                                                         |
| ethnicGroupCode [0..*]<br>Person (SET<CE>) {CWE:Ethnicity}                | A set of values representing the ethnic groups of this person                                                                                                                                                                 |
| <b>OtherIDs</b>                                                           | Used to capture additional identifiers for the person such as a Drivers' license or Social Security Number.                                                                                                                   |
| classCode [1..1] (M)<br>Role (CS) {CNE:ROL}                               | Structural attribute. This can be any specialization of "role" except for Citizen, or Employee.,                                                                                                                              |
| id [1..*] (M)<br>Role (SET<II>)                                           | One or more identifiers issued to the focal person by the associated scopingOrganization (e.g., identifiers from a different Patient Identity Domain).                                                                        |
| <b>PersonalRelationship</b>                                               | A personal relationship between the focal living subject and another living subject                                                                                                                                           |
| classCode [1..1] (M)<br>Role (CS) {CNE:PRS, fixed value= "PRS"}           | Structural attribute; this is a "personal relationship" role                                                                                                                                                                  |
| id [0..*]<br><a href="#">Role (SET&lt;II&gt;)</a>                         | Identifier(s) for this personal relationship                                                                                                                                                                                  |
| code [1..1] (M)<br>Role (CE) {CWE:PersonalRelationshipRoleType}           | A required value specifying the type of personal relationship between the relationshipHolder and the scoping living subject drawn from the PersonalRelationshipRoleType domain, for example, spouse, parent, unrelated friend |
| <b>Citizen</b>                                                            | Used to capture person information relating to citizenship.                                                                                                                                                                   |
| classCode [1..1] (M)<br>Role (CS) {CNE:CIT, fixed value= "CIT"}           | Structural attribute; this is a "citizen" role                                                                                                                                                                                |
| id [0..*]<br>Role (SET<II>)                                               | Identifier(s) for the focal person as a citizen of a nation                                                                                                                                                                   |
| <b>Nation</b>                                                             | A politically organized body of people bonded by territory and known as a nation.                                                                                                                                             |
| classCode [1..1] (M)                                                      | Structural attribute; this is a 'nation' type of                                                                                                                                                                              |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

| <b>PRPA_HD201310IHE<br/>Patient Registry Find Candidates Response</b>                                                                                                   | <b>This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.47.4.2.2-1 (PRPA_RM201310IHE)</b>                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Organization (CS) {CNE:NAT, fixed value= "NAT"}                                                                                                                         | entity                                                                                                                                                                                                                                                                                                                                                                |
| determinerCode [1..1] (M)<br>Organization (CS) {CNE:INSTANCE, fixed value= "INSTANCE"}                                                                                  | Structural attribute; this is a specific entity                                                                                                                                                                                                                                                                                                                       |
| code [1..1] (M)<br>Organization (CD) {CWE:NationEntityType}                                                                                                             | A value that identifies a nation state                                                                                                                                                                                                                                                                                                                                |
| name [0..1]<br>Organization (ON)                                                                                                                                        | A non-unique textual identifier or moniker for this nation                                                                                                                                                                                                                                                                                                            |
| <b>Employee</b>                                                                                                                                                         | A relationship of the focal person with an organization to receive wages or salary. The purpose of this class is to identify the type of relationship the employee has to the employer rather than the nature of the work actually performed. For example, it can be used to capture whether the person is a Military Veteran or not..                                |
| classCode [1..1] (M)<br>Employee (CS) {CNE:EMP}                                                                                                                         | Structural attribute; this is an "employee" role                                                                                                                                                                                                                                                                                                                      |
| statusCode [0..1]<br>Employee (CS) {CNE:RoleStatus}                                                                                                                     | A value specifying the state of this employment relationship (based on the RIM Role class state-machine), for example, active, suspended, terminated.                                                                                                                                                                                                                 |
| occupationCode [0..1]<br>Employee (CE) {CWE:EmployeeOccupationCode}                                                                                                     | A code qualifying the classification of kind-of-work based upon a recognized industry or jurisdictional standard. OccupationCode is used to convey the person's occupation as opposed to jobClassCode (not used in this transaction) which characterizes this particular job. For example, it can be used to capture whether the person is a Military Veteran or not. |
| <b>LanguageCommunication</b>                                                                                                                                            | A language communication capability of the focal person                                                                                                                                                                                                                                                                                                               |
| languageCode [1..1] (M)<br>LanguageCommunication (CE) {CWE:HumanLanguage}                                                                                               | A value representing a language for which the focal person has some level of proficiency for written or spoken communication. Examples: Spanish, Italian, German, English, American Sign                                                                                                                                                                              |
| preferenceInd [0..1]<br>LanguageCommunication (BL)                                                                                                                      | An indicator specifying whether or not this language is preferred by the focal person for the associated mode                                                                                                                                                                                                                                                         |
| QueryMatchObservation                                                                                                                                                   | Used to convey information about the quality of the match for each record.                                                                                                                                                                                                                                                                                            |
| classCode [1..1] (M)<br>Observation (CS)<br>{CNE: <a href="http://hl7.org/v3ballot2007may/html/infrastructure">http://hl7.org/v3ballot2007may/html/infrastructure</a> } | Structural attribute – this is an observation                                                                                                                                                                                                                                                                                                                         |

**HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.**

|                                                                                                                                                                         |                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRPA_HD201310IHE<br/>Patient Registry Find Candidates Response</b>                                                                                                   | <b>This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.47.4.2.2-1 (PRPA_RM201310IHE)</b>                                                           |
| <a href="#">ture/vocabulary/ActClass.htm - ActClass</a> , default="OBS" }                                                                                               |                                                                                                                                                                                                                                                  |
| moodCode [1..1] (M)<br>Observation (CS)<br>{ CNE: <a href="#">http://hl7.org/v3ballot2007may/html/infrastructure/vocabulary/ActMood.htm - ActMood</a> , default="EVN" } | Structural attribute – this is an event                                                                                                                                                                                                          |
| code [1..1] (M)<br>Observation (CD) {CWE:QueryMatchObservationType}                                                                                                     | A code, identifying this observation as a query match observation.                                                                                                                                                                               |
| value [1..1] (M)<br>QueryMatchObservation (INT)                                                                                                                         | A numeric value indicating the quality of match for this record. It shall correspond to the MinimumDegreeMatch.value attribute of the original query, and it shall have the same meaning (e.g., percentage, indicating confidence in the match). |

### 3.47.4.2.2.3 Control Act and Transmission Wrappers

Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.44.4.1.2-2 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

6615

**Table 3.47.4.4.2-9: Wrappers and Constraints**

| Transmission Wrapper                                                                                                                                                                                 | Trigger Event Control Act Wrapper                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MCCI_MT000300UV01 – Send Application Acknowledgement                                                                                                                                                 | MFMI_MT700711UV01 – Master File/Registry Query Response Control Act (Role Subject)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| The value of interactionId SHALL be set to PRPA_IN201306UV02<br>The value of processingModeCode SHALL be set to T<br>The acceptAckCode SHALL be set to NE<br>There SHALL be only one receiver Device | The value of ControlActProcess.moodCode SHALL be set to EVN<br>The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE201306UV02<br>There SHALL be zero or more RegistrationEvents present in this message.<br>For each matching record returned, there SHALL be exactly one RegistrationEvent present in this message.<br>If a RegistrationEvent is part of the message, there SHALL be exactly one Patient role present in the payload.<br>There SHALL be no replacementOf act-relationship present in this message<br>There SHALL be a QueryByParameter copy of the original query.<br>The QueryAck.resultTotalQuantity, QueryAck.resultCurrentQuantity, and |

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

| Transmission Wrapper | Trigger Event Control Act Wrapper                                                        |
|----------------------|------------------------------------------------------------------------------------------|
|                      | QueryAck.resultRemainingQuantity attributes SHALL have the appropriate values populated. |

6620 The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schemas from the HL7 V3 2008 Normative Edition can be found at [Edition2008/processable/multicacheschemas/PRPA\\_IN201306UV02.xsd](http://www.hl7.org/standard/2008/processable/multicacheschemas/PRPA_IN201306UV02.xsd).

#### 3.47.4.2.2.4 Web Services Types and Messages

6625 The Patient Registry Query by Demographics message will be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V.

The following WSDL naming conventions SHALL apply:

```
response message -> "PRPA_IN201306UV02_Message"
```

The following WSDL snippet describes the type for these message:

```
6630 ...
 <types>
 <xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
 xmlns:hl7="urn:hl7-org:v3">
 <!-- Include the message schema -->
 <xsd:import namespace="urn:hl7-org:v3"
 6635 schemaLocation=" ../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201306UV02.xsd" />
 <xsd:element name="PRPA_IN201306UV02" />
 </xsd:schema>
 </types>
 ...
```

6640 The message is described by the following snippet:

```
 ...
 <message name="PRPA_IN201306UV02_Message">
 <part element="hl7:PRPA_IN201306UV02" name="Body" />
 </message>
 ...
6645 ...
```

#### 3.47.4.2.3 Expected Actions

6650 The Patient Demographics Supplier shall perform the matching of patient data based on the query parameter values it receives. The information provided by the Patient Demographics Supplier to Patient Demographics Consumers is a list of possible matching patients from the patient information source associated with the value that the Consumer sent in the *Device* class of the transmission wrapper of the query message.

If *OtherIDsScopingOrganization* parameters were part of the query, and they were recognized by the Patient Demographics Supplier as identifying known Patient Identity Domains, the response will also, for each patient, contain any Patient ID values found in the specified domains.

6655 The mechanics of the matching algorithms used are internal to the Patient Demographics Supplier and are outside of the scope of this framework.

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

The Patient Demographics Supplier shall respond to the query request as described by the following 3 cases:

6660 **Case 1** The Patient Demographics Supplier finds (in the patient information source associated with *Receiver.Device* in the query transmission wrapper) at least one patient record matching the criteria sent in the query parameters. There were no *OtherIDsScopingOrganization* parameters in the query.

**AA** (application accept) is returned in *Acknowledgement.typeCode* (transmission wrapper).

**OK** (data found, no errors) is returned in *QueryAck.queryResponseCode* (control act wrapper)

6665 One *RegistrationEvent* (and the associated *Patient* role, subject of that event) is returned from the patient information source for each patient record found. If the Patient Demographics Supplier returns data for multiple patients, it shall return these data in successive occurrences of the *RegistrationEvent* class within the transmission wrapper.

6670 For each patient, one or more identifiers from the Patient ID Domain associated with the target patient information source identified by *Receiver.Device* are represented as *Patient.id* attributes.

6675 If an incremental number of records are specified in *QueryByParamter.initialQuantity* (i.e., the Consumer supports the Continuation Option), and the number of records to be sent exceeds that incremental number, the Supplier shall return only up to the incremental number of records. If the Supplier supports the Continuation Option, it shall correctly populate the *resultTotalQuantity*, *resultCurrentQuantity*, and *resultRemainingQuantity* attributes of the *QueryAck* class in the control act wrapper. If the Supplier does not support the Continuation Option, in addition to returning only up to the incremental number of records requested, it shall return **AE** (application error in the *Acknowledgement.typeCode* (transmission wrapper) and **AE** (application error) is returned in *QueryAck.queryResponseCode* (control act wrapper).

6680 The Consumer may then send a query continuation message as a subsequent query request for the next increment of responses.

6685 **Case 2:** The Patient Demographics Supplier finds (in the patient information source associated with *Receiver.Device* in the query transmission wrapper) at least one patient record matching the criteria sent in the query parameters. One or more *OtherIDsScopingOrganization* parameters are present in the query; the Supplier recognizes all the requested domains.

**AA** (application accept) is returned in *Acknowledgement.typeCode* (transmission wrapper).

**OK** (data found, no errors) is returned in *QueryAck.queryResponseCode* (control act wrapper)

6690 One *RegistrationEvent* (and the associated *Patient* role, subject of that event) is returned from the patient information source for each patient record found. If the Patient Demographics Supplier returns data for multiple patients, it shall return these data in successive occurrences of the *RegistrationEvent* class within the transmission wrapper.

For each patient, the identifiers from all the Patient ID Domains requested via the *OtherIDsScopingOrganization* parameter are returned either as values of the *Patient.id* attribute, or as values of the *OtherIDs.id* attribute. The same patient identifier value shall not appear in

|                                                                                                    |
|----------------------------------------------------------------------------------------------------|
| HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International. |
|----------------------------------------------------------------------------------------------------|

- 6695 both the Patient.id and OtherIDs.id attributes. The Patient Demographics consumer shall consider the identifiers from both places as equivalently valid. If the Patient Demographics supplier cannot provide a patient ID for some of the requested Patient ID Domains, then an *OtherIDs.id* attribute shall have an appropriate null value, and the *ScopingOrganization* class shall identify the corresponding domain.
- 6700 If an incremental number of records are specified in *QueryByParameter.initialQuantity*, and the number of records to be sent exceeds that incremental number, and the Patient Demographics Supplier supports the Continuation Option, the Supplier returns only the incremental number of records, correctly populating the *resultTotalQuantity*, *resultCurrentQuantity*, and *resultRemainingQuantity* attributes of the *QueryAck* class in the control act wrapper. The consumer will send a query continuation message as a subsequent query request for the next increment of responses. If the Supplier does not support the Continuation Option, then AE (application error) is returned in the *Acknowledgement.typeCode* (transmission wrapper) and AE (application error) is returned in *QueryAck.queryResponseCode* (control act wrapper).
- 6705
- Case 3:** The Patient Demographics Supplier does not recognize one or more *OtherIDsScopingOrganization* parameters as representing valid Patient Identity Domains.
- 6710 **AE** (application error) is returned in *Acknowledgement.typeCode* (transmission wrapper) and in *QueryAck.queryResponseCode* (control act wrapper).
- No *RegistrationEvent* is returned.
- The queried-for patient identification domains are returned in the *QueryByParameter* parameter list (control act wrapper).
- 6715
- For each domain that was not recognized, an *AcknowledgmentDetail* class is returned in which the attributes *typeCode*, *code*, and *location* are valued as follows:

| Attribute | VALUE                                                                                                                                              |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| typeCode  | E                                                                                                                                                  |
| code      | 204 (Unknown Key Identifier)                                                                                                                       |
| location  | XPath expression for the value element of the <i>OtherIDsScopingOrganization</i> parameter (which includes the repetition number of the parameter) |

### 3.47.4.2.3.1 Web Services Port Type and Binding Definitions

- 6720 **IHE-WSP201) The attribute */wsdl:definitions/@name* SHALL be “PDSupplier”.**

The following WSDL naming conventions SHALL apply:

- ```

wsdl:definitions/@name="PDSupplier":
patient demographics query    -> "PRPA_IN201305UV02_Message"
patient demographics response -> "PRPA_IN201306UV02_Message"
continuation query           -> "QUQI_IN000003UV01_Message"
accept acknowledgement       -> "MCCI_IN000002UV01_Message"
portType                     -> "PDSupplier_PortType"
get candidates operation      -> "PDSupplier_PRPA_IN201305UV02"
    
```
- 6725

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

6730 continuation operation ->
 "PDSupplier_PRPA_IN201305UV02_Continue"
 cancel operation -> "PDSupplier_PRPA_IN201305UV02_Cancel"
 SOAP 1.2 binding -> "PDSupplier_Binding_Soap12"
 SOAP 1.2 port -> "PDSupplier_Port_Soap12"

6735 The following WSDL snippets specify the Patient Demographics Query Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

3.47.4.2.3.1.1 Port Type

6740 <portType name="PDSupplier_PortType">
 <operation name="PDSupplier_PRPA_IN201305UV02">
 <input message="tns:PRPA_IN201305UV02_Message" wsaw:Action="urn:hl7-
 org:v3:PRPA_IN201305UV02"/>
 <output message="tns:PRPA_IN201306UV02_Message" wsaw:Action="urn:hl7-
 org:v3:PRPA_IN201306UV02"/>
 6745 </operation>
 <operation name="PDSupplier_QUQI_IN000003UV01_Continue">
 <input message="tns:QUQI_IN000003UV01_Message" wsaw:Action="urn:hl7-
 org:v3:QUQI_IN000003UV01_Continue"/>
 <output message="tns:PRPA_IN201306UV02_Message" wsaw:Action="urn:hl7-
 6750 org:v3:PRPA_IN201306UV02"/>
 </operation>
 <operation name="PIXManager_QUQI_IN000003UV01_Cancel">
 <input message="tns:QUQI_IN000003UV01_Message" wsaw:Action="urn:hl7-org:v3:
 QUQI_IN000003UV01_Cancel"/>
 6755 <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:hl7-
 org:v3:MCCI_IN000002UV01"/>
 </operation>
 </portType>

3.47.4.2.3.1.2 Bindings

6760 SOAP 1.2 binding:
 ...
 <binding name="PDSupplier_Binding_Soap12" type="PDSupplier_PortType">
 <wssoap12:binding style="document"
 transport="http://schemas.xmlsoap.org/soap/http"/>
 6765 <operation name="PDSupplier_PRPA_IN201305UV02">
 <wssoap12:operation soapAction="urn:hl7-org:v3:PRPA_IN201305UV02"/>
 <input>
 <wssoap12:body use="literal"/>
 </input>
 6770 <output>
 <wssoap12:body use="literal"/>
 </output>
 </operation>
 <operation name="PDSupplier_QUQI_IN000003UV01_Continue">
 6775 <wssoap12:operation soapAction="urn:hl7-
 org:v3:QUQI_IN000003UV01_Continue"/>

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

        <input>
          <wssoap12:body use="literal"/>
        </input>
6780    <output>
          <wssoap12:body use="literal"/>
        </output>
      </operation>
6785    <operation name="PDSupplier_QUQI_IN000003UV01_Cancel">
      <wssoap12:operation soapAction="urn:hl7-org:v3:
QUQI_IN000003UV01_Cancel"/>
        <input>
          <wssoap12:body use="literal"/>
        </input>
6790    <output>
          <wssoap12:body use="literal"/>
        </output>
      </operation>
6795    </binding>
    ...

```

An informative WSDL for the Patient Demographics Supplier implementing the PDQV3 Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

3.47.4.2.3.2 Message Examples

6800 Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

3.47.4.3 Patient Demographics Query HL7V3 Continuation

3.47.4.3.1 Trigger Events

6805 A Patient Demographics Consumer's need to get another set of matching records to a previously sent Patient Demographics query will trigger the Patient Demographics Query Continuation based on the following HL7 trigger event:

Query General Activate Query Continuation (QUQI_TE000003UV01)

An application, in the role of Query Placer, sends a query continuation message to request that the application return up to a specified number of matching records based on a previous demographics query.

6810 3.47.4.3.2 Message Semantics

The Query continuation is supported by the Query Control Act Request Continue / Cancel (QUQI_MT000001UV01) message. The Patient Demographics Consumer shall generate the continuation message whenever it needs to receive another set of matching records based on the results of a previously sent query.

6815 If the Supplier supports the Continuation Option, it shall respond to the continuation request by sending the Patient Registry Find Candidates Response message (PRPA_MT201310), which

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

uses the Application Level Acknowledgement transmission wrapper. This satisfies the requirements of original mode acknowledgment; no intermediate Accept Acknowledgement is to be sent.

6820 If a cancellation request is sent by the Patient Demographics Consumer, then the receiver shall respond by sending an Accept Acknowledgement (see ITI TF-2x: Appendix O for the descriptions of the Accept Acknowledgement transmission wrapper).

3.47.4.3.2.1 Major Components of the Query Continuation Message

6825 This message contains no domain payload, it is built from a transmission and control act wrappers.

3.47.4.3.2.2 Message Information Model of the Query Continuation Message

Please see ITI TF-2x: Appendix O for the description of the transmission and control act wrappers used by this message. The next section discusses the wrappers, and the specific constraints relevant to this transaction.

6830 **3.47.4.3.2.3 Control Act and Transmission Wrappers**

Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.47.4.3.2-1 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

6835

Table 3.47.4.3.2-1: Wrappers and Constraints

Transmission Wrapper	Trigger Event Control Act Wrapper
MCCI_MT000300UV01 – Send Application Acknowledgement	QUQI_MT000001UV01 – Query Control Act Request Continue / Cancel
The value of interactionId SHALL be set to QUQI_IN000003UV01 The value of processingModeCode SHALL be set to T The acceptAckCode SHALL be set to AL There SHALL be only one receiver Device The Acknowledgement.typeCode SHALL be set to AA The TargetMessage.id SHALL be the message ID of the immediately preceding Query response message	The trigger event code in ControlActProcess.code SHALL be set to PRPA_TE000003UV01 QueryContinuation.queryId SHALL be set to the original query identifier

The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schemas from the HL7 V3 2008 Normative Edition can be found at [Edition2008/processable/multicacheschemas/QUQI_IN000003UV01.xsd](http://www.hl7.org/standard/2008/ed03/processable/multicacheschemas/QUQI_IN000003UV01.xsd)

6840 **3.47.4.3.2.4 Web Services Types and Messages**

The Query Continuation message will be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V.

The following WSDL naming conventions SHALL apply:

```
query continuation    -> "QUQI_IN000003UV01_Message"
```

6845 The following WSDL snippet describes the type for this message:

```
...
<types>
<xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
xmlns:hl7="urn:hl7-org:v3">
6850 <!-- Include the message schema -->
<xsd:import namespace="urn:hl7-org:v3"
schemaLocation="../../../schema/HL7V3/NE2008/multicacheschemas/QUQI_IN000003UV01.xsd"/>
6855 <xsd:element name="QUQI_IN000003UV01"/>
</xsd:schema>
</types>
...
```

The message is described by the following snippet:

```
...
6860 <message name="QUQI_IN000003UV01_Message">
<part element="hl7:QUQI_IN000003UV01" name="Body"/>
</message>
...
```

6865 The port types for the WSDL describing the Patient Demographics Service are described together with the expected actions of the actors which receive these messages in Section 3.47.4.2.3.

3.47.4.3.3 Expected Actions

If a number of records is specified in the *initialQuantity* of the original quantity, and the Patient Demographics Supplier supports the Continuation Option, the Patient Demographics Supplier

6870 Actor shall return an incremental response of that number of records when the number of matching records it finds exceeds the number of records specified. In subsequent query continuation messages, the Patient Demographics Consumer may specify a different number of records to be returned from now on for this query session by populating the *continuationQuantity* attribute. In addition, the consumer may specify from which record the next set of matches

6875 should start by populating the *startResultNumber* attribute. If the Patient Demographics Supplier does not support the Continuation Option and the number of matching records to the original query exceeds the number specified, then, in addition to returning up to that number of records, the Supplier shall return AE (application error) in the Acknowledgement.typeCode (transmission wrapper) and AE (application error) in QueryAck.queryResponseCode (control act wrapper).

6880 The Patient Demographics Supplier shall always populate the *resultTotalQuantity*, *resultCurrentQuantity*, and *resultRemainingQuantity* in the *QueryAck* class. This information

will indicate to the Patient Demographics Consumer whether there are any remaining records to be returned in subsequent continuations.

6885 The Patient Demographics Consumer shall indicate a query session cancellation by sending a continuation message, and setting the continuationQuantity attribute to 0, and setting the statusCode to "aborted". In such case, the Patient Demographics Supplier shall respond with an Accept Acknowledgement (as described in ITI TF-2x: Appendix O).

6890 Sending a query cancellation message is optional. The Patient Demographics Supplier may simply not send any continuation messages once a record has been selected. How long the Patient Demographic Supplier retains query results (for incremental response) is an implementation decision and therefore beyond the scope of IHE.

3.47.4.3.3.1 Web Services Port Type and Binding Definitions

This information is part of the specification of the Patient Demographics Query response in Section 3.47.4.2.3.1.

6895 An informative WSDL for the Patient Demographics Supplier implementing the PDQV3 Profile is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

3.47.4.2.3.2 Message Examples

Message examples can be found online on the IHE FTP site, see ITI TF-2x: Appendix W.

3.47.5 Security Requirements

6900 No transaction specific security considerations.

3.47.5.1 Audit Record Considerations

When grouped with ATNA Secure Node or Secure Application Actors, this transaction is to be audited as "Query Information" event, as defined in ITI TF-2a: Table 3.20.6-1. The following tables show items that are required to be part of the audit record for this transaction.

6905

6910

3.47.5.1.1 Patient Demographics Consumer audit message:

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110112, DCM, "Query")
	EventActionCode	M	"E" (Execute)
	EventDateTime	M	not specialized
	EventOutcomeIndicator	M	not specialized
	EventTypeCode	M	EV("ITI-47", "IHE Transactions", "Patient Demographics Query")
Source (Patient Demographics Consumer) (1)			
Human Requestor (0..n)			
Destination (Patient Demographics Supplier) (1)			
Audit Source (Patient Demographics Consumer) (1)			
Patient (0..n)			
Query Parameters(1)			

Where:

	Field Name	Opt	Value Constraints
Source AuditMessage/ ActiveParticipant	UserID	U	not specialized
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	UserName	U	not specialized
	UserIsRequestor	U	not specialized
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	the machine name or IP address.

6915

	Field Name	Opt	Value Constraints
Human Requestor (if known) AuditMessage/ ActiveParticipant	UserID	M	identity of the human that initiated the transaction.
	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	U	not specialized
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	NetworkAccessPointTypeCode	NA	
	NetworkAccessPointID	NA	

	Field Name	Opt	Value Constraints
Destination AuditMessage/ ActiveParticipant	UserID	M	SOAP endpoint URI
	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	M	"false"
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	the machine name or IP address.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Audit Source <small>AuditMessage/ AuditSourceIdentification</small>	<i>AuditSourceID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	<i>U</i>	<i>not specialized</i>

6920

Patient <small>(AuditMessage/ ParticipantObjectIdentif ication)</small>	<i>ParticipantObjectTypeCode</i>	<i>M</i>	"1" (Person)
	<i>ParticipantObjectTypeCodeRole</i>	<i>M</i>	"1" (Patient)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	<i>M</i>	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectID</i>	<i>M</i>	The patient ID in HL7 CX format (see ITI TF-2x: appendix E).
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>	

Query Parameters <small>(AuditMessage/ ParticipantObjectIdentif ication)</small>	<i>ParticipantObjectTypeCode</i>	<i>M</i>	"2" (system object)
	<i>ParticipantObjectTypeCodeRole</i>	<i>M</i>	"24" (query)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	<i>M</i>	EV("ITI-47", "IHE Transactions", "Patient Demographics Query")
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectID</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>M</i>	the QueryByParameter segment of the query, base64 encoded
<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>	

3.47.5.1.2 Patient Demographics Source audit message:

	Field Name	Opt	Value Constraints
Event <small>AuditMessage/ EventIdentification</small>	<i>EventID</i>	<i>M</i>	EV(110112, DCM, "Query")
	<i>EventActionCode</i>	<i>M</i>	"E" (Execute)
	<i>EventDateTime</i>	<i>M</i>	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	<i>M</i>	<i>not specialized</i>
	<i>EventTypeCode</i>	<i>M</i>	EV("ITI-47", "IHE Transactions", "Patient Demographics Query")
Source (Patient Demographics Consumer) (1)			
Destination (Patient Demographics Supplier) (1)			
Audit Source (Patient Demographics Supplier) (1)			
Patient (0..n)			
Query Parameters(1)			

6925

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Where:

Source <small>AuditMessage/ ActiveParticipant</small>	<i>UserID</i>	<i>U</i>	<i>not specialized</i>
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>U</i>	<i>not specialized</i>
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	the machine name or IP address.

Destination <small>AuditMessage/ ActiveParticipant</small>	UserID	M	SOAP endpoint URI
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>M</i>	"false"
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	the machine name or IP address.

Audit Source <small>AuditMessage/ AuditSourceIdentification</small>	<i>AuditSourceID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	<i>U</i>	<i>not specialized</i>

6930

Patient <small>(AuditMessage/ ParticipantObjectIdentification)</small>	ParticipantObjectTypeCode	M	"1" (Person)
	ParticipantObjectTypeCodeRole	M	"1" (Patient)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	<i>M</i>	<i>Not specialized</i>
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	The patient ID in HL7 CX format (see ITI TF-2x: appendix E).
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>

Query Parameters <small>(AuditMessage/ ParticipantObjectIdentification)</small>	ParticipantObjectTypeCode	M	"2" (system object)
	ParticipantObjectTypeCodeRole	M	"24" (query)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	EV("ITI-47", "IHE Transactions", "Patient Demographics Query")
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectID</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	M	the QueryByParameter segment of the query, base64 encoded

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

	<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>
--	--------------------------------	----------	------------------------


3.48 Retrieve Value Set

6935 This section corresponds to transaction ITI-48 of the IHE IT Infrastructure Technical Framework. The Value Set Consumer and Value Set Repository Actors use transaction ITI-48.

3.48.1 Scope

6940 This transaction is used by the Value Set Consumer to retrieve an Expanded Value Set from the Value Set Repository. The Value Set Consumer has previously obtained the Expanded Value Set OID by means outside of the scope of this transaction. ITI TF-2x: Appendix B has further information about obtaining and managing OIDs which are used as the Value Set Unique ID.

3.48.2 Use case roles



6945 **Figure 3.48.2-1: Use Case Roles**

SVS Actors:

- Actor:** Value Set Consumer
- Role:** Obtains an Expanded Value Set
- Actor:** Value Set Repository
- 6950 **Role:** Provides an Expanded Value Set

3.48.3 Referenced Standards

The referenced standard can be seen in *Table 3.48.3-1 Referenced Standards*.

6955

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Table 3.48.3-1: Referenced Standards

Appendix V	ITI TF-2x: Appendix V Web Services for IHE Transactions Contains references to all Web Services standards and requirements of use
HL7 v3 Data Type XML ITS	HL7 Version 3 Standard: XML Implementation Technology Specifications – Data Types, R1
HTTP 1.1	IETF RFC 2616: Hypertext Transfer Protocol – HTTP 1.1

3.48.4 Interaction Diagram




Figure 3.48.4-1: Interaction Diagram

6960

3.48.4.1 Retrieve Value Set Request

3.48.4.1.1 Trigger Events

Having obtained the Value Set OID, the Value Set Consumer will send the Retrieve Value Set Request to the Value Set Repository.

3.48.4.1.2 Message Semantics

6965

The Retrieve Value Set Request shall carry the following information:

- A required `id`, representing the Value Set OID that identifies the Expanded Value Set within the Repository.
- An optional `version` that identifies a specific version of the Expanded Value Set. If no version is specified, the Value Set Consumer is requesting the most recent version of the Value Set
- An optional `lang` parameter indicating the requested language locale for the `displayName` of the Value Set Concepts. (Note: in the SOAP binding, this parameter is represented via the `xml:lang` XML attribute)

6970

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

6975 Section 3.48.5 describes the Web Services protocol requirements and the format of the message in full detail.

3.48.4.1.3 Expected Actions

6980 When receiving a Retrieve Value Set Request, a Value Set Repository shall generate a Retrieve Value Set Response containing the Expanded Value Set that corresponds to the request parameters or an error code if the Value Set could not be retrieved. If no version is specified in the Request, then the most recent version shall be returned.

6985 The Value Set Repository shall support both the SOAP and HTTP bindings for this transaction. If the Value Set Consumer sends the request using the SOAP binding, the Value Set Repository shall respond using the SOAP binding. If the Value Set Consumer sends the request using the HTTP binding, the Value Set Repository shall respond using the HTTP binding.

3.48.4.2 Retrieve Value Set Response

3.48.4.2.1 Trigger Events

This message will be triggered by a Retrieve Value Set Request Message.

3.48.4.2.2 Message Semantics

6990 The Retrieve Value Set Response Message shall carry the following information for the returned Expanded Value Set:

- A required `id`, representing the Value Set OID that identifies the Value Set within the Value Set Repository. This OID shall be the same as the Value Set OID in the received Retrieve Value Set Request Message.
- 6995 • A required `displayName` that can be used for display purposes.
- An optional `version` that shall be present if the Expanded Value Set has a version, that identifies the specific version of the Value Set returned.
- 7000 • An optional `cacheExpirationHint` indicating that the Value Set Consumer is not expected to change before this date and time. If the request and the response use the HTTP binding, this information shall be also present in the HTTP *Expire* header of the response. For details, please see Sec. 14.21 of IETF RFC 2616.
- 7005 • One or more `ConceptList`, which provides the Concepts of the Expanded Value Set. If there are multiple translations of the Value Set, each translation is returned as a separate `ConceptList`, where only the `displayName` of each Concept, and the language locale represented by `xml:lang` are different.

For each Value Set Concept, the following is returned. These requirements override the requirements of the HL7 schema rules for the CE data type where they conflict.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

- A required `code` (a code that uniquely identifies a class or concept within the context of a code system)
- 7010 • A required `displayName` (the name of the concept)
- A required `codeSystem` (the terminology the concept comes from)
- An optional `codeSystemVersion`. (the version of the terminology the concept comes from)

7015 Section 3.48.5 describes the Web Services requirements and the format of the message in full detail.

3.48.4.2.3 Expected Actions

A Value Set Repository shall return the Expanded Value Set indicated in the request.

7020 If the Value Set Consumer requested a specific language locale, the Value Set Repository shall return only the requested translation of the Expanded Value Set. If the Value Set Consumer did not request a specific language locale, the Value Set Repository shall return all known translations of the Expanded Value Set. This is the only case where more than one `ConceptList` XML element shall be permitted. The `ConceptList` shall have the same code values for the Value Set in question; the `displayName` may have a different value appropriate to the locale.

7025 The Value Set Repository shall return the Expanded Value Set or an error code in case the Value Set could not be expanded. The following error responses may be returned:

- **For the SOAP binding:**
 - a. A SOAP fault, whose code value is NAV, with the reason being: “Unknown value set”.
 - 7030 b. A SOAP fault, whose code value is VERUNK, with the reason being: “Version unknown”.
- **For the HTTP binding:**
 - a. An HTTP status code of 404, with an HTTP Warning header containing warn-code of 111, and warn-text of “NAV: Unknown value set”. See sections 10.4.5 and 14.46 of IETF RFC 2616 for more information.
 - 7035 b. An HTTP status code of 404, with an HTTP Warning header containing warn-code of 112, and warn-text of “VERUNK: Version unknown”. See sections 10.4.5 and 14.46 of IETF RFC 2616 for more information.

3.48.5 Protocol Requirements

7040 The protocol for the Retrieve Value Set transaction describes two bindings. The first is based on SOAP 1.2, and the second is an HTTP binding. The relevant XML namespace definitions can be seen in *Table 3.48.5-1 WSDL Namespace Definitions*.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Table 3.48.5-1: WSDL Namespace Definitions

soap12	http://schemas.xmlsoap.org/wsdl/soap12/
wsaw	http://www.w3.org/2006/05/addressing/wsdl/
xsd	http://www.w3.org/2001/XMLSchema
ihe	urn:ihe:iti:svs:2008

3.48.5.1 SOAP Binding

7045 Value Set Consumers which support the SOAP Binding Option shall follow the rules for Web Services transactions outlined in ITI TF-2x: Appendix V. These are the requirements for the Retrieve Value Set transaction presented in the order in which they would appear in the WSDL definition:

The following types shall be imported (xsd:import) in the /definitions/types section:

7050 namespace="urn:ihe:iti:svs:2008", schema="SVS.xsd"

The /definitions/message/part/@element attribute of the Retrieve Value Set Request message shall be defined as "ihe:RetrieveValueSetRequest"

The /definitions/message/part/@element attribute of the Retrieve Value Set Response message shall be defined as "ihe:RetrieveValueSetResponse"

7055 The /definitions/portType/operation/input/@wsaw:Action attribute for the Retrieve Value Set Request message shall be defined as "urn:ihe:iti:2008:RetrieveValueSet"

The /definitions/portType/operation/output/@wsaw:Action attribute for the Retrieve Value Set Response message shall be defined as

7060 "urn:ihe:iti:2008:RetrieveValueSetResponse"

The /definitions/binding/operation/soap12:operation/@soapAction attribute shall be defined as "urn:ihe:iti:2008:RetrieveValueSet"

7065 These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability. Full sample request and response messages are in Section 3.48.5.3 Sample SOAP Message.

Within the request message payload the <ihe:RetrieveValueSetRequest/> element is defined as:

- A required /ihe:RetrieveValueSetRequest/ihe:ValueSet element
 - A required /ihe:RetrieveValueSetRequest/ihe:ValueSet@id attribute that contains the ID of the requested Value Set within the Value Set Repository. The Value Set ID shall be formatted as an ISO OID.
 - An optional /ihe:RetrieveValueSetRequest/ihe:ValueSet@displayName attribute
- 7070

- 7075
- An optional `/ihe:RetrieveValueSetRequest/ihe:ValueSet@version` attribute.
 - An optional `/ihe:RetrieveValueSetRequest/ihe:ValueSet+xml:lang` attribute.

Value Set Repositories shall include within the response message payload for the SOAP Binding Option the `<ihe:RetrieveValueSetResponse/>` element which contains:

- 7080 An optional `/ihe:RetrieveValueSetResponse@cacheExpirationHint` attribute, indicating that the Value Set Consumer should obtain a new copy before this date and time.

A required `/ihe:RetrieveValueSetResponse/ihe:ValueSet` element, containing

- a required `/ihe:RetrieveValueSetResponse/ihe:ValueSet@id` attribute
 - a required `/ihe:RetrieveValueSetResponse/ihe:ValueSet@displayName` attribute
 - an optional `/ihe:RetrieveValueSetResponse/ihe:ValueSet@version` attribute
 - one or more `/ihe:RetrieveValueSetResponse/ihe:ValueSet/ihe:ConceptList` element, containing:
 - `/ihe:RetrieveValueSetResponse/ihe:ValueSet/ihe:ConceptList/xml:lang` attribute, representing the language locale of the Concept's display names
 - one or more `/ihe:RetrieveValueSetResponse/ihe:ValueSet/ihe:ConceptList/ihe:Concept` elements, representing the concepts within the value set.
- 7085
- 7090
- 7095

The `<ihe:Concept/>` element is defined as being of the HL7 V3 CE data type.

The only occurrence of more than one `ConceptList` element in a response message shall be for the purpose of returning multiple language representations of the same value set.

- 7100 A full XML Schema Document for the SVS types is available on the IHE ftp site (see ITI TF-2x: Appendix W).

3.48.5.2 HTTP Binding

Value Set Consumers which support the HTTP Binding Option shall use the GET method as defined in IETF RFC 2616 for the Retrieve Value Set Request.

3.48.5.2.1 Request Parameters

7105 There are three input parameters, to be provided as part of the URL in the GET request. The parameter values have identical meaning to the ones described in the SOAP binding. These are described in Table 3.48.5.2.1-1.

Table 3.48.5.2.1-1: The Request Parameters in the RetrieveMultipleValueSets request

Parameter	Optionality	Note
Id	Required	Unique identifier of the Value Set.
Version	Optional	The Value Set version.
lang	Optional	The language locale of the Value Set. If present, it shall be encoded as a string from the set of languages listed in IETF RFC 5646 (identical to the values of xml:lang, described in the SOAP binding). If present, the Accept-Language field of the HTTP Header may also contain the same value (see Section 14.4 of IETF RFC 2616).

7110

The full URL for the HTTP binding looks as follows:

<https://example.com/RetrieveValueSet?id=1.2.840.10008.6.1.308&version=20061023&lang=en-US>

7115

Note: “en-US” will not match “en”. For applications that need a more sophisticated user sensitive language matching capability, omitting the lang parameter will return all languages so that the application can make a determination of which language best fits the current user.

3.48.5.2.2 HTTP Response

Value Set Repositories shall format the response to the HTTP GET operation as an HTTP response message as defined in IETF RFC 2616.

7120 The Content-Type field of the HTTP header shall be “text/xml” (see Section 14.4 of IETF RFC 2616).

7125 The content of the HTTP response message shall be an XML encoded Expanded Value Set that complies with the SVS schema. The XML format shall be identical to the body of the SOAP response described in the SOAP binding. The Expanded Value Set shall correspond to the Values Set identified by the Value Set Unique ID in the *id* parameter, the Value Set Version in the *version* parameter, and the language in the *lang* parameter.

An informative WSDL file containing both SOAP and HTTP bindings for the Value Set Repository Actor can be found on the IHE ftp site (see ITI TF-2x: Appendix W).

3.48.5.3 Sample SOAP Messages

7130 The samples in the following two sections show a typical SOAP request and its corresponding SOAP response. The sample messages also show the WS-Addressing headers <Action/>, <MessageID/>, <ReplyTo/>...; these WS-Addressing headers are populated according to the W3C WS-Addressing standard.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

7135 All of the samples presented in this section are also available online on the IHE FTP site (see ITI
TF-2x: Appendix W).

3.48.5.3.1 Sample Retrieve Value Set SOAP Request

```

7140 <?xml version="1.0" encoding="UTF-8"?>
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
  xmlns:a="http://www.w3.org/2005/08/addressing">
  <s:Header>
    <a:Action s:mustUnderstand="1">urn:ihe:iti:2008:RetrieveValueSet</a:Action>
    <a:MessageID>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:MessageID>
    <a:ReplyTo>
7145     <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
    </a:ReplyTo>
    <a:To s:mustUnderstand="1">http://valuesetrepository/</a:To>
  </s:Header>
  <s:Body>
7150     <RetrieveValueSetRequest xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xmlns="urn:ihe:iti:svs:2008">
      <ValueSet id="1.2.840.10008.6.1.308" xml:lang="en-EN"/>
    </RetrieveValueSetRequest>
  </s:Body>
7155 </s:Envelope>

```

3.48.5.3.2 Sample Retrieve Value Set SOAP Response

```

7160 <?xml version="1.0" encoding="UTF-8"?>
<s:Envelope xmlns:a="http://www.w3.org/2005/08/addressing"
  xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Header>
    <a:Action
7165     s:mustUnderstand="1">urn:ihe:iti:2008:RetrieveValueSetResponse</a:Action>
    <a:RelatesTo>urn:uuid:0fbfdced-6c01-4d09-a110-2201afedaa02</a:RelatesTo>
  </s:Header>
  <s:Body>
    <RetrieveValueSetResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-
7170     instance"
      xmlns="urn:ihe:iti:svs:2008" cacheExpirationHint="2008-08-15T00:00:00-
      05:00">
      <ValueSet id="1.2.840.10008.6.1.308"
        displayName="Common Anatomic Regions Context ID 4031"
        version="20061023">
        <ConceptList xml:lang="en-US">
7175         <Concept code="T-D4000" displayName="Abdomen"
          codeSystem="2.16.840.1.113883.6.5"/>
          <Concept code="R-FAB57" displayName="Abdomen and Pelvis"
          codeSystem="2.16.840.1.113883.6.5"/>
          <Concept code="T-15420" displayName="Acromioclavicular joint"
7180         codeSystem="2.16.840.1.113883.6.5"/>
          <Concept code="T-15750" displayName="Ankle joint "
          codeSystem="2.16.840.1.113883.6.5"/>
          <Concept code="T-280A0" displayName="Apex of Lung"
          codeSystem="2.16.840.1.113883.6.5"/>
7185         <Concept code="T-D8200" displayName="Arm"
          codeSystem="2.16.840.1.113883.6.5"/>

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

7190         <Concept code="T-60610" displayName="Bile Duct"
codeSystem="2.16.840.1.113883.6.5"/>
         <Concept code="T-74000" displayName="Bladder"
codeSystem="2.16.840.1.113883.6.5"/>
7195         <Concept code="T-04000" displayName="Breast"
codeSystem="2.16.840.1.113883.6.5"/>
         <Concept code="T-26000" displayName="Bronchus"
codeSystem="2.16.840.1.113883.6.5"/>
7195         <Concept code="T-12770" displayName="Calcaneus"
codeSystem="2.16.840.1.113883.6.5"/>
         <Concept code="T-11501" displayName="Cervical spine"
codeSystem="2.16.840.1.113883.6.5"/>
7200     </ConceptList>
     </ValueSet>
</RetrieveValueSetResponse>
</s:Body>
</s:Envelope>

```

7205 3.48.6 Security Requirements

For security considerations please consult ITI TF-1: 21.4.

Audit trails shall be configurable to record access to a selected list of Value Sets.

3.48.6.1 Audit Record Considerations

7210 The Retrieve Value Set transaction is an Import/Export event, as defined in Section 3.48.6.1.1 *Value Set Consumer audit message* and in Section 3.48.6.1.2 *Value Set Repository audit message*, with the following exceptions.

3.48.6.1.1 Value Set Consumer audit message:

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110107, DCM, "Import")
	EventActionCode	M	"C" (Create) or "U" (Update)
	EventDateTime	M	not specialized
	EventOutcomeIndicator	M	not specialized
	EventTypeCode	M	EV("ITI-48", "IHE Transactions", "Retrieve Value Sets") or EV("ITI-60", "IHE Transactions", "Retrieve Multiple Value Sets")
Source (Value Set Repository) (1)			
Human Requestor (0..n)			
Destination (Value Set Consumer) (1)			
Audit Source (Value Set Consumer) (1)			
ValueSetInstance (1)			

7215

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Where:

Source <small>AuditMessage/ ActiveParticipant</small>	UserID	M	Repository HTTP or SOAP endpoint URI
	<i>AlternativeUserID</i>	U	<i>not specialized</i>
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	“false”
	RoleIDCode	M	EV(110153, DCM, “Source”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address.

Destination <small>AuditMessage/ ActiveParticipant</small>	<i>UserID</i>	U	<i>not specialized.</i>
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	U	<i>not specialized</i>
	<i>UserIsRequestor</i>	U	<i>not specialized</i>
	RoleIDCode	M	EV(110152, DCM, “Destination”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address.

Human Requestor (if known) <small>AuditMessage/ ActiveParticipant</small>	UserID	M	Identity of the human that initiated the transaction.
	<i>AlternativeUserID</i>	U	<i>not specialized</i>
	<i>UserName</i>	U	<i>not specialized</i>
	UserIsRequestor	M	“false”
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.

Audit Source <small>AuditMessage/ AuditSourceIdentification</small>	<i>AuditSourceID</i>	U	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	U	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	U	<i>not specialized</i>

7220

Value Set Instance <small>(AuditMessage/ ParticipantObjectIdentification)</small>	ParticipantObjectTypeCode	M	“2” (System)
	ParticipantObjectTypeCodeRole	M	“3” (Report)
	<i>ParticipantObjectDataLifeCycle</i>	U	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	M	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	U	<i>not specialized</i>
	ParticipantObjectID	M	The value of <Value Set Unique ID>
	ParticipantObjectName	O	The value of <Value Set name>
	<i>ParticipantObjectQuery</i>	U	<i>not specialized</i>
	ParticipantObjectDetail	O	The value of <Value Set Version>

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.48.6.1.2 Value Set Repository audit message:

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110106, DCM, "Export")
	EventActionCode	M	"R" (Read)
	<i>EventDateTime</i>	<i>M</i>	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	<i>M</i>	<i>not specialized</i>
	EventTypeCode	M	EV("ITI-48", "IHE Transactions", "Retrieve Value Sets") or EV("ITI-60", "IHE Transactions", "Retrieve Multiple Value Sets")
Source (Value Set Repository) (1)			
Human Requestor (0..n)			
Destination (Value Set Consumer) (1)			
Audit Source (Value Set Source) (1)			
ValueSetInstance (1)			

Where:

	Field Name	Opt	Value Constraints
Source AuditMessage/ ActiveParticipant	UserID	M	the process ID as used within the local operating system in the local system logs.
	AlternativeUserID	U	Repository HTTP or SOAP endpoint URI
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	UserIsRequestor	M	"false"
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

7225

	Field Name	Opt	Value Constraints
Destination AuditMessage/ ActiveParticipant	<i>UserID</i>	<i>U</i>	<i>not specialized</i>
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>U</i>	<i>not specialized</i>
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

7230

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Human Requestor (if known such as through XUA) <small>AuditMessage/ ActiveParticipant</small>	UserID	M	Identity of the human that initiated the transaction.
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	UserIsRequestor	M	“false”
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.

Audit Source <small>AuditMessage/ AuditSourceIdentification</small>	<i>AuditSourceID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	<i>U</i>	<i>not specialized</i>

Value Set Instance <small>(AuditMessage/ ParticipantObjectIdentification)</small>	ParticipantObjectTypeCode	M	“2” (System)
	ParticipantObjectTypeCodeRole	M	“3” (Report)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	<i>M</i>	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	The value of <Value Set Unique ID>
	ParticipantObjectName	O	The value of <Value Set name>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectDetail	M	The value of <Value Set Version>

7235

3.49 Convey Printed Referral Request

This transaction has been retired in favor of use of the Cross-Enterprise Document Workflow (XDW) Profile.

3.50 Request Referral

7240

This transaction has been retired in favor of use of the Cross-Enterprise Document Workflow (XDW) Profile.

3.51 Multi-Patient Stored Query

This section corresponds to transaction ITI-51 of the IHE Technical Framework. Transaction ITI-51 is used by the Document Consumer and Document Registry Actors.


7245

3.51.1 Scope

The Multi-Patient Stored Query supports a variety of queries for multiple patients. It is based on the Registry Stored Query transaction [ITI-18]. The main difference is the set of queries, which is specified in this transaction.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.51.2 Use Case Roles



7250

Actor: Document Consumer

Role: Issues a Multi-Patient Stored Query to retrieve metadata based on criteria common to multiple patients

Actor: Document Registry

7255

Role: Responds to a Multi-Patient Stored Query by providing the metadata or object references of registry objects which satisfy the query parameters

3.51.3 Referenced Standard

Implementers of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V Web Services for IHE Transactions.

7260


ebRIM OASIS ebXML Registry Information Model v3.0

ebRS OASIS ebXML Registry Services Specifications v3.0

ITI TF-2a: 3.18 ITI-18 Registry Stored Query

ITI TF-3: 4 Metadata used in Document Sharing profiles

3.51.4 Interaction Diagram



7265

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.51.4.1 Multi-Patient Stored Query Request

This is a query request from the Document Consumer to the Document Registry. The query request contains:

7270

- A reference to a pre-defined query stored on the Document Registry Actor
- Parameters to the query

3.51.4.1.1 Trigger Events

The message is initiated when a Document Consumer wants to query for metadata based on criteria spanning multiple patients (multiple Patient IDs).

3.51.4.1.2 Message Semantics

7275

The message semantics are identical to those documented for the Registry Stored Query [ITI-18] transaction except where noted below. The following sections document the differences.

Document Source and Document Registry Actors that support the Asynchronous Web Services Exchange Option shall support Asynchronous Web Services requirements as defined in ITI TF-2x: V.5.

7280

3.51.4.1.2.1 Query Definitions

This transaction defines the following Stored Queries that may query for multiple Patient Ids.

3.51.4.1.2.1.1 FindDocumentsForMultiplePatients

This Multi-Patient Query is semantically identical to the FindDocuments Stored Query (see ITI TF-2a: 3.18.4.1.2.3.7.1) except:

7285

- \$XDSDocumentEntryPatientId is optional (may have zero values).
- \$XDSDocumentEntryPatientId may contain multiple values.
- At least one of the ClassCode, EventCodeList, or HealthcareFacilityTypeCode shall be specified in the provided set of parameters.

Returns: XDSDocumentEntry or ObjectRef objects matching the query parameters

7290

Parameter Name	Attribute	Opt	Mult
\$XDSDocumentEntryPatientId	XDSDocumentEntry.patientId	O	M
\$XDSDocumentEntryClassCode ^{1 2}	XDSDocumentEntry.classCode	O	M
\$XDSDocumentEntryTypeCode ¹	XDSDocumentEntry.typeCode	O	M
\$XDSDocumentEntryPracticeSettingCode ¹	XDSDocumentEntry.practiceSettingCode	O	M
\$XDSDocumentEntryCreationTimeFrom	Lower value of XDSDocumentEntry.creationTime	O	--

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Parameter Name	Attribute	Opt	Mult
\$XDSDocumentEntryCreationTimeTo	Upper value of XSDDocumentEntry.creationTime	O	--
\$XDSDocumentEntryServiceStartTimeFrom	Lower value of XSDDocumentEntry.serviceStartTime	O	--
\$XDSDocumentEntryServiceStartTimeTo	Upper value of XSDDocumentEntry.serviceStartTime	O	--
\$XDSDocumentEntryServiceStopTimeFrom	Lower value of XSDDocumentEntry.serviceStopTime	O	--
\$XDSDocumentEntryServiceStopTimeTo	Upper value of XSDDocumentEntry.serviceStopTime	O	--
\$XDSDocumentEntryHealthcareFacilityTypeCode ^{1 2}	XSDDocumentEntry.healthcareFacilityTypeCode	O	M
\$XDSDocumentEntryEventCodeList ^{1 2}	XSDDocumentEntry.eventCodeList ³	O	M
\$XDSDocumentEntryConfidentialityCode ¹	XSDDocumentEntry.confidentialityCode ³	O	M
\$XDSDocumentEntryAuthorPerson ⁴	XSDDocumentEntry.author	O	M
\$XDSDocumentEntryFormatCode ¹	XSDDocumentEntry.formatCode	O	M
\$XDSDocumentEntryStatus	XSDDocumentEntry.status	R	M
\$XDSDocumentEntryType ⁵	XSDDocumentEntry.objectType	O	M

¹ Shall be coded according to specification in ITI TF-2a: 3.18.4.1.2.3.4 Coding of Code/Code-Scheme.

² At least one of \$XDSDocumentEntryClassCode, \$XDSDocumentEntryEventCodeList, or \$XDSDocumentEntryHealthcareFacilityTypeCode shall be specified.

7295 ³ Supports AND/OR semantics as specified in ITI TF-2a: 3.18.4.1.2.3.5.

⁴ The value for this parameter is a pattern compatible with the SQL keyword LIKE which allows the use of the following wildcard characters: % to match any (or no) characters and _ to match a single character. The match shall be applied to the text contained in the Value elements of the authorPerson Slot on the author Classification (value strings of the authorPerson sub-attribute)

7300 ⁵ See ITI TF-2a:3.18.4.1.2.3.6.2

3.51.4.1.2.1.2 FindFoldersForMultiplePatients

This Multi-Patient Query is semantically identical to the FindFolders Stored Query (see ITI TF-2a: 3.18.4.1.2.3.7.3) except:

- \$XDSDocumentEntryPatientId is optional (may have zero values).
 - \$XDSDocumentEntryPatientId may contain multiple values.
- 7305

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

- \$XDSFolderCodeList shall be a required parameter.

Returns: XDSFolder or ObjectRef objects matching the query parameters

Parameter Name	Attribute	Opt	Mult
\$XDSFolderPatientId	XDSFolder.patientId	O	M
\$XDSFolderLastUpdateTimeFrom	XDSFolder.lastUpdateTime lower value	O	--
\$XDSFolderLastUpdateTimeTo	XDSFolder.lastUpdateTime upper bound	O	--
\$XDSFolderCodeList ^{1,3}	XDSFolder.codeList	R	M
\$XDSFolderStatus	XDSFolder.status	R	M

7310 ¹Shall be coded according to specification in ITI TF-2a: 3.18.4.1.2.3.4 Coding of Code/Code-Scheme.

³Supports AND/OR semantics as specified in ITI TF-2a: 3.18.4.1.2.3.5.

3.51.4.1.2.2 Multi-Patient Stored Query IDs

The following Query Ids shall be used to represent these queries.

Query Name	Query ID
FindDocumentsForMultiplePatients	urn:uuid:3d1bdb10-39a2-11de-89c2-2f44d94eaa9f
FindFoldersForMultiplePatients	urn:uuid:50d3f5ac-39a2-11de-a1ca-b366239e58df

7315 3.51.4.1.2.3 Web Services Transport

The query request and response shall be transmitted using Web Services, according to the requirements specified in ITI TF-2x: Appendix V. The specific values for the WSDL describing the Multi-Patient Stored Query Service are described in this section.

7320 The Document Registry Actor shall accept a Multi-Patient Stored Query Request formatted as a SIMPLE SOAP message and respond with a Multi-Patient Stored Query Response formatted as a SIMPLE SOAP message. The Document Consumer Actor shall generate the Multi-Patient Stored Query Request formatted as a SIMPLE SOAP message and accept a Multi-Patient Stored Query Response formatted as a SIMPLE SOAP message.

IHE-WSP201) The attribute /wsdl:definitions/@name shall be “DocumentRegistry”.

7325 The following WSDL naming conventions shall apply:

7330

```

wsdl:definitions/@name="DocumentRegistry":
query message      -> "MultiPatientStoredQuery_Message"
query response     -> "MultiPatientStoredQueryResponse_Message"
portType           -> "DocumentRegistry_PortType"
operation          -> "DocumentRegistry_MultiPatientStoredQuery"
    
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```
SOAP 1.2 binding -> "DocumentRegistry_Binding_Soap12"
SOAP 1.2 port    -> "DocumentRegistry_Port_Soap12"
```

IHE-WSP202) The targetNamespace of the WSDL shall be “urn:ihe:iti:xds-b:2007”

7335 These are the requirements for the Multi-Patient Stored Query transaction presented in the order in which they would appear in the WSDL definition:

- The following types shall be imported (xsd:import) in the /definitions/types section:
 4. namespace="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0",
schemaLocation="query.xsd"
- 7340 • The /definitions/message/part/@element attribute of the Multi-Patient Stored Query Request message shall be defined as “query:AdhocQueryRequest”
- The /definitions/message/part/@element attribute of the Multi-Patient Stored Query Response message shall be defined as “query:AdhocQueryResponse”
- 7345 • The /definitions/portType/operation/input/@wsaw:Action attribute for the Multi-Patient Stored Query Request message shall be defined as “urn:ihe:iti:2009:MultiPatientStoredQuery”
- The /definitions/portType/operation/output/@wsaw:Action attribute for the Multi-Patient Stored Query Response message shall be defined as “urn:ihe:iti:2009:MultiPatientStoredQueryResponse”
- 7350 • The /definitions/binding/operation/soap12:operation/@soapAction attribute should be defined as “urn:ihe:iti:2009:MultiPatientStoredQuery”

The following WSDL fragment shows an example of Multi-Patient Stored Query transaction definition:

```
7355 <?xml version="1.0" encoding="utf-8"?>
<definitions ...>
  ...
  <types>
    <xsd:schema elementFormDefault="qualified" targetNamespace="urn:ihe:iti:xds-b:2007">
7360     <xsd:import
      namespace="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"
      schemaLocation="schema\query.xsd"/>
    ...
  </xsd:schema>
</types>
7365 <message name="RegistryStoredQuery_Message">
  <documentation>Multi-Patient Stored Query</documentation>
  <part name="body" element="query:AdhocQueryRequest"/>
</message>
7370 <message name="RegistryStoredQueryResponse_Message">
  <documentation>Multi-Patient Stored Query Response</documentation>
  <part name="body" element="query:AdhocQueryResponse"/>
</message>
  ...
7375 <portType name="MPQRegistry_PortType">
  <operation name="MultiPatientStoredQuery">
    <input message="ihe:RegistryStoredQuery_Message"
      wsaw:Action="urn:ihe:iti:2009:MultiPatientStoredQuery"/>
    <output message="ihe:RegistryStoredQueryResponse_Message"
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

7380         wsaw:Action="urn:ihe:iti:2009:MultiPatientStoredQueryResponse"/>
        </operation>
        ...
        </portType>
        ...
</definitions>

```

7385 A full WSDL for the Document Consumer and Document Registry Actors is found in ITI TF-2x: Appendix W.

3.51.4.1.2.4 Sample SOAP Messages

The samples in the following two sections show a typical SOAP request and its relative SOAP response. The sample messages also show the WS-Addressing headers <a:Action/>, <a:MessageID/>, <a:ReplyTo/>...; these WS-Addressing headers are populated according to ITI TF-2x: Appendix V: Web Services for IHE Transactions. The body of the SOAP message is omitted for brevity; in a real scenario the empty element will be populated with the appropriate metadata.

7395 Samples presented in this section are also available online on the IHE FTP site, see ITI TF-2x: Appendix W.

3.51.4.1.2.4.1 Sample Multi-Patient Stored Query SOAP Request

```

7400 <s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
      xmlns:a="http://www.w3.org/2005/08/addressing">
      <s:Header>
7405         <a:Action s:mustUnderstand="1">urn:ihe:iti:2009:MultiPatientStoredQuery</a:Action>
         <a:MessageID>urn:uuid:def119ad-dc13-49c1-a3c7-e3742531f9b3</a:MessageID>
         <a:ReplyTo s:mustUnderstand="1">>
           <a:Address>http://www.w3.org/2005/08/addressing/anonymous</a:Address>
7410         </a:ReplyTo>
         <a:To>http://localhost/service/IHEMPQRegistry.svc</a:To>
      </s:Header>
      <s:Body>
7415         <query:AdhocQueryRequest
           xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"
           xmlns:rim="urn:oasis:names:tc:ebxml-regrep:xsd:rim:3.0"
           xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0">
           <query:ResponseOption returnComposedObjects="true" returnType="LeafClass"/>
7420           <!-- FindDocumentsForMultiplePatients -->
           <rim:AdhocQuery id="urn:uuid:3d1bdb10-39a2-11de-89c2-2f44d94eaa9f">
             <rim:Slot name="$XSDDocumentEntryStatus">
               <rim:ValueList>
                 <rim:Value>('urn:oasis:names:tc:ebxml-
7425                 regrep:ResponseStatusType:Approved')</rim:Value>
               </rim:ValueList>
             </rim:Slot>
7430           </rim:AdhocQuery>
           </query:AdhocQueryRequest>
         </s:Body>
      </s:Envelope>

```

7435 **3.51.4.1.2.4.2 Sample Multi-Patient Stored Query SOAP Response**

```

7435 <s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope"
7440 xmlns:a="http://www.w3.org/2005/08/addressing">
7445   <s:Header>
7450     <a:Action
7455       s:mustUnderstand="1">urn:ihe:iti:2009:MultiPatientStoredQueryResponse</a:Action>
7460     <a:RelatesTo>urn:uuid:def119ad-dc13-49c1-a3c7-e3742531f9b3</a:RelatesTo>
       </s:Header>
       <s:Body>
         <query:AdhocQueryResponse
           xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0"
           status="urn:oasis:names:tc:ebxml-regrep:ResponseStatusType:Success">
             <rim:RegistryObjectList xmlns:rim="urn:oasis:names:tc:ebxml-regrep:xsd:rim:3.0">
               <!-- Internal details of ExtrinsicObjects are not shown -->
               <rim:ExtrinsicObject/>
               <rim:ExtrinsicObject/>
               <rim:ExtrinsicObject/>
               <rim:ExtrinsicObject/>
               <rim:ExtrinsicObject/>
               <rim:ExtrinsicObject/>
             </rim:RegistryObjectList>
           </query:AdhocQueryResponse>
         </s:Body>
       </s:Envelope>

```

3.51.4.1.3 Expected Actions

See Registry Stored Query [ITI-18] for Expected Actions.

3.51.5 Security Considerations

All of the Security Considerations found in ITI-18 apply with the following further profiling.

7465 It is expected that the ATNA Secure Node authentication would be used to restrict access to the MPQ transaction. It is expected that few systems would be allowed to request the LeafClass return result.

3.51.5.1 Security Audit Considerations

7470 The actors involved shall record one audit event for each patient identity that has been included in the query according to the following. It is important for security auditing that the audit message contain only one patient identity to better handle these messages in the Audit Record Repository. If the query includes no patient identities, both Actors shall record a single audit event with no Patient participant.

3.51.5.1.1 Document Consumer audit message:

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110112, DCM, "Query")
	EventActionCode	M	"E" (Execute)
	EventDateTime	M	not specialized

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

	<i>EventOutcomeIndicator</i>	<i>M</i>	<i>not specialized</i>
	<i>EventTypeCode</i>	<i>M</i>	<i>EV("ITI-51", "IHE Transactions", "Multi-Patient Query")</i>
Source (Document Consumer) (1)			
Human Requestor (0..n)			
Destination (Document Registry) (1)			
Audit Source (Document Consumer) (1)			
Patient (0..1)			
Query Parameters(1)			

7475

Source AuditMessage/ ActiveParticipant	<i>UserID</i>	<i>U</i>	<i>not specialized</i>
	<i>AlternativeUserID</i>	<i>M</i>	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>M</i>	"true"
	<i>RoleIDCode</i>	<i>M</i>	EV(110153, DCM, "Source")
	<i>NetworkAccessPointTypeCode</i>	<i>M</i>	"1" for machine (DNS) name, "2" for IP address
	<i>NetworkAccessPointID</i>	<i>M</i>	The machine name or IP address.

Human Requestor (if known) AuditMessage/ ActiveParticipant	<i>UserID</i>	<i>M</i>	Identity of the human that initiated the transaction.
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>M</i>	"true"
	<i>RoleIDCode</i>	<i>U</i>	Access Control role(s) the user holds that allows this transaction.
	<i>NetworkAccessPointTypeCode</i>	<i>NA</i>	
	<i>NetworkAccessPointID</i>	<i>NA</i>	

Where:

Destination AuditMessage/ ActiveParticipant	<i>UserID</i>	<i>M</i>	SOAP endpoint URI.
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>M</i>	"false"
	<i>RoleIDCode</i>	<i>M</i>	EV(110152, DCM, "Destination")
	<i>NetworkAccessPointTypeCode</i>	<i>M</i>	"1" for machine (DNS) name, "2" for IP address
	<i>NetworkAccessPointID</i>	<i>M</i>	The machine name or IP address.

Audit Source AuditMessage/ AuditSourceIdentification	<i>AuditSourceID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	<i>U</i>	<i>not specialized</i>

7480

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Patient (if included in query) <small>(AuditMessage/ ParticipantObjectIdentification)</small>	ParticipantObjectTypeCode	M	“1” (Person)
	ParticipantObjectTypeCodeRole	M	“1” (Patient)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	<i>M</i>	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>

Query Parameters <small>(AuditMessage/ ParticipantObjectIdentification)</small>	ParticipantObjectTypeCode	M	“2” (system object)
	ParticipantObjectTypeCodeRole	M	“24” (query)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	EV(“ITI-51”, “IHE Transactions”, “Multi-Patient Query”)
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	Stored Query ID (UUID)
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectQuery	M	the AdhocQueryRequest, base64 encoded.3
	<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>

3.51.5.1.2 Document Registry audit message:

	Field Name	Opt	Value Constraints
Event <small>AuditMessage/ EventIdentification</small>	EventID	M	EV(110112, DCM, “Query”)
	EventActionCode	M	“E” (Execute)
	<i>EventDateTime</i>	<i>M</i>	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	<i>M</i>	<i>not specialized</i>
	EventTypeCode	M	EV(“ITI-51”, “IHE Transactions”, “Multi-Patient Query”)
Source (Document Consumer) (1)			
Destination (Document Registry) (1)			
Audit Source (Document Registry) (1)			
Patient (0..1)			
Query Parameters(1)			

7485

Where:

Source <small>AuditMessage/ ActiveParticipant</small>	<i>UserID</i>	<i>U</i>	<i>not specialized</i>
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	UserIsRequestor	M	“true”
	RoleIDCode	M	EV(110153, DCM, “Source”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Destination <i>AuditMessage/ ActiveParticipant</i>	UserID	M	SOAP endpoint URI.
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	UserIsRequestor	M	“false”
	RoleIDCode	M	EV(110152, DCM, “Destination”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address

Audit Source <i>AuditMessage/ AuditSourceIdentification</i>	<i>AuditSourceID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	<i>U</i>	<i>not specialized</i>

Patient (if included in query) <i>(AuditMessage/ ParticipantObjectIdentification)</i>	ParticipantObjectTypeCode	M	“1” (Person)
	ParticipantObjectTypeCodeRole	M	“1” (Patient)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>

7490

Query Parameters <i>(AuditMessage/ ParticipantObjectIdentification)</i>	ParticipantObjectTypeCode	M	“2” (system object)
	ParticipantObjectTypeCodeRole	M	“24” (query)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	EV(“ITI-51”, “IHE Transactions”, “Multi-Patient Query”)
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	Stored Query ID (UUID)
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectQuery	M	the AdhocQueryRequest, base64 encoded.
	<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>

3.55 Cross Gateway Patient Discovery

This section corresponds to transaction ITI-55 of the IHE ITI Technical Framework. Transaction ITI-55 is used by the Initiating Gateway and Responding Gateway Actors.

7495 3.55.1 Scope

The Cross Gateway Patient Discovery transaction supports the ability for Initiating Gateways and Responding Gateways to discover mutually known patients. This transaction assumes an environment where patient data is well described and high quality demographic data is available.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

7500 Because the transaction supports the mutual discovery of patients it can be seen as having dual purposes.

- To support a query by the Initiating Gateway requesting a demographically matching patient from within the Responding Gateway's community.
- To support a feed to Responding Gateway announcing that the patient is known by the Initiating Gateway's community.

7505 This dual nature of the transaction is chosen for scalability purposes, as demographic matching algorithms are expensive on a large scale and once a match is identified it is important that both the initiating and responding sides of the transaction can use the results of that successful match.

The Cross Gateway Patient Discovery transaction has several modes, useful in different environments:

- 7510 • Demographic Query only mode – in this mode only the demographics of the patient are included in the request. The initiating community does not have, or does not choose to specify, a patient identifier for use by the Responding Gateway.
- Demographic Query and Feed – in this mode both the demographic and initiating community identifier are included in the request.
- 7515 • Shared/national Patient Identifier Query and Feed – in this mode only a shared/national identifier is specified. Demographics are not necessary because matching can be done on the identifier alone.

This transaction can be used synchronously and asynchronously.


7520 The Cross Gateway Patient Discovery request asks for information about patients whose demographic data match data provided in the query message. The request is received by the Responding Gateway Actor. The Responding Gateway Actor indicates in its response whether the community has knowledge of a patient matching the set of demographic data and, if a match is found, returns the demographics known by the responding community. If more than one match is found the Responding Gateway has the option of providing a list¹ of matching patients or returning nothing. When nothing is returned the Responding Gateway may include in the response a set of additional demographic attributes which, if supplied, would aid in disambiguating the multiple matches.

7530 In the case of a match, the Responding Gateway may further update its own cache to indicate that the initiating community knows this patient and should be queried if data for this patient is desired.

¹ Returning a list of matches may potentially expose information that is unrelated to the patient requested. Implementers are encouraged to consider ways to keep the number of elements in a list to a minimum. Deployment organizations may choose to declare a limit to the number of elements allowed to be returned.

The criteria used for demographic matching is defined by policy and not specified here, but fully enabled by the transaction.

3.55.2 Use Case Roles



7535

Actor: Initiating Gateway

Role: Requests the Responding Gateway to indicate whether the community has knowledge of a patient matching a set of demographic criteria.

Corresponding HL7 v3 Application Roles:

7540 Person Registry Query Placer (PRPA_AR201303UV02)

Actor: Responding Gateway

Role: If a demographics match is found, returns demographics known by the responding community. If more than one match is found the Responding Gateway has the option of providing a small list of matching patients or returning no match. In the case of no match, the Responding Gateway may provide a list of additional demographic attributes needed to disambiguate multiple matches.

7545

Corresponding HL7 v3 Application Roles:

Person Registry Query Fulfiller (PRPA_AR201304UV02)


3.55.3 Referenced Standard

7550 HL7 Version 3 Edition 2008, Patient Administration DSTU, Patient Topic (found at <http://www.hl7.org/memonly/downloads/v3edition.cfm#V32008>)

Implementers of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V Web Services for IHE Transactions

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

3.55.4 Interaction Diagram



7555

3.55.4.1 Cross Gateway Patient Discovery Request

The Cross Gateway Patient Discovery Request is implemented using the HL7 Patient Registry Query by Demographics (PRPA_MT201306UV02) message.

7560 3.55.4.1.1 Trigger Events

The initiating community needs to determine whether a patient is known by another community. Specific possible trigger events include, but are not limited to:

- The initiating community registers a new patient who has permitted sharing of healthcare data with external communities.
- A healthcare provider within the community requests that records regarding a particular patient be accessed from a particular external community or all external communities known.

7565

3.55.4.1.2 Message Semantics

7570 The components of the Patient Registry Query by Demographics message with cardinality greater than 0 (as shown below) are required, and the detailed description of the message is provided in Sections 3.55.4.1.2.1 to 3.55.4.1.2.3.

For each element which is required, the element shall be specified by the Initiating Gateway in the request and shall be used by the Responding Gateway as part of its demographic matching algorithm.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

7575 For each element which is optional the element does not need to be specified by the Initiating Gateway in the request but, if specified, shall be used by the Responding Gateway as part of its demographic matching algorithm.

7580 The Responding Gateway shall support Asynchronous Web Services Exchange as described in ITI TF-2x: V.5, Synchronous and Asynchronous Web Services Exchange. If the Initiating Gateway declares the Asynchronous Web Services Exchange Option it shall also support Asynchronous Web Services Exchange as described in ITI TF-2x: V.5. Use of Asynchronous Web Services Exchange is necessary when transactions scale to large numbers of communities because it allows for more efficient handling of latency and scale.

7585 The Initiating Gateway may specify a duration value in the SOAP Header element of the request. This value suggests to the Responding Gateway a length of time that the Initiating Gateway recommends caching any correlation resulting from the interaction. The duration value is specified in the SOAP Header using the CorrelationTimeToLive element and contains a value conformant with the xs:duration type defined in <http://www.w3.org/TR/xmlschema-2/#duration>. If no CorrelationTimeToLive element is specified in the SOAP Header the Responding Gateway shall interpret this as a recommendation against caching, unless a mutually agreed policy states otherwise.

7590 An example of specifying the CorrelationTimeToLive element follows, which recommends caching of 7 days.

```
<xcpd:CorrelationTimeToLive>P0Y0M7D</xcpd:CorrelationTimeToLive>
```

7595 **3.55.4.1.2.1 Major Components of the Patient Registry Query by Demographics**

LivingSubjectName Parameter

7600 This required parameter specifies the name of the person whose information is being queried. If multiple instances of LivingSubjectName are provided, the receiver shall consider them as possible alternatives, logically connected with an "or". Within each LivingSubjectName element, a single person name (PN) data item shall be specified in the LivingSubjectName.value attribute. An Initiating Gateway may specify all, or only a subset of the name parts within the PN data type (e.g., family name). The use attribute of the value element shall not be set to "SRCH".

LivingSubjectAdministrativeGender Parameter

7605 This optional parameter specifies the administrative gender of the person whose information is being queried. For this parameter item, a single administrative gender code shall be specified in the LivingSubjectAdministrativeGender.value attribute.

LivingSubjectBirthTime Parameter

7610 This required parameter specifies the birth data and time of the person whose information is being queried. This parameter can convey an exact moment (e.g., January 1, 1960 @ 03:00:00 EST), an approximate date (e.g., January 1960), or even a range of dates (e.g., December 1, 1959 through March 31, 1960).

PatientAddress Parameter

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

This optional parameter specifies one or more addresses associated with the person whose information is being queried.

7615 **LivingSubjectId Parameter**

This optional repeating parameter specifies an identifier associated with the patient whose information is being queried (e.g., a local identifier, or an account identifier). If this parameter is specified, LivingSubjectName and LivingSubjectBirthTime are optional. This feature allows this query to be used when a national/shared patient identifier is known. The identifier specified in the LivingSubjectId.value attribute is expressed using the II data type. Please see ITI TF-2x: Appendix E for the use of the II data type for patient identifiers.

7620

The Initiating Gateway has the option of designating one of the identifiers in LivingSubjectId as the patient identifier that the Responding Gateway may use in an XCA Cross Gateway Query to the community represented by the Initiating Gateway (see Section 3.55.4.1.2.4).

7625 **LivingSubjectBirthPlaceAddress Parameter**

This optional parameter specifies the birth address of the patient.

LivingSubjectBirthPlaceName Parameter

This optional parameter specifies the name of the entity (like hospital name) where the patient was born.

7630 **MothersMaidenName Parameter**

This optional parameter specifies the maiden name of the mother of the person whose information is being queried. For this parameter item, a single person name (PN) data item shall be specified in the Person.value attribute. Within the PN data type, the given name and family name may be specified. The use attribute of the value element shall not be set to "SRCH"

7635 **PatientTelecom**

This optional parameter specifies a telecommunication address or addresses for communication with the patient.

PrincipalCareProviderId

7640 This optional parameter specifies the care provider identifier of a person who has been assigned as the principal care provider of this patient. The requestor may specify multiple PrincipalCareProviderId elements which the responder shall consider as possible alternatives, logically connected with an "or". Within each PrincipalCareProviderId element, a single identifier shall be specified in the PrincipalCareProviderId.value attribute.

7645 **3.55.4.1.2.2 Message Information Model of the Patient Registry Query by Demographics Message**

Below is the Message Information Model for the Query by Demographics message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

transaction. It is a strict subset of the *Patient Registry Query by Demographics (PRPA_RM201306UV02) RMIM*.

- 7650 The base RMIM can be found on the HL7 V3 2008 Edition CD at Edition2008/domains/uvpa/editable/PRPA_RM201306UV.htm. The following restrictions were made on the original RMIMs to arrive at the restricted model:
- The optional attributes ParameterList.id, MatchCriterionList.id, QueryByParameter.responseElementGroupId, QueryByParameter.modifyCode, and QueryByParameter.executionAndDeliveryTime were omitted from the model.
- 7655
- QueryByParameter.responsePriorityCode is required and is either I (Immediate) or D (Deferred). See Section 3.55.6.2 for use of Deferred.
 - QueryByParameter.responseModalityCode is required and is fixed to R (Real Time).
 - QueryByParameter.statusCode is defaulted to "new".
- 7660
- The data type of MatchAlgorithm.value is constrained to ST.
 - The data type of MinimumDegreeMatch.value is constrained to INT between 0 and 100.
 - The data type of LivingSubjectName.value is constrained to PN.
 - The optional SortControl was omitted from the model.
 - The optional MatchWeight was omitted from the model.
- 7665
- The following optional parameters were omitted from the model:
 - PatientStatusCode
 - LivingSubjectDeceaseTime
 - OtherIDsScopingOrganization
 - initialQuantity
- 7670
- initialQuantityCode

The attributes of this model are described in the following table:




Figure 3.55.4.1.2-1: Patient Registry Query by Demographics Message

7675

Table 3.55.4.1.2-1:

PRPA_HD201306IHE Patient Registry Query by Demographics	This HMD extract defines the message used to query a community for patients matching a set of demographics information. Derived from Figure 3.55.4.1.2-1 (PRPA_RM201306IHEXCPD)
QueryByParameter	The entry point for the domain content in this query
queryId [1..1] QueryByParameter (II)	Unique identifier for the query
statusCode [1..1] (M) QueryByParameter (CS) {CNE:QueryStatusCode, fixed value="new"}	The status of the query, shall be "new"
responseModalityCode [1..1] QueryByParameter (CS) {CNE:ResponseModality, fixed value="R"}	The mode of the response – always real-time.
responsePriorityCode [1..1] QueryByParameter (CS) {CNE:QueryPriority}	Either “I” or “D” shall be specified. “I” (Immediate) indicates that the Responding Gateway is required to send an immediate response. “D” (Deferred) indicates the Responding Gateway is required to send a deferred response, see Section 3.55.6.2.
initialQuantity [0..1]	Not supported, any value will be ignored by responder.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PRPA_HD201306IHE Patient Registry Query by Demographics	This HMD extract defines the message used to query a community for patients matching a set of demographics information. Derived from Figure 3.55.4.1.2-1 (PRPA_RM201306IHEXCPD)
QueryByParameter (INT)	
initialQuantityCode [0..1] QueryByParameter (CE) {CWE:QueryRequestLimit, default="RD"}	Not supported, any value will be ignored by responder.
MatchAlgorithm	This parameter conveys instructions to the Responding Gateway specifying the preferred matching algorithm to use and may be ignored
value [1..1] ParameterItem (ST)	The name of the algorithm
semanticsText [1..1] ParameterItem (ST){default= "MatchAlgorithm"}	
MinimumDegreeMatch	This parameter conveys instructions to the Responding Gateway specifying minimum degree of match to use in filtering results and may be ignored
value [1..1] ParameterItem (INT)	The numeric value of the degree of match. Shall be value between 0 and 100 .
semanticsText [1..1] ParameterItem (ST){default= "MinimumDegreeMatch"}	
LivingSubjectAdministrativeGender	This query parameter is a code representing the administrative gender of a person in a patient registry.
value [1..1] ParameterItem (CE) {CWE:AdministrativeGender}	
semanticsText [1..1] ParameterItem (ST){default= "LivingSubject.administrativeGender"}	
LivingSubjectBirthTime	This query parameter is the birth date of a living subject.
value [1..1] ParameterItem (IVL<TS>)	A date or date range. This parameter can convey an exact moment (e.g., January 1, 1960 @ 03:00:00 EST), an approximate date (e.g., January 1960), or even a range of dates (e.g., December 1, 1959 through March 31, 1960).
semanticsText [1..1] ParameterItem (ST){default= "LivingSubject.birthTime"}	
LivingSubjectId	
value [1..*] (M) ParameterItem (II)	A patient identifier, used to assist in finding a match for the query and, when so designated by the Initiating Gateway, used by the Responding Gateway in a XCA Cross Gateway Query directed to the Community designated by the homeCommunityId value specified in the Control Act Wrapper – see Section 3.55.4.1.2.4.
semanticsText [1..1] ParameterItem (ST){default= "LivingSubject.id"}	
LivingSubjectName	This query parameter is the name of a person. If multiple instances of LivingSubjectName are provided, the receiver must consider them as possible alternatives, logically

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PRPA_HD201306IHE Patient Registry Query by Demographics	This HMD extract defines the message used to query a community for patients matching a set of demographics information. Derived from Figure 3.55.4.1.2-1 (PRPA_RM201306IHEXCPD)
	connected with an "or".
value [1..1] ParameterItem (PN)	Only one instance of the value element is allowed. Only some of the name parts may be populated. If, for example, only the family and given name parts of a person's name are sent, then the query would match all persons with that family name and given name regardless of their initials. The use attribute of the value element shall not be set to "SRCH".
semanticsText [1..1] ParameterItem (ST){default= "LivingSubject.name"}	
PatientAddress	This query parameter is a postal address for corresponding with a patient. There shall be only a single PatientAddress element.
value [1..*] ParameterItem (AD)	Multiple instances of the value element within a Patient Address may be specified and are combined with OR logic.
semanticsText [1..1] ParameterItem (ST){default= "Patient.addr"}	
LivingSubjectBirthPlaceAddress	This query parameter is a patient's birthplace represented as an address
value [1..*] ParameterItem (SET<AD>)	
semanticsText [1..1] ParameterItem (ST){default= "LivingSubject.BirthPlace.Addr"}	
LivingSubjectBirthPlaceName	This query parameter is a patient's birthplace represented as a place name
value [1..*] ParameterItem (SET<EN>)	
semanticsText [1..1] ParameterItem (ST){default= "LivingSubject.BirthPlace.Place.Name"}	
PrincipalCareProviderId	This query parameter is the care provider identifier of a person who has been assigned as the principal care provider of this patient. The requestor may specify multiple PrincipalCareProviderId elements which responder shall consider as possible alternatives, logically connected with an "or".
value [1..1] ParameterItem (II)	There shall have only one id in the "value" attribute.
semanticsText [1..1] ParameterItem (ST){default= "AssignedProvider.id"}	
MothersMaidenName	This query parameter is the maiden name of a focal person's mother. It is included as a parameter because it is a common attribute for confirming the identity of persons in some registries. This parameter does not map to a single RIM attribute, instead, in RIM terms Mother's maiden name is the

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PRPA_HD201306IHE Patient Registry Query by Demographics	This HMD extract defines the message used to query a community for patients matching a set of demographics information. Derived from Figure 3.55.4.1.2-1 (PRPA_RM201306IHEXCPD)
	person name part of "family" with an EntityNamePartQualifier of "birth" for the person who is the player in a PersonalRelationship of type of "mother" to the focal person.
value [1..1] ParameterItem (PN)	A person name. In this case it may consist of only the given name part, the family name part, or both.
semanticsText [1..1] ParameterItem (ST) {default="Person.MothersMaidenName"}	
PatientTelecom	This query parameter is a telecommunications address for communicating with a living subject in the context of the target patient registry. It could be a telephone number, fax number or even an email address. There shall be only a single PatientTelecom element.
value [1..*] ParameterItem (TEL)	A telecommunications address. The scheme attribute specifies whether this is a telephone number, fax number, email address, etc. Multiple instances of the value element within a PatientTelecom may be specified and are combined with OR logic.
semanticsText [1..1] ParameterItem (ST) {default="Patient.telecom"}	

3.55.4.1.2.3 Control Act and Transmission Wrappers

7680 Please see ITI TF-2x: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.55.4.1.2-2 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

Table 3.55.4.1.2-2: Wrappers and Constraints

Transmission Wrapper	Trigger Event Control Act Wrapper
MCCI_MT000100UV01 - Send Message Payload	QUQI_MT021001UV01 - Query Control Act Request : Query By Parameter
The value of interactionId shall be set to PRPA_IN201305UV02 The value of processingModeCode shall be set to T The acceptAckCode shall be set to AL There shall be only one receiver Device	The value of ControlActProcess.moodCode shall be set to EVN The trigger event code in ControlActProcess.code shall be set to PRPA_TE201305UV02 If an authorOrPerformer participation is present, the value of authorOrPerformer.typeCode SHALL be set to AUT

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

7685 The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see ITI TF-2x: Appendix W. The schemas from the HL7 V3 2008 Normative Edition can be found at:

Edition2008/processable/multicacheschemas/PRPA_IN201305UV02.xsd)


7690 **3.55.4.1.2.4 Values used by Responding Gateway for a reverse Cross Gateway Query**

The Initiating Gateway shall specify two values in the request which allow the responding community to generate a reverse Cross Gateway Query in search of data about the patient identified in the Cross Gateway Patient Discovery request. The two values are homeCommunityId and community patient id assigning authority.

7695 **homeCommunityId** – this value is a globally unique identifier for a community – further defined in Section 3.38.4.1.2.1. The Initiating Gateway shall specify this value in the Cross Gateway Patient Discovery request unless the Initiating Gateway is not grouped with a Responding Gateway.

7700 The Responding Gateway uses the homeCommunityId to obtain the Web Services endpoint of services that provide access to data in the Initiating Gateway’s community.

The homeCommunityId is specified as the id element within the Organization associated with the device of the sender. The id element designating the homeCommunityId shall have only the root element the contents of which is the homeCommunityId.



7705

Figure 3.55.4.1.2.4-1: Send Message Payload

An example of specifying the homeCommunityId element follows, where homeCommunityId=1.2.3.

7710

```

<sender typeCode="SND">
  <device classCode="DEV" determinerCode="INSTANCE">
    <id root="1.2.840.114350.1.13.999.567"/>
    <asAgent classCode="AGNT">
      <representedOrganization classCode="ORG" determinerCode="INSTANCE">
        <!-- homeCommunityId=urn:oid:1.2.3 -->
        <id root="1.2.3"/>
      </representedOrganization>
    </asAgent>
  </device>
</sender>
    
```

7715

7720

Community patient id assigning authority – this value designates the assigning authority for the patient identifier to be used within a reverse Cross Gateway Query. This value is not the assigning authority for all patient identifiers used by that community, but only the patient identifier used for the patient identified in the query. The Initiating Gateway shall be capable of specifying this value in the Cross Gateway Patient Discovery request.

7725

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

The Responding Gateway may use the specified assigning authority to identify which of the LivingSubjectID values to use in a reverse Cross Gateway Query.

7730 The community patient id assigning authority is specified as the id element within the assignedDevice associated with the authorOrPerformer element. The id element designating the community patient id assigning authority shall have only the root element, the contents of which designate the assigning authority of the LivingSubjectId to be used in the reverse Cross Gateway Query.

7735 An example of specifying the community patient id assigning authority element follows, where the assigning authority specified is 1.2.840.114350.1.13.99997.2.3412 (see highlighted text) which identifies the first LivingSubjectID (root="1.2.840.114350.1.13.99997.2.3412" extension="1234") as the patient identifier to be used in a reverse Cross Gateway Query. In essence, the highlighted text must match to designate the patient identifier.

```

7740 <controlActProcess classCode="CACT" moodCode="EVN">
    <code code="PRPA_TE201305UV02" codeSystem="2.16.840.1.113883.1.6"/>
    <!-- Identifies the first LivingSubjectID in the parameterList as the patient
         Identifier to be used by responder in a reverse Cross Gateway Query -->
    <authorOrPerformer typeCode="AUT">
7745         <assignedDevice>
            <id root="1.2.840.114350.1.13.99997.2.3412"/>
        </assignedDevice>
    </authorOrPerformer>

7750 <queryByParameter>
    <queryId root="1.2.840.114350.1.13.28.1.18.5.999" extension="18204"/>
    <statusCode code="new"/>
    <parameterList>
7755         <livingSubjectBirthTime>
            <value value="19630804"/>
            <semanticsText>LivingSubject..birthTime</semanticsText>
        </livingSubjectBirthTime>
        <livingSubjectName>
7760             <value>
                <given>Jimmy</given>
                <family>Jones</family>
            </value>
            <semanticsText>LivingSubject.name</semanticsText>
        </livingSubjectName>
7765         <LivingSubjectId>
            <value root="1.2.840.114350.1.13.99997.2.3412" extension="1234"/>
            <semanticsText>LivingSubject.id</semanticsText>
        </LivingSubjectId>
        <LivingSubjectId>
7770             <value root="2.16.840.1.113883.4.1" extension="58910"/>
            <semanticsText>LivingSubject.id</semanticsText>
        </LivingSubjectId>
    </parameterList>

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```
7775      </queryByParameter>
      </controlActProcess>
```

Comparison of homeCommunityId and assigning authority

7780 The value of homeCommunityId is an OID which may, or may not, also be an assigning authority. An assigning authority is designated by an OID and issues identifiers, in this case patient identifiers. A community's patient identifier assigning authority issues patient identifiers for patients managed by the community. It is possible for there to be more than one patient identifier assigning authority in a community. The Initiating Gateway must specify the right patient identifier assigning authority for the patient being described. There is only one homeCommunityId per community. This OID may also be used by the community as the patient identifier assigning authority, but this is not required and should not be expected. While both values are OID's they have no necessary relationship. In general it is expected that the homeCommunityId will be assigned by an organization which governs the interaction among communities. In many countries this will be facilitated by the government who will manage the community level agreements necessary for sharing and also assign homeCommunityIds. An assigning authority has no expected level of management, and there may be multiple patient identifier assigning authorities within a community.

3.55.4.1.3 Expected Actions

7795 If responsePriorityCode is "I" the Responding Gateway shall return a Find Candidates Response message as specified in Section 3.55.4.2. The response message uses the Application Acknowledgement transmission wrapper, as specified in ITI TF-2x: O.1.3, and no other acknowledgments are part of this the transaction.

7800 If responsePriorityCode is "D" and the Responding Gateway does not support the Deferred Response Option, it shall return an application error in the HL7 V3 Accept Acknowledgement with acknowledgeDetail to indicate Unsupported Processing Mode.

```
7805 <MCCI_IN000002UV01 ...
      ( . . . )
      <acknowledgement>
        <typeCode code="AE" />
        <targetMessage>
          <id root="22a0f9e0-4454-11dc-a6be-3603d6866807" />
        </targetMessage>
        <acknowledgementDetail typeCode="E">
          <code code="NS250" displayName="Unsupported processing mode" />
          <text>Deferred Response not supported.</text>
        </acknowledgementDetail>
      </acknowledgement>
</MCCI_IN000002UV01>
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

7815 If the Responding Gateway supports the Deferred Response Option, it shall respond as described in Section 3.55.6.2.

If the Responding Gateway is unable to process the request due to an internal error, such as the local Master Patient Index system is offline, the Responding Gateway shall return an application error as described in Section 3.55.4.2.3 Case 5.

7820 The community associated with the Responding Gateway may make use of the homeCommunityId and community patient identifier assigning authority by initiating a Cross Gateway Query. See Section 3.55.4.1.2.4 for more information. This provisioning of the Responding Gateway community may be cached indefinitely, but efforts are needed to ensure that changes are properly reflected. For more detail about this issue refer to Section 3.55.4.2.3.1.

7825 **3.55.4.1.3.1 Query Parameter Processing**

The Responding Gateway Actor shall be capable of accepting, searching on, and responding with attributes in the Query Person by Demographics message.

7830 Handling of phonetic issues, alternate spellings, upper and lower case, accented characters, etc., if deemed appropriate, is to be supported by the Responding Gateway rather than by the Initiating Gateway. The Responding Gateway shall return any matches to the query parameters that reflect a high degree of match, after consideration of all policy constraints; IHE does not further specify matching requirements, except as already discussed in the LivingSubjectName parameter description.

3.55.4.2 Cross Gateway Patient Discovery Response

7835 The Cross Gateway Patient Discovery Response is implemented using the HL7 Patient Registry Find Candidates Response (PRPA_MT201310UV02) message.

3.55.4.2.1 Trigger Events

7840 The Patient Registry Find Candidates Response message (PRPA_MT201310UV02) is sent by the Responding Gateway Actor in response to the query (PRPA_MT201306UV02) message previously received.

3.55.4.2.2 Message Semantics

The components of the message with cardinality greater than 0 (as shown below) are required, and the detailed description of the message is provided in Sections 3.55.4.2.2.1 to 3.55.4.2.2.7. All other attributes of the message are optional.

7845 For each element that is required this means that it shall be provided by Responding Gateway, unless not available, and shall be accepted by requestor but requestor is not required to process the value in any way, only accept it without any error.

7850 The Responding Gateway shall support Asynchronous Web Services Exchange as described in ITI TF-2x: V.5, Synchronous and Asynchronous Web Services Exchange. If the Initiating Gateway declares the Asynchronous Web Services Exchange Option it shall also support

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Asynchronous Web Services Exchange as described in ITI TF-2x: V.5. Use of Asynchronous Web Services Exchange is necessary when transactions scale to large numbers of communities because it allows for more efficient handling of latency and scale.

7855 The Responding Gateway may specify a duration value in the SOAP Header element of the response. This value suggests to the Initiating Gateway a length of time that the Responding Gateway recommends caching any correlation resulting from the interaction. The duration value is specified in the SOAP Header using the CorrelationTimeToLive element and contains a value conformant with the xs:duration type defined in <http://www.w3.org/TR/xmlschema-2/#duration>.
7860 If no CorrelationTimeToLive element is specified in the SOAP Header the Initiating Gateway shall interpret this as a recommendation against caching, unless a mutually agreed policy states otherwise.

An example of specifying the CorrelationTimeToLive element follows, which recommends caching of 7 days.

```
<xcpd:CorrelationTimeToLive>P0Y0M7D</xcpd:CorrelationTimeToLive>
```

7865 **3.55.4.2.2.1 Major Components of the Patient Registry Find Candidates Response Message**

This message shares all the major components of the Patient Activate/Revise messages, as described in Section 3.44.4.1.2.1. The only additional component is the QueryMatchObservation class.

7870 **Query Match Observation**

The QueryMatchObservation class is used to convey information about the quality of the match for each record returned by the query response.

3.55.4.2.2.2 Message Information Model of the Patient Registry Find Candidates Response Message

7875 Below is the Message Information Model for the Patient Registry Find Candidates Response message, as restricted for this transaction. The purpose of the model is to describe the data elements relevant for this transaction. It is a strict common subset of the Patient Registry Find Candidates Response (PRPA_RM201310UV02) RMIM.

7880 The base RMIM can be found on the HL7 V3 2008 Edition CD at [Edition2008/domains/uvpa/editable/PRPA_RM201310UV.htm](http://www.hl7.org/standard/2008/08/01/20080801-domains/uvpa/editable/PRPA_RM201310UV.htm). The following restrictions were made on the original RMIMs to arrive at the restricted model:

- The focal entity choice is restricted to be only a person
- The relationship holder of the personal relationship is restricted to be a person (using CMET COCT_MT030207UV)
- 7885 • The following roles are omitted:
 - asPatientOfOtherProvider

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- guarantor
- guardian
- contactParty
- 7890 • asMember
- careGiver
- asStudent

The following participations are omitted:

- subjectOf2 (administrativeObservation)
- 7895 • coveredPartyOf (coverage)




Figure 3.55.4.2.2-1: Patient Registry Find Candidates Response Message

7900 The attributes of this model are described in the following table. Note that CMETs are not discussed, as the HL7 definitions for them are being used.

Table 3.55.4.2.2-1: Attributes

<p>PRPA_HD201310IHE Patient Registry Find Candidates Response</p>	<p>This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.55.4.2.2-1 (PRPA_RM201310IHE)</p>
--	--

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PRPA_HD201310IHE Patient Registry Find Candidates Response	This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.55.4.2.2-1 (PRPA_RM201310IHE)
Patient	The primary record for the focal person
classCode [1..1] (M) Patient (CS) {CNE:PAT}	Structural attribute; this is a "patient" role
id [1..1] (M) Patient (SET<II>)	The Patient Identifier to be used in subsequent XCA Cross Gateway Query transactions related to this patient when sent to the Responding Gateway sending the response. All other patient identifiers shall be specified in the OtherIDs.id attribute.
statusCode [1..1] Patient (CS) {CNE:active, fixed value= "active"}	A value specifying the state of this record in a patient registry (based on the RIM role class state-machine). This record is active.
confidentialityCode [0..*] Patient (SET<CE>) {CWE:Confidentiality}	Value(s) that control the disclosure of information about this living subject as a patient
veryImportantPersonCode [0..1] Patient (CE) {CWE:PatientImportance}	A code specifying the patient's special status granted by the scoper organization, often resulting in preferred treatment and special considerations. Examples include board member, diplomat.
Person	A subtype of LivingSubject representing a human being Either Person.name or Patient.id must be non-null
classCode [1..1] (M) Person (CS) {CNE:PSN, fixed value= "PSN"}	Structural attribute; this is a "person" entity
determinerCode [1..1] (M) Person (CS) {CNE:INSTANCE, fixed value= "INSTANCE"}	Structural attribute; this is a specific person
name [1..*] Person (BAG<PN>)	Name(s) for this person. May be null i.e., <name nullFlavor="NA"/> only if the request contained only a patient identifier and no demographic data.
telecom [0..*] Person (BAG<TEL>)	Telecommunication address(es) for communicating with this person
administrativeGenderCode [0..1] Person (CE) {CWE:AdministrativeGender}	A value representing the gender (sex) of this person. Note: this attribute does not include terms related to clinical gender which is a complex physiological, genetic and sociological concept that requires multiple observations in order to be comprehensively described.
birthTime [0..1] Person (TS)	The date and time this person was born
birthPlace	
deceasedInd [0..1] Person (BL)	An indication that this person is dead

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PRPA_HD201310IHE Patient Registry Find Candidates Response	This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.55.4.2.2-1 (PRPA_RM201310IHE)
deceasedTime [0..1] Person (TS)	The date and time this person died
multipleBirthInd [0..1] Person (BL)	An indication that this person was part of a multiple birth
multipleBirthOrderNumber [0..1] Person (INT)	The order in which this person was born if part of a multiple birth
addr [0..*] Person (BAG<AD>)	Address(es) for corresponding with this person
maritalStatusCode [0..1] Person (CE) {CWE:MaritalStatus}	A value representing the domestic partnership status of this person
religiousAffiliationCode [0..1] Person (CE) {CWE:ReligiousAffiliation}	A value representing the primary religious preference of this person
raceCode [0..*] Person (SET<CE>) {CWE:Race}	A set of values representing the races of this person
ethnicGroupCode [0..*] Person (SET<CE>) {CWE:Ethnicity}	A set of values representing the ethnic groups of this person
OtherIDs	Used to capture additional identifiers for the person such as a Drivers' license or Social Security Number.
classCode [1..1] (M) Role (CS) {CNE:ROL}	Structural attribute. This can be any specialization of "role" except for Citizen, or Employee.,
id [1..*] (M) Role (SET<II>)	One or more identifiers issued to the focal person by the associated scopingOrganization (e.g., identifiers from a different Patient Identity Domain).
PersonalRelationship	A personal relationship between the focal living subject and another living subject
classCode [1..1] (M) Role (CS) {CNE:PRS, fixed value= "PRS"}	Structural attribute; this is a "personal relationship" role
id [0..*] Role (SET<II>)	Identifier(s) for this personal relationship
code [1..1] (M) Role (CE) {CWE:PersonalRelationshipRoleType}	A required value specifying the type of personal relationship between the relationshipHolder and the scoping living subject drawn from the PersonalRelationshipRoleType domain, for example, spouse, parent, unrelated friend
Citizen	Used to capture person information relating to citizenship.
classCode [1..1] (M) Role (CS) {CNE:CIT, fixed value= "CIT"}	Structural attribute; this is a "citizen" role
id [0..*]	Identifier(s) for the focal person as a citizen of a

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PRPA_HD201310IHE Patient Registry Find Candidates Response	This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.55.4.2.2-1 (PRPA_RM201310IHE)
Role (SET<II>)	nation
Nation	A politically organized body of people bonded by territory and known as a nation.
classCode [1..1] (M) Organization (CS) {CNE:NAT, fixed value= "NAT"}	Structural attribute; this is a 'nation' type of entity
determinerCode [1..1] (M) Organization (CS) {CNE:INSTANCE, fixed value= "INSTANCE"}	Structural attribute; this is a specific entity
code [1..1] (M) Organization (CD) {CWE:NationEntityType}	A value that identifies a nation state
name [0..1] Organization (ON)	A non-unique textual identifier or moniker for this nation
Employee	A relationship of the focal person with an organization to receive wages or salary. The purpose of this class is to identify the type of relationship the employee has to the employer rather than the nature of the work actually performed. For example, it can be used to capture whether the person is a Military Veteran or not..
classCode [1..1] (M) Employee (CS) {CNE:EMP}	Structural attribute; this is an "employee" role
statusCode [0..1] Employee (CS) {CNE:RoleStatus}	A value specifying the state of this employment relationship (based on the RIM Role class state-machine), for example, active, suspended, terminated.
occupationCode [0..1] Employee (CE) {CWE:EmployeeOccupationCode}	A code qualifying the classification of kind-of-work based upon a recognized industry or jurisdictional standard. OccupationCode is used to convey the person's occupation as opposed to jobClassCode (not used in this transaction) which characterizes this particular job. For example, it can be used to capture whether the person is a Military Veteran or not.
LanguageCommunication	A language communication capability of the focal person
languageCode [1..1] (M) LanguageCommunication (CE) {CWE:HumanLanguage}	A value representing a language for which the focal person has some level of proficiency for written or spoken communication. Examples: Spanish, Italian, German, English, American Sign
preferenceInd [0..1] LanguageCommunication (BL)	An indicator specifying whether or not this language is preferred by the focal person for the associated mode
QueryMatchObservation	Used to convey information about the quality of the match for each record.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

PRPA_HD201310IHE Patient Registry Find Candidates Response	This HMD extract defines the message used to return records from a patient registry in response to a Find Candidates Query. Derived from Figure 3.55.4.2.2-1 (PRPA_RM201310IHE)
classCode [1..1] (M) Observation (CS) {CNE: http://hl7.org/v3ballot2007may/html/infrastructure/vocabulary/ActClass.htm - ActClass, default="OBS"}	Structural attribute – this is an observation
moodCode [1..1] (M) Observation (CS) {CNE: http://hl7.org/v3ballot2007may/html/infrastructure/vocabulary/ActMood.htm - ActMood, default="EVN"}	Structural attribute – this is an event
code [1..1] (M) Observation (CD) {CWE:QueryMatchObservationType}	A code, identifying this observation as a query match observation.
value [1..1] (M) QueryMatchObservation (INT)	A numeric value indicating the quality of match for this record. It shall correspond to the MinimumDegreeMatch.value attribute of the original query, and it shall have the same meaning (e.g., percentage, indicating confidence in the match).

7905 **3.55.4.2.2.3 Control Act and Transmission Wrappers**

Please see ITI TF-2X: Appendix O for details on the IHE guidelines for implementing the wrappers. Table 3.44.4.1.2-2 contains the Transmission and Control Act wrappers used for this interaction, and the associated constraints.

7910 **Table 3.55.4.4.2-2: Wrappers and Constraints**

Transmission Wrapper	Trigger Event Control Act Wrapper
MCCI_MT000300UV01 – Send Application Acknowledgement	MFMI_MT700711UV01 – Master File/Registry Query Response Control Act (Role Subject)
The value of interactionId shall be set to PRPA_IN201306UV02 The value of processingModeCode shall be set to T The acceptAckCode shall be set to NE There shall be only one receiver Device	The value of ControlActProcess.moodCode shall be set to EVN The trigger event code in ControlActProcess.code shall be set to PRPA_TE201306UV02 There shall be zero or more RegistrationEvents present in this message. For each matching record returned, there shall be exactly one RegistrationEvent present in this message. If a RegistrationEvent is part of the message, there shall be exactly one Patient role present in the payload. There shall be no replacementOf act-relationship present in this message The QueryAck.resultTotalQuantity,

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Transmission Wrapper	Trigger Event Control Act Wrapper
	<p>QueryAck.resultCurrentQuantity, and QueryAck.resultRemainingQuantity attributes shall not be populated.</p> <p>There shall be a QueryByParameter copy of the original query which shall be in the control act wrapper following the queryAck element.</p>

The composite message schemas which describe the full payload of this interaction, including the wrappers, can be found online on the IHE FTP site, see Appendix W. The schemas from the HL7 V3 2008 Normative Edition can be found at:

7915 Edition2008/processable/multicacheschemas/PRPA_IN201306UV02.xsd).

3.55.4.2.2.4 Specifying homeCommunityId in Response

The homeCommunityId is a globally unique identifier for a community – further defined in Section 3.38.4.1.2.1. The Responding Gateway shall specify this value within every RegistrationEvent element in the Cross Gateway Patient Discovery response.

7920 The Responding Gateway may specify the same homeCommunityId in every RegistrationEvent, or may specify different homeCommunityId’s. The Initiating Gateway shall interpret multiple RegistrationEvents as follows:

- Multiple RegistrationEvents with the same homeCommunityId represent multiple matches within the homeCommunityId identified community. The Initiating Gateway may choose one of the matches to use for subsequent processing.
- Each set of RegistrationEvents with the same homeCommunityId represents a different possible source for documents, so in order to get the complete list of relevant documents for the patient, the Initiating Gateway shall select at least one RegistrationEvent from each set with the same homeCommunityId and use the resulting collection of patient identifiers for subsequent processing. See ITI TF-1: 27.3.2.2 for an introduction to this environment.

7925

7930

The homeCommunityId is specified as the id element within the assignedEntity of the custodian of the RegistrationEvent. The id element designating the homeCommunityId shall have only the root element, the contents of which is the homeCommunityId.

7935 The following example shows part of a response specifying a homeCommunityId value of urn:oid:1.2.840.114350.1.13.99998.8734.

7940

```

<subject typeCode="SUBJ">
  <registrationEvent classCode="REG" moodCode="EVN">
    <id nullFlavor="NA"/>
    <statusCode code="active"/>
  
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

7945     <subject1 typeCode="SBJ">
           ... (details of the matching patient)
        </subject1>
        <custodian typeCode="CST">
           <assignedEntity classCode="ASSIGNED">
              <id root="1.2.840.114350.1.13.99998.8734"/>
              <code code="SupportsHealthDataLocator"
                    codeSystem="1.3.6.1.4.1.19376.1.2.27.2"/>
              </assignedEntity>
           </custodian>
        </registrationEvent>
    </subject>

```

3.55.4.2.2.5 Specifying support as a Health Data Locator

7955 The Responding Gateway shall specify its support for this patient as a Health Data Locator. This specification is a coded value within the assignedEntity of the custodian of the RegistrationEvent. The valid codes for this designation are described in Table 3.55.4.4.2-3. The codeSystem for these code elements is 1.3.6.1.4.1.19376.1.2.27.2.

7960 **Table 3.55.4.4.2-3: Coded values for codeSystem=1.3.6.1.4.1.19376.1.2.27.2**

Value for code	Meaning of code
NotHealthDataLocator	This community does not maintain externally available location information about this patient and will respond with no data to a Patient Location Query transaction related to this patient.

The following example shows part of a response specifying no support for Health Data Locator:

```

7965 <subject typeCode="SUBJ">
           <registrationEvent classCode="REG" moodCode="EVN">
              <id nullFlavor="NA"/>
              <statusCode code="active"/>
              <subject1 typeCode="SBJ">
                 ... (details of the matching patient)
              </subject1>
              <custodian typeCode="CST">
                 <assignedEntity classCode="ASSIGNED">
                    <id root="1.2.840.114350.1.13.99998.8734"/>
                    <code code="NotHealthDataLocator"
                          codeSystem="1.3.6.1.4.1.19376.1.2.27.2"/>
                    </assignedEntity>
                 </custodian>
              </registrationEvent>
           </subject>

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.55.4.2.2.6 Special handling for more attributes requested

7980 The Responding Gateway has the option of informing the Initiating Gateway when additional demographic attributes may result in a match. This would most often be used in cases where the security and privacy policies do not allow release of patient data unless and until there is a level of assurance that the same patient is referenced. In this case the Responding Gateway cannot return a matching patient or patients because the level of assurance is not great enough. If the Initiating Gateway were able to specify further demographic attributes the Responding Gateway might have greater assurance of the match and thus be able to return the match information.

7990 To indicate this situation in its response the Responding Gateway codes a DetectedIssueEvent within the controlActProcess element, where the code in the actOrderRequired element references one of the coded elements described in Table 3.55.4.4.2-4. There may be as many triggerFor elements, each of them containing an ActOrderRequired element, as needed to code the attributes which would increase the assurance of the match. The codeSystem for these code elements is 1.3.6.1.4.1.19376.1.2.27.1.




Figure 3.55.4.2.2-2: RMIM for DetectedIssueEvent

7995

Table 3.55.4.4.2-4: Coded values for codeSystem=1.3.6.1.4.1.19376.1.2.27.1

Value for code	Meaning of code
LivingSubjectAdministrativeGenderRequested	Requests the LivingSubjectAdministrativeGender attribute be specified
PatientAddressRequested	Requests the PatientAddress attribute be specified
PatientTelecomRequested	Requests the PatientTelecom attribute be specified
LivingSubjectBirthPlaceNameRequested	Requests the LivingSubjectBirthPlaceName attribute be specified
LivingSubjectBirthPlaceAddressRequested	Requests the LivingSubjectBirthPlaceAddress attribute be specified
MothersMaidenNameRequested	Requests the MothersMaidenName attribute be specified

The following example shows part of a response requesting the PatientAddress and PatientTelecom attributes.

8000

```
<detectedIssueEvent classCode="ALRT" moodCode="EVN">
  <code code="ActAdministrativeDetectedIssueCode" codeSystem="2.16.840.1.113883.5.4" />
  <triggerFor typeCode="TRIG">
    <actOrderRequired classCode="ACT" moodCode="RQO">
      <code code="PatientAddressRequested" codeSystem="1.3.6.1.4.1.19376.1.2.27.1" />
    </actOrderRequired>
  </triggerFor>
</detectedIssueEvent>
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

```

8005     </actOrderRequired>
         </triggerFor>
         <triggerFor typeCode="TRIG">
           <actOrderRequired classCode="ACT" moodCode="RQO">
             <code code="PatientTelecomRequested" codeSystem="1.3.6.1.4.1.19376.1.2.27.1"/>
8010     </actOrderRequired>
         </triggerFor>
       </detectedIssueEvent>

```

3.55.4.2.2.7 Specify details about problems handling request

The Responding Gateway has the option of informing the Initiating Gateway with some detail regarding a problem handling the request.

8015 The Responding Gateway may code a DetectedIssueEvent within the controlActProcess element, where the code in the detectedIssueManagement element references one of the coded elements described in Table 3.55.4.4.2-5. The codeSystem for these code elements is 1.3.6.1.4.1.19376.1.2.27.3.

8020 **Table 3.55.4.4.2-5: Coded values for codeSystem=1.3.6.1.4.1.19376.1.2.27.3**

Value for code	Meaning of code
ResponderBusy	The responder was not able to process the request because it is currently overloaded.
AnswerNotAvailable	The answer is not available. Human intervention may be needed.
InternalError	The responder was not able to respond due to an internal error or inconsistency.

The following example shows part of a response specifying that the responder is busy.

```

8025 <detectedIssueEvent classCode="ALRT" moodCode="EVN">
     <code code="ActAdministrativeDetectedIssueCode" codeSystem="2.16.840.1.113883.5.4"/>
     <mitigatedBy typeCode="MITGT">
       <detectedIssueManagement classCode="ACT" moodCode="EVN">
         <code code="ResponderBusy" codeSystem="1.3.6.1.4.1.19376.1.2.27.3"/>
8030     </detectedIssueManagement>
       </mitigatedBy>
     </detectedIssueEvent>

```

3.55.4.2.3 Expected Actions

8035 The Initiating Gateway shall accept a SOAP fault representing a transmission error. An internal error in the Responding Gateway is covered under Case 5. The Initiating Gateway Actor shall act on a valid query response as described by the following 5 cases:

Case 1: The Responding Gateway Actor finds exactly one patient record matching the criteria sent in the query parameters.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

AA (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).

OK (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper)

8040 One RegistrationEvent (and the associated Patient role, subject of that event) is returned from the patient information source for the patient record found. The community associated with the Initiating Gateway may use the patient demographics and identifiers to: a) run an independent matching algorithm to ensure the quality of the match b) use the designated patient identifier in a Cross Gateway Query to get information about records related to the patient c) cache the correlation for future use (see Section 3.55.4.2.3.1 for more information about caching).

8045 **Case 2:** The Responding Gateway Actor finds more than one patient close to matching the criteria sent in the query parameters and the policy allows returning multiple.

AA (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).

OK (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper)

8050 One RegistrationEvent (and the associated Patient role, subject of that event) is returned for each patient record found. The community associated with the Initiating Gateway may run its own matching algorithm to select from the list of returned patients. If a correlation is found the Responding Gateway may continue as if only one entry had been returned. If a correlation is still not clear it is expected that human intervention is required, depending on the policies of the Initiating Gateway's community.

Case 3: The Responding Gateway Actor finds more than one patient close to matching the criteria sent in the query parameters but no matches close enough for the necessary assurance level and more attributes might allow the Responding Gateway to return a match.

AA (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).

8060 **OK** (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper)

No RegistrationEvent is returned in the response, but the Responding Gateway provides a suggestion in terms of demographics that may help identify a match. The mechanism for specifying the suggestion is detailed in Section 3.55.4.2.2.6 for description of coding of the response. The Initiating Gateway may use this feedback to initiate a new Cross Gateway Patient Discovery request including the requested additional attributes.

8065 **Case 4:** The Responding Gateway Actor finds no patients anywhere close to matching the criteria sent in the query parameters.

AA (application accept) is returned in Acknowledgement.typeCode (transmission wrapper).

NF (data found, no errors) is returned in QueryAck.queryResponseCode (control act wrapper)

8070 There is no RegistrationEvent returned in the response. The Initiating Gateway can assume this patient has no healthcare information held by the community represented by the Responding Gateway. This lack of correlation may be cached, see Section 3.55.4.2.3.1 for more information about caching.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

8075 **Case 5:** The Responding Gateway Actor is unable to satisfy the request. This may be because the request came synchronously and an asynchronous request may be feasible, or because the Responding Gateway Actor is overloaded with other requests and does not expect to answer for a significant period of time. It may also be that the Responding Gateway may need some manual configuration update to authorize responder or another error occurred while the Responding Gateway Actor was processing the message payload.

8080 **AE** (application error) is returned in Acknowledgement.typeCode (transmission wrapper).

AE (application error) is returned in QueryAck.queryResponseCode (control act wrapper)

There is no RegistrationEvent returned in the response. See Section 3.55.4.2.2.7 for more information about coding errors for this case.

3.55.4.2.3.1 Caching (Informative)

8085 This section presents some considerations regarding caching of information learned through the Cross Gateway Patient Discovery transaction. There are no requirements regarding caching of the information, as this is a complex issue and must be addressed as part of deployment. The caching resulting from receiving and responding to the query is not updating any local information but only saving a record in a cache if so desired.

8090 Both the requesting and responding side of the Cross Gateway Patient Discovery transaction gain knowledge through this transaction. That knowledge may be used immediately, by sending a Cross Gateway Query transaction, or may be cached for use at some other time (or both). This section addresses caching considerations when the Cross Gateway Patient Discovery transaction is used in the Demographic Query and Feed mode. Other modes are a simplification of this mode
8095 with corresponding simplifications of the considerations presented.

The knowledge gained on both sides can be represented as a tuple:

5. LocalPid – Local patient identifier and demographics associated with that identifier
6. ExternalCommunityId – The homeCommunityId of another community.
7. ExternalPid – The patient identifier for the same patient as LocalPid within the
8100 community identified by ExternalCommunityId. This identifier also has associated demographics

For the Initiating Gateway the ExternalPid may be null indicating that the community represented by ExternalCommunityId has no correlating patient identifier available.

8105 The tuple represents a correlation, or lack thereof, of patients in a pair of communities. The validity of this correlation may degrade over time, as changes in demographics, merge/link events and new patient registrations affect the correlation.

Local changes in demographics, merge/link

When a local change in demographics or a merge/link event affects the LocalPid, the community may initiate a Cross Gateway Patient Discovery request to validate the correlation.

8110 **External changes in demographics, merge/link**

When an external change in demographics or merge/link event occurs, the external community may initiate a Cross Gateway Patient Discovery request which, when received, can be used to re-assess the correlation and adjust accordingly. Mutually agreed policies for use of the CorrelationTimeToLive SOAP header may enable greater assurance that changes are reflected when needed.

8115 **New patient registrations**

When the Initiating Gateway’s community discovers the lack of correlation to its local patient (ExternalPid null) it may monitor incoming Cross Gateway Patient Discovery transactions in order to discover later if that patient has arrived in the Responding Gateway’s community.

8120 **3.55.5 Security Considerations**

No transaction specific security considerations.

3.55.5.1 Security Audit Considerations

The Cross Gateway Patient Discovery transaction is a Query Information event as defined in Table ITI TF-2a: 3.20.6-1.

8125 The actors involved shall record audit events according to the following:

3.55.5.1.1 Initiating Gateway audit message:

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110112, DCM, “Query”)
	EventActionCode	M	“E” (Execute)
	EventDateTime	M	not specialized
	EventOutcomeIndicator	M	not specialized
	EventTypeCode	M	EV(“ITI-55”, “IHE Transactions”, “Cross Gateway Patient Discovery”)
Source (Initiating Gateway) (1)			
Human Requestor (0..n)			
Destination (Responding Gateway) (1)			
Audit Source (Initiating Gateway) (1)			
Patient (0) No patient identifiers are included in this audit message.			
Query Parameters(1)			

Where:

	Field Name	Opt	Value Constraints
Source AuditMessage/ ActiveParticipant	UserID	M	If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized.
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	UserName	U	not specialized
	UserIsRequestor	U	not specialized
	RoleIDCode	M	EV(110153, DCM, “Source”)

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address.

Human Requestor (if known) AuditMessage/ ActiveParticipant	UserID	M	Identity of the human that initiated the transaction.
	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	U	not specialized
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	NetworkAccessPointTypeCode	U	not specialized
	NetworkAccessPointID	U	not specialized

Destination AuditMessage/ ActiveParticipant	UserID	M	SOAP endpoint URI.
	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	M	“false”
	RoleIDCode	M	EV(110152, DCM, “Destination”)
	NetworkAccessPointTypeCode	M	“1” for machine (DNS) name, “2” for IP address
	NetworkAccessPointID	M	The machine name or IP address.

8130

Audit Source AuditMessage/ AuditSourceIdentification	AuditSourceID	U	not specialized
	AuditEnterpriseSiteID	U	not specialized
	AuditSourceTypeCode	U	not specialized

Query Parameters (AuditMessage/ ParticipantObjectIdentification)	ParticipantObjectTypeCode	M	“2” (system object)
	ParticipantObjectTypeCodeRole	M	“24” (query)
	ParticipantObjectDataLifeCycle	U	not specialized
	ParticipantObjectIDTypeCode	M	EV(“ITI-55, “IHE Transactions”, “Cross Gateway Patient Discovery”)
	ParticipantObjectSensitivity	U	not specialized
	ParticipantObjectID	U	not specialized
	ParticipantObjectName	U	not specialized
	ParticipantObjectQuery	M	the QueryByParameter segment of the query, base64 encoded.
	ParticipantObjectDetail	M	The value of “ihe:homeCommunityID” as the value of the attribute type and the value of the homeCommunityID as the value of the attribute value.

8135

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.55.5.1.2 Responding Gateway audit message:

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110112, DCM, "Query")
	EventActionCode	M	"E" (Execute)
	EventDateTime	M	not specialized
	EventOutcomeIndicator	M	not specialized
	EventTypeCode	M	EV("ITI-55", "IHE Transactions", "Cross Gateway Patient Discovery")
Source (Initiating Gateway) (1)			
Destination (Responding Gateway) (1)			
Audit Source (Responding Gateway) (1)			
Patient (0..n) one for each patient whose demographic information was returned in the response.			
Query Parameters(1)			

Where:

	Field Name	Opt	Value Constraints
Source AuditMessage/ ActiveParticipant	UserID	M	If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized.
	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	U	not specialized
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

	Field Name	Opt	Value Constraints
Destination AuditMessage/ ActiveParticipant	UserID	M	SOAP endpoint URI.
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	UserName	U	not specialized
	UserIsRequestor	M	"false"
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

8140

	Field Name	Opt	Value Constraints
Audit Source AuditMessage/ AuditSourceIdentification	AuditSourceID	U	not specialized
	AuditEnterpriseSiteID	U	not specialized
	AuditSourceTypeCode	U	not specialized

8145

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Patient (AuditMessage/ ParticipantObjectIde ntification)	ParticipantObjectTypeCode	M	"1" (Person)
	ParticipantObjectTypeCodeRole	M	"1" (Patient)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectIDTypeCode</i>	<i>M</i>	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	The patient ID in HL7 CX format.
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>

Query Parameters (AuditMessage/ ParticipantObjectIde ntification)	ParticipantObjectTypeCode	M	"2" (system object)
	ParticipantObjectTypeCodeRole	M	"24" (query)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	EV("ITI-55", "IHE Transactions", "Cross Gateway Patient Discovery")
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectID</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectQuery	M	the QueryByParameter segment of the query, base64 encoded.
	ParticipantObjectDetail	M	The value of "ihe:homeCommunityID" as the value of the attribute type and the value of the homeCommunityID as the value of the attribute value.

3.55.6 Protocol Requirements

8150 The Cross Gateway Patient Discovery request and response will be transmitted using Synchronous or Asynchronous Web Services Exchange, according to the requirements specified in ITI TF-2x: Appendix V. If the Deferred Response Option is being used the request and response will be transmitted as described in Section 3.55.6.2.

The following WSDL naming conventions shall apply:

query message -> "PRPA_IN201305UV02_Message"

8155 The following WSDL snippet describes the type for this message:

```

...
<types>
<xsd:schema elementFormDefault="qualified" targetNamespace="urn:hl7-org:v3"
xmlns:hl7="urn:hl7-org:v3">
8160 <!-- Include the message schema -->
<xsd:import namespace="urn:hl7-org:v3"
schemaLocation=" ../schema/HL7V3/NE2008/multicacheschemas/PRPA_IN201305UV02.xsd" />
<xsd:element name="PRPA_IN201305UV02" />
</xsd:schema>
8165 </types>
...
The message is described by the following snippet:
...

```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

8170 `<message name="PRPA_IN201305UV02_Message">`
`<part element="hl7:PRPA_IN201305UV02" name="Body"/>`
`</message>`
`...`

3.55.6.1 Web Services Port Type and Binding Definitions

Responding Gateway:

8175 **IHE-WSP201) The attribute `/wsdl:definitions/@name` SHALL be “RespondingGateway”.**

The following WSDL naming conventions shall apply:

	<code>wsdl:definitions/@name="RespondingGateway":</code>	
	<code>ITI-55 query</code>	<code>-> "PRPA_IN201305UV02_Message"</code>
	<code>ITI-55 response</code>	<code>-> "PRPA_IN201306UV02_Message"</code>
8180	<code>accept acknowledgement</code>	<code>-> "MCCI_IN000002UV01_Message"</code>
	<code>portType</code>	<code>-> "RespondingGateway_PortType"</code>
	<code>ITI-55 operation</code>	<code>-> "RespondingGateway_PRPA_IN201305UV02"</code>
	<code>ITI-55 Deferred Response operation</code>	<code>-></code> <code>"RespondingGateway_Deferred_PRPA_IN201305UV02"</code>
8185	<code>SOAP 1.2 binding</code>	<code>-> "RespondingGateway_Binding_Soap12"</code>
	<code>SOAP 1.2 port</code>	<code>-> "RespondingGateway_Port_Soap12"</code>

Initiating Gateway:

IHE-WSP201) The attribute `/wsdl:definitions/@name` SHALL be “InitiatingGateway”.

8190 The following WSDL naming conventions shall apply:

	<code>wsdl:definitions/@name="InitiatingGateway":</code>	
	<code>ITI-55 response</code>	<code>-> "PRPA_IN201306UV02_Message"</code>
	<code>accept acknowledgement</code>	<code>-> "MCCI_IN000002UV01_Message"</code>
8195	<code>portType</code>	<code>-> "InitiatingGateway_PortType"</code>
	<code>ITI-55 Deferred Response operation</code>	<code>-></code> <code>"InitiatingGateway_Deferred_PRPA_IN201306UV02"</code>
	<code>SOAP 1.2 binding</code>	<code>-> "InitiatingGateway_Binding_Soap12"</code>
	<code>SOAP 1.2 port</code>	<code>-> "InitiatingGateway_Port_Soap12"</code>

8200 The following WSDL snippets specify the Cross Gateway Patient Discovery Query Port Type and Binding definitions, according to the requirements specified in ITI TF-2x: Appendix V.

3.55.6.1.1 Port Type

Responding Gateway:

8205

8210 `<portType name="RespondingGateway_PortType">`
`<operation name="RespondingGateway_PRPA_IN201305UV02">`
`<input message="tns:PRPA_IN201305UV02_Message" wsaw:Action="urn:hl7-`
`org:v3:PRPA_IN201305UV02:CrossGatewayPatientDiscovery"/>`
`<output message="tns:PRPA_IN201306UV02_Message" wsaw:Action="urn:hl7-`
`org:v3:PRPA_IN201306UV02:CrossGatewayPatientDiscovery"/>`
`</operation>`

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

8215

```

<operation name="RespondingGateway_Deferred_PRPA_IN201305UV02">
  <input message="tns:PRPA_IN201305UV02_Message" wsaw:Action="urn:h17-
org:v3:PRPA_IN201305UV02:Deferred:CrossGatewayPatientDiscovery" />
  <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:h17-org:v3:MCCI_IN000002UV01" />
</operation>
</portType>

```

8220 **Initiating Gateway:**

8225

```

<portType name="InitiatingGatewayDeferredResponse_PortType">
  <operation name="InitiatingGateway_Deferred_PRPA_IN201306UV02">
    <input message="tns:PRPA_IN201306UV02_Message" wsaw:Action="urn:h17-
org:v3:PRPA_IN201306UV02:Deferred:CrossGatewayPatientDiscovery" />
    <output message="tns:MCCI_IN000002UV01_Message" wsaw:Action="urn:h17-
org:v3:MCCI_IN000002UV01" />
  </operation>
</portType>

```

8230

3.55.6.1.2 Bindings

SOAP 1.2 binding:

Responding Gateway:

8235

```

...
<binding name="RespondingGateway_Binding_Soap12" type="RespondingGateway_PortType">
  <wssoap12:binding style="document" transport="http://schemas.xmlsoap.org/soap/http" />
  <operation name="RespondingGateway_PRPA_IN201305UV02">
    <wssoap12:operation soapAction="urn:h17-
org:v3:PRPA_IN201305UV02:CrossGatewayPatientDiscovery" />
    <input>
      <wssoap12:body use="literal" />
    </input>
    <output>
      <wssoap12:body use="literal" />
    </output>
  </operation>
  <operation name="RespondingGateway_Deferred_PRPA_IN201305UV02">
    <wssoap12:operation soapAction="urn:h17-
org:v3:PRPA_IN201305UV02:Deferred:CrossGatewayPatientDiscovery" />
    <input>
      <wssoap12:body use="literal" />
    </input>
    <output>
      <wssoap12:body use="literal" />
    </output>
  </operation>
</binding>
...

```

8240

8245

8250

8255

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

8260 **Initiating Gateway:**

```

...
  <binding name="InitiatingGatewayDeferredResponse_Binding"
type="tns:InitiatingGatewayDeferredResponse_PortType">
8265     <soap12:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
     <operation name="InitiatingGateway_Deferred_PRPA_IN201306UV02">
       <soap12:operation soapAction="urn:h17-
8270 org:v3:PRPA_IN201306UV02:Deferred:CrossGatewayPatientDiscovery"/>
       <input>
         <soap12:body use="literal"/>
8275     </input>
       <output>
         <soap12:body use="literal"/>
       </output>
     </operation>
  </binding>
...

```

Informative WSDL for the Responding Gateway Actor is available online on the IHE FTP site, see ITI TF-2x: Appendix W.

8280 **3.55.6.2 Deferred Response Option**

The Deferred Response Message pattern is a message exchange pattern where the request/response web service message exchange has been converted into two request/response message exchange patterns, where the original request and response messages are used as the request portion of each message and an application acknowledgement is the response. Figure 3.55.6.2-1 illustrates this pattern as it is used for the Cross Gateway Patient Discovery [ITI-55] transaction.




Figure 3.55.6.2-1: Deferred Response Message Pattern

8290

Cross Gateway Patient Discovery Request Message

The Initiating Gateway that supports the Deferred Response Option may request the use of Deferred Response message exchange by specifying the following in the Cross Gateway Patient Discovery Request Message:

8295

- The WS-Addressing Action value shall be urn:hl7-org:v3:PRPA_IN201305UV02:Deferred: CrossGatewayPatientDiscovery
- The responsePriorityCode element shall be set to a value of ‘D’ to represent the deferred processing mode.

8300

- The respondTo element of the transmission wrapper, see the figure in Section 3.55.4.1.2.4, shall contain a telecom element with the Web Services Endpoint where the response shall be sent.

Example of specifying the respondTo element:

8305

```
<respondTo typeCode="RSP">
  <telecom value="service entry point url"
  <entityRsp classCode="ENT" determinerCode="INSTANCE" xsi:nil="true"/>
</respondTo>
```

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Cross Gateway Patient Discovery Request Application Acknowledgement Message

8310 If the Responding Gateway supports the Deferred Response Option it shall respond with an HL7 V3 Accept Acknowledgement message (MCCI_IN000002UV01). The WS-Addressing Action value shall be urn:hl7-org:v3:MCCI_IN000002UV01.

Cross Gateway Patient Discovery Response Message

8315 The Responding Gateway will process the Cross Gateway Patient Discovery Request Message and generate a Cross Gateway Patient Discovery Response Message following all the applicable requirements for the transaction. If the Responding Gateway supports the Deferred Response Option, the Cross Gateway Patient Discovery Response Message will be sent as a new request as follows:

- The Responding Gateway shall direct the response message to the address specified in the respondTo element in the transmission wrapper.
- 8320 • The WS-Addressing RelatesTo element of the response message shall be populated with the message identifier from the WS-Addressing MessageID element of the request message
- The WS-Addressing Action value shall be urn:hl7-org:v3:PRPA_IN201306UV02:Deferred:CrossGatewayPatientDiscovery
- 8325 • Correlation with the request message is also supplied through the queryID element from the request message which shall be the same as the queryID element of the Response message.

Cross Gateway Patient Discovery Response Application Acknowledgement Message

8330 The Initiating Gateway that supports the Deferred Response Option shall respond with an HL7 V3 application acknowledgement message (MCCI_IN000002UV01). The WS-Addressing Action value shall be urn:hl7-org:v3:MCCI_IN000002UV01.

8335 **3.60 Retrieve Multiple Value Sets**

This section corresponds to transaction ITI-60 of the IHE IT Infrastructure Technical Framework. The Value Set Consumer and Value Set Repository Actors use transaction ITI-60.

3.60.1 Scope

8340 This transaction is used by the Value Set Consumer to retrieve Value Sets from the Value Set Repository.

3.60.2 Use case roles




Figure 3.60.2-1: Use Case Roles

8345 **Actors:**

Actor: Value Set Consumer

Role: Requests all Value Sets that match request parameters

Actor: Value Set Repository

Role: Provides matching Value Sets and associated metadata

8350

3.60.3 Referenced Standards

The referenced standards are:

Table 3.60.3-1: Referenced Standards

Appendix V	ITI TF-2x: Appendix V Web Services for IHE Transactions Contains references to all Web Services standards and requirements of use
HL7 v3 Data Type XML ITS	HL7 Version 3 Standard: XML Implementation Technology Specifications – Data Types, R1
HTTP 1.1	IETF RFC 2616: Hypertext Transfer Protocol – HTTP 1.1

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

POSIX 1003.2	IEEE Std 1003.2 IEEE Standard for Information Technology — Portable Operating System Interface (POSIX®) — Part 2: Shell and Utilities — Amendment 1: Batch Environment -Description
--------------	---

8355 **3.60.4 Interaction Diagram**




Figure 3.60.4-1: Interaction Diagram

8360 **3.60.4.1 Retrieve Multiple Value Sets Request**

3.60.4.1.1 Trigger Events

8365 The Value Set Consumer wants to retrieve value sets and has one or more element values to be matched in the metadata that describes value sets. This could be from pre-configuration or user input. The value sets that match these element values are needed for processing by the Value Set Consumer. The Value Set Consumer sends a Retrieve Multiple Value Sets Request to the Value Set Repository. Table 3.60.4.1.1-1 summarizes the metadata elements. See the schema for precise encoding details.

Table 3.60.4.1.1-1: Metadata Summary

Metadata Element	Description	Mandatory within Metadata returned	Usable as Selection Criterion
id	This is the unique identifier of the value set	Mandatory	Y
displayName	This is the name of the value set	Mandatory	Y
Source	This is the source of the value set, identifying the originator or publisher of the information	Mandatory	Y
Purpose	Brief description about the general purpose of the value set	Optional	Y
Definition	A text definition describing how concepts in the value set were selected	Optional	Y

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Metadata Element	Description	Mandatory within Metadata returned	Usable as Selection Criterion
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	Optional	N
Version	A string identifying the specific version of the value set.	Mandatory	N
Status	Active, Inactive, local extensions	Mandatory	N
Type	This describes the type of the value set. It shall be: <ul style="list-style-type: none"> • Intensional, • Extensional, or • Expanded <p>Note: This is the type of the value set in the repository. The ConceptList that will also be returned is the current expansion of the value set.</p>	Mandatory	N
Binding	Shall be “Static” or “Dynamic”	Optional	N
Effective Date	The date when the value set is expected to be effective	Optional	Y
Expiration Date	The date when the value set is no longer expected to be used	Optional	Y
Creation Date	The date of creation of the value set	Optional	Y
Revision Date	The date of revision of the value set	Optional	Y
Group	The identifiers and keywords of the groups that include this value set. A group may also have an OID assigned.	Optional	Y

8370

3.60.4.1.2 Message Semantics

The Retrieve Multiple Value Sets Request shall specify retrieval selection parameters as shown in the Table 3.60.4.1.2-1. It requests retrieval of all concept lists that have metadata matching the parameters used. At least one request parameter shall be provided.

8375

Table 3.60.4.1.2-1: The Request Parameters in the RetrieveMultipleValueSets Request

Parameter	Parameter Format	Metadata Element	Match Type	Match Rules	Note
id	OID	id	OID	equals	
DisplayNameContains	string	Name	Regex	regex	POSIX rules
SourceContains	string	Source	Regex	regex	POSIX rules
PurposeContains	string	Purpose	Regex	regex	POSIX rules
DefinitionContains	string	Definition	Regex	regex	POSIX rules

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Parameter	Parameter Format	Metadata Element	Match Type	Match Rules	Note
GroupContains	string	Group	Regex	regex	POSIX rules
GroupOID	OID	Group	OID	equals	Equality match for OID attribute of a Group element
EffectiveDateBefore	http-date	EffectiveDate	date	Before or equal	Date comparison to the day
EffectiveDateAfter	http-date	EffectiveDate	date	Equal or after	Date comparison to the day
ExpirationDateBefore	http-date	ExpirationDate	date	Before or equal	Date comparison to the day
ExpirationDateAfter	http-date	ExpirationDate	date	Equal or after	Date comparison to the day
CreationDateBefore	http-date	CreationDate	date	Before or equal	Date comparison to the day
CreationDateAfter	http-date	CreationDate	date	Equal or after	Date comparison to the day
RevisionDateBefore	http-date	RevisionDate	date	Before or equal	Date comparison to the day
RevisionDateAfter	http-date	RevisionDate	date	Equal or after	Date comparison to the day
Format	String	n/a	n/a	n/a	This specifies the format for the returned information. Shall be "CE-List" if present.

3.60.4.1.3 Expected Actions

The Value Set Repository shall perform matching in accordance with the rules in Table 3.60.4.1.2-1.

- 8380
- Regex matches shall compare the contents of the referenced metadata field with the regex using the POSIX matching rules. If the regex matches the field, the value set matches.
 - OID matching compares only for equal OIDs, ignoring leading zeroes.
 - Date comparisons convert the argument into a date, and compare it with the dates in the metadata using a date comparison. Equality means the same day.
- 8385

Any value set that matches all of the request parameters shall be included in the response.

- 8390
- Note: Multiple queries will sometimes be needed. Rather than specify a complex query mechanism, the Retrieve Multiple Value Sets request expects the client or user to locally eliminate any extra value sets and make additional queries. Value sets are relatively small and compress very well, so these extras are not a significant communications burden. Performing the final steps of selecting the value sets based on having the full metadata present locally allows a much richer and potentially interactive selection process. It also allows a simpler and more robust server.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.60.4.2 Retrieve Multiple Value Sets Response

3.60.4.2.1 Trigger Events

8395 This message will be triggered by completion of matching for a Retrieve Multiple Value Sets Request Message.

3.60.4.2.2 Message Semantics

8400 The response shall be a Retrieve Multiple Value Sets Response as specified in the XML schema defining RetrieveMultipleValueSetsResponse which can be accessed on the IHE FTP site, see ITI TF-2x: Appendix W. The RetrieveMultipleValueSetsResponse element shall have one DescribedValueSet element for each matching value set found. If no matching elements are found, it shall be empty.

Each DescribedValueSet element contains:

- **An id** attribute, a mandatory OID, the OID for this value set
- 8405 • **A displayName** attribute, a mandatory string, the name of this value set
- **Source**, an optional string, the source organization for this value set
- **SourceURI**, an optional URI, a URI providing more description of this value set,
- **Purpose**, an optional string, a description of the intended use of this value set
- **Definition**, an optional string, a definition of the value set provided by the source
- 8410 • **A version** attribute, a mandatory string, a version in the format used by the source,
- **Status**, an optional string, the status at time of retrieval (e.g., Active or Inactive)
- **Type**, a mandatory string that indicates whether this is an intensional, extensional, or expanded value set.
- **Binding**, an optional string, either static or dynamic.
- 8415 • **EffectiveDate**, an optional XML-date, the initial effective date for this value set
- **ExpirationDate**, an optional XML-date, the intended expiration date for this value set
- **CreationDate**, an optional XML-date, the creation date of this value set,
- **RevisionDate**, an optional XML-date, the revision date of this value set,
- Zero or more **Group** elements, where each **Group** element has
- 8420 • an optional **id** attribute containing the OID for the group.
- An optional **displayName** attribute, containing the name for the group,
- An optional **sourceOrganization** attribute, containing the name of the organization that defined the group.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

- Zero or more **Keyword** elements that contain keywords associated with the group.
- 8425
- One **ConceptList**, that contains
 - One or more **Concept**, encoded using the HL7 CE datatype. These are the codes that are members of the expanded form of the value set.
 - With an optional attribute **xml:lang** to indicate the language for the displayname for these concepts.
- 8430 The ConceptList element and structure is the same in both the ITI-48 and ITI-60 transactions. The Identifier OID in the ITI-60 response is the OID used in the ITI-48 transaction when the value set is an expanded value set. It will not match in other cases.

A sample RetrieveMultipleValueSetsResponse is shown below:

```

8435 <?xml version="1.0" encoding="UTF-8"?>
      <RetrieveMultipleValueSetsResponse xmlns="urn:ihe:iti:svs:2008"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xsi:schemaLocation="urn:ihe:iti:svs:2008:SVS.xsd">
8440   <DescribedValueSet id="1.2.3" displayName="placeholder" version="version1">
         <ConceptList xml:lang="en-US">
            <Concept code="code1" codeSystem="2.3.4"
            codeSystemName="codeSystemName1" codeSystemVersion="codeSystemVersion1"
            displayName="displayName1">
8445               </Concept>
            <Concept code="code7" codeSystem="2.3.4"
            codeSystemName="codeSystemName1" codeSystemVersion="codeSystemVersion1"
            displayName="displayName7">
8450               </Concept>
            </ConceptList>
            <Source>Codingsource</Source>
            <SourceURI>http://www.codingsource.com/placeholder</SourceURI>
            <Purpose>Purpose0</Purpose>
            <Definition>Definition0</Definition>
8455   <Type>Expanded</Type>
            <Binding>Static</Binding>
            <Status>Status0</Status>
            <EffectiveDate>2006-05-04</EffectiveDate>
            <ExpirationDate>2011-09-04</ExpirationDate>
            <CreationDate>2006-05-04</CreationDate>
8460   <RevisionDate>2006-05-04</RevisionDate>
            <Group id="2.4.5" sourceOrganization="sourceOrganization1"
            displayName="displayName15">
               <Keyword>Keyword0</Keyword>
               <Keyword>Keyword1</Keyword>
8465   </Group>
            <Group id="2.4.54" sourceOrganization="sourceOrganization3"
            displayName="displayName17">
               <Keyword>Keyword2</Keyword>
               <Keyword>Keyword3</Keyword>
8470   </Group>
         </DescribedValueSet>
      </RetrieveMultipleValueSetsResponse>

```

3.60.5 Protocol Requirements

8475 The protocol for the Retrieve Value Set transaction describes two bindings. The first is based on SOAP 1.2, and the second is an HTTP binding. The relevant XML namespace definitions can be seen in *Table 3.48.5-1 WSDL Namespace Definitions*.

Table 3.60.5-1: WSDL Namespace Definitions

soap12	http://schemas.xmlsoap.org/wsdl/soap12/
wsaw	http://www.w3.org/2006/05/addressing/wsdl/
xsd	http://www.w3.org/2001/XMLSchema
ihe	urn:ihe:iti:svs:2008

3.60.5.1 SOAP Binding

8480 Value Set Consumers which support the SOAP Binding Option shall follow the rules for Web Services transactions outlined in ITI TF-2x: Appendix V. These are the requirements for the RetrieveMultipleValueSets transaction presented in the order in which they would appear in the WSDL definition:

The following types shall be imported (xsd:import) in the /definitions/types section:

8485 namespace="urn:ihe:iti:svs:2008", schema="SVS.xsd"

The /definitions/message/part/@element attribute of the Retrieve Value Set Request message shall be defined as "ihe:RetrieveMultipleValueSetsRequest"

The /definitions/message/part/@element attribute of the Retrieve Value Set Response message shall be defined as "ihe:RetrieveMultipleValueSetsResponse"

8490 The /definitions/portType/operation/input/@wsaw:Action attribute for the Retrieve Multiple Value Sets Request message shall be defined as "urn:ihe:iti:2010:RetrieveMultipleValueSets"

The /definitions/portType/operation/output/@wsaw:Action attribute for the Retrieve Value Set Response message shall be defined as

8495 "urn:ihe:iti:2010:RetrieveMultipleValueSetsResponse"

The /definitions/binding/operation/soap12:operation/@soapAction attribute shall be defined as "urn:ihe:iti:2010:RetrieveMultipleValueSets"

These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability.

8500 Within the request message payload the <ihe:RetrieveMultipleValueSetsRequest/> element is defined as:

- A optional /ihe:RetrieveMultipleValueSetsRequest@id element that contains the ID of the requested Value Set within the Value Set Repository. The Value Set ID shall be formatted as an ISO OID.
- 8505
- An optional /ihe:RetrieveMultipleValueSetsRequest@DisplayNameContains element
 - An optional /ihe:RetrieveMultipleValueSetsRequest@SourceContains element
- 8510
- An optional /ihe:RetrieveMultipleValueSetsRequest@PurposeContains element
 - An optional /ihe:RetrieveMultipleValueSetsRequest@DefinitionContains element
- 8515
- An optional /ihe:RetrieveMultipleValueSetsRequest@GroupContains element
 - An optional /ihe:RetrieveMultipleValueSetsRequest@GroupOID element
- 8520
- An optional /ihe:RetrieveMultipleValueSetsRequest@EffectiveDateBefore element
 - An optional /ihe:RetrieveMultipleValueSetsRequest@EffectiveDateAfter element
- 8525
- An optional /ihe:RetrieveMultipleValueSetsRequest@ExpirationDateBefore element
 - An optional /ihe:RetrieveMultipleValueSetsRequest@ExpirationDateAfter element
- 8530
- An optional /ihe:RetrieveMultipleValueSetsRequest@CreationDateBefore element
 - An optional /ihe:RetrieveMultipleValueSetsRequest@CreationDateAfter element
- 8535

- An optional `/ihe:RetrieveMultipleValueSetsRequest@RevisionDateBefore` element

8540

- An optional `/ihe:RetrieveMultipleValueSetsRequest@RevisionDateAfter` element

Value Set Repositories shall include within the response message payload for the SOAP Binding Option the `<ihe:RetrieveMultipleValueSetsResponse/>` element which is described above in 3.60.4.2.2.

8545

3.60.5.2 HTTP Binding

Value Set Consumers which support the HTTP Binding Option shall use the GET method as defined in IETF RFC 2616 for the Retrieve Value Set Request. Each parameter to be used for selection shall be encoded as an HTTP Get parameter.

8550

A sample URL for the HTTP binding for a query to retrieve all value sets for a reporting purpose, with either “stroke” or “JCAHO” in the value set name looks as follows:

```
https://example.com/RetrieveMultipleValueSets?DisplayNameContains="stroke|JCAHO
&PurposeContains="report"
```

8555

Value Set Repositories shall format the response to the HTTP GET operation as an HTTP response message as defined in IETF RFC 2616.

The Content-Type field of the HTTP header shall be “text/xml” (see Section 14.4 of IETF RFC 2616).

The content of the HTTP response message shall be an XML encoded `RetrieveMultipleValueSetsResponse`, as described in Section 3.60.4.2.2.

8560

The Value Set Repository shall return an error code in case there are invalid request parameters. It shall return an HTTP status code of 404, with an HTTP Warning header containing warn-code of 111, and warn-text of “INV: Invalid search parameters”. See sections 10.4.5 and 14.46 of IETF RFC 2616 for more information. A search with valid request parameters that finds no matching value sets is not an error. It will return an empty `QueryRetrievedValueSets`

8565

3.60.6 Security Requirements

The value sets do not contain personal information. In some cases, the value sets are created by standards organizations with the intention that they be or publicly shared. In other cases, there may be licensing or other proprietary restrictions on their disclosure. These licenses or restrictions are at the organizational level, not at the level of individual users. This greatly reduces the security needs and eliminates privacy concerns.

8570

For further security considerations please consult ITI TF-1: Appendix G.

Audit trails shall be configurable to record access to a selected list of Value Sets. In most cases, there is no need to audit the value set request activity, but there may be some exceptional cases

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

8575 where auditing will be needed. See Section 3.48.6.1 for audit record recommendations in those cases.

This profile does not attempt to establish rules for managing security on proprietary value sets with licensing or access restrictions.


3.61 Register On-Demand Document Entry

8580 This section corresponds to transaction ITI-61 of the IHE ITI Technical Framework. Transaction ITI-61 is used by the On-Demand Document Source and Document Registry Actors.

3.61.1 Scope

The Register On-Demand Document Entry transaction passes a Submission Request from an On-Demand Document Source Actor to a Document Registry Actor. The Submission Request contains metadata describing one or more On-Demand Document Entries.

8585 3.61.2 Use Case Roles



Actor: On-Demand Document Source

Role: A Provider of On-Demand Documents that registers a patient specific on-demand document to the Document Registry.

8590 **Actor:** Document Registry

Role: A document indexing system that receives and stores metadata about available on-demand documents.


3.61.3 Referenced Standard

8595 Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

ebRIM	OASIS/ebXML Registry Information Model v3.0
ebRS	OASIS/ebXML Registry Services Specifications v3.0
HL7V2	HL7 Version 2.5
ITI TF-3:4	Metadata used in Document Sharing profiles

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

3.61.4 Interaction Diagram



8600 3.61.4.1 Register On-Demand Document Entry Request

The On-Demand Document Source sends metadata about one or more patient specific n-demand documents to the Document Registry.

3.61.4.1.1 Trigger Events

8605 The Register On-Demand Document Entry Request message is triggered when the On-Demand Document Source chooses to make available an on-demand document for a particular patient.

3.61.4.1.2 Message Semantics

The sections in ITI TF-3: 4.2 specify the mapping of XDS concepts to ebRS and ebRIM semantics and document metadata. In its use of metadata the On-Demand Document Entry follows the same conventions and requirements as a Document Entry except for the following.

- 8610 • creationTime – Not Applicable, shall not be specified in a Register On-Demand Document Entry request.
- Hash – Not Applicable, shall not be specified in a Register On-Demand Document Entry Request.
- 8615 • legalAuthenticator – Recommend this not be specified as having no clear meaning in the context of an On-Demand Document Entry.
- repositoryUniqueId – The globally unique identifier of the On-Demand Document Source which provides the on-demand document. This unique identifier for the On-Demand Document Source may be used to identify and connect to the specific On-Demand Document Source where a current instance of the on-demand document may be retrieved.
- 8620 The repositoryUniqueId represents an immutable id for the On-Demand Document Source.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- Size – Not Applicable, shall not be specified in a Register On-Demand Document Entry Request.
- 8625 • serviceStartTime and serviceStopTime - For On-Demand Document Entries this attribute represents the earliest time(serviceStartTime)/most recent time(serviceStopTime) health service was rendered for which data is available on-demand. For some On-Demand Document Sources this attribute is not applicable and so would not be present.
- 8630 • uniqueId – The globally unique identifier assigned by the On-Demand Document Source to this On-Demand Document Entry. It is used in the Retrieve Document Set transaction to identify the correct on-demand document to access. The use of uniqueId in On-Demand Document Entries is different as this value will never represent an actual document. See ITI TF-3:4.1.1 for more details regarding use of uniqueId by On-Demand Document Entries

8635 The Registry Actor shall store, and later include in metadata returned in a query response, the XSDocumentEntry.repositoryUniqueId attribute along with other metadata attributes received in the Register On-Demand Document Entry [ITI-61] transaction.

The SubmitObjectsRequest may include any of the XDS concepts described in ITI TF-3: 4 except Stable Document Entries. Specifically, the message may include:

- XDS Submission Set – exactly one shall be present.
- 8640 • XDS Folder – zero or more may be present.
- Document Relationships – zero or more may be present. See ITI TF-3: Table 4.2.2.2-1- for a complete list of associations.
- On-Demand Document Entry – one or more shall be present.

8645 There are no restrictions on the use of Document Relationship Associations within this transaction or as part of other transactions which may add or modify Document Relationship Associations with an On-Demand Document Entry. In particular, workflows which replace an On-Demand Document Entry with a Stable Document Entry, replace a Stable Document Entry with an On-Demand Document Entry, add an On-Demand Document Entry to a Folder, deprecate an On-Demand Document Entry or replace an On-Demand Document Entry with a
8650 new On-Demand Document Entry are all valid.

3.61.4.1.3 Expected Actions

Upon receipt of a Register On-Demand Document Entry Request message, the Document Registry with the aid of the Registry Adaptor shall:

- Accept all valid SubmitObjectsRequests
- 8655 • Perform metadata validations
- Update the registry with the contained metadata

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

- Return a RegistryResponse message given the status of the operation

If the registry rejects the metadata, then the Document Registry shall:

- 8660 • Return an error and indicate in the details of the response the type of error, see ITI TF-3: 4.2.4
- Roll back the request to register the document

3.61.4.1.4.1 Basic Patient Privacy Enforcement Option

If the Basic Patient Privacy Enforcement Option is implemented:

- 8665 • The On-Demand Document Source Actor shall populate the confidentialityCode in the document metadata with the list of OID values that identify the Patient Privacy Consent Policies that apply to the associated on-demand document. The confidentiality codes for different On-Demand Document Entries in the same submission may be different.
- 8670 • The On-Demand Document Source Actor shall be able to be configured with the Patient Privacy Consent Policies, Patient Privacy Consent Policy Identifiers (OIDs) and associated information necessary to understand and enforce the XDS Affinity Domain Policy. The details of this are product specific and not specified by IHE.
- 8675 • The On-Demand Document Source Actor may have a user interface or business rule capabilities to determine the appropriate confidentiality codes for each On-Demand Document Entry. The details of this are product specific and not specified by IHE. However, the information about how confidentiality codes are assigned must be part of the published policy for the XDS Affinity Domain.

3.61.4.1.5 Protocol Requirements

The Register On-Demand Document Entry transaction shall use SOAP12. Furthermore:

- 8680 • The Document Registry Actor shall accept the Register On-Demand Document Entry Request formatted as a SIMPLE SOAP message and respond with the Register On-Demand Document Entry Response formatted as a SIMPLE SOAP message.
- The On-Demand Document Source Actor shall generate the Register On-Demand Document Entry Request formatted as a SIMPLE SOAP message and accept the Register On-Demand Document Entry formatted as a SIMPLE SOAP message.

8685 See ITI TF-2x: Appendix V for details.

3.61.4.2 Register On-Demand Document Entry Response

The Document Registry sends the result of processing the On-Demand Document Entry metadata to the On-Demand Document Source.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.
--

3.61.4.2.1 Trigger Events

8690 The Document Registry finishes processing a Register On-Demand Document Entry Message and shall return a Register On-Demand Document Entry Response.

3.61.4.2.2 Message Semantics

The Register On-Demand Document Entry Response message shall carry the status of the requested operation and an error message if the requested operation failed.

8695 If creationTime, hash or size metadata attributes are received in a Register On-Demand Document Entry [ITI-61] transaction the Document Registry shall return an XDSRegistryMetadataError.

Other conditions of failure and possible error messages are given in the ebRS standard and detailed in ITI TF-3: 4.2.4 Error Reporting.

8700 3.61.4.2.3 Expected Actions

The On-Demand Document Source now knows that the transaction succeeded/failed and can continue. The metadata added to the registry as a result of this transaction is now available for discovery.

3.61.5 Protocol Requirements

8705 Implementors of this transaction shall comply with all requirements described in ITI TF-2x: Appendix V: Web Services for IHE Transactions.

WSDL Namespace Definitions

ihe	urn:ihe:iti:xds-b:2007
rs	urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0
lcm	urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0
query	urn:oasis:names:tc:ebxml-regrep:xsd:query:3.0

8710 These are the requirements for the Register On-Demand Document Entry transaction presented in the order in which they would appear in the WSDL definition:

- The following types shall be imported (xsd:import) in the /definitions/types section:
 - namespace="urn:oasis:names:tc:ebxml-regrep:xsd:rs:3.0", schema=" rs.xsd"
 - namespace="urn:oasis:names:tc:ebxml-regrep:xsd:lcm:3.0", schema=" lcm.xsd"
 - The /definitions/message/part/@element attribute of the Register On-Demand Document Entry Request message shall be defined as “lcm:SubmitObjectsRequest”
 - The /definitions/message/part/@element attribute of the Register Document Set-b Response message shall be defined as “rs:RegistryResponse”
- 8715

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

- 8720 • The /definitions/portType/operation/input/@wsaw:Action attribute for the Register On-Demand Document Entry Request message shall be defined as “urn:ihe:iti:2010:RegisterOnDemandDocumentEntry”
- The /definitions/portType/operation/output/@wsaw:Action attribute for the Register On-Demand Document Entry Response message shall be defined as “urn:ihe:iti:2010:RegisterOnDemandDocumentResponse”
- 8725 • The /definitions/binding/operation/soap12:operation/@soapAction attribute shall be defined as “urn:ihe:iti:2010:RegisterOnDemandDocumentEntry”

These are the requirements that affect the wire format of the SOAP message. The other WSDL properties are only used within the WSDL definition and do not affect interoperability.

For informative WSDL for the Document Registry Actor see ITI TF-2x: Appendix W.

3.61.7 Security Considerations

- 8730 Relevant XDS Affinity Domain Security background is discussed in the XDS Security Considerations Section (see ITI TF-1: 10.7).

3.61.7.1 Audit Record Considerations

The Register On-Demand Document Entry transaction is PHI-Export event, as defined in ITI TF-2a: Table 3.20.6-1 with the following exceptions.

- 8735 **3.61.7.1.1 On-Demand Document Source audit message:**

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110106, DCM, “Export”)
	EventActionCode	M	“R” (Read)
	EventDateTime	M	<i>not specialized</i>
	EventOutcomeIndicator	M	<i>not specialized</i>
	EventTypeCode	M	EV(“ITI-61”, “IHE Transactions”, “Register On-Demand Document Entry”)
Source (On-Demand Document Source) (1)			
Human Requestor (0..n)			
Destination (Document Registry) (1)			
Audit Source (On-Demand Document Source) (1)			
Patient (1)			
SubmissionSet (1)			

Where:

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

8740

Source AuditMessage/ ActiveParticipant	UserID	M	If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized.
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	UserName	U	not specialized
	UserIsRequestor	U	not specialized
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

Human Requestor (if known) AuditMessage/ ActiveParticipant	UserID	M	Identity of the human that initiated the transaction.
	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	M	"true"
	RoleIDCode	U	Access Control role(s) the user holds that allows this transaction.
	NetworkAccessPointTypeCode	U	not specialized
	NetworkAccessPointID	U	not specialized

Destination AuditMessage/ ActiveParticipant	UserID	M	SOAP endpoint URI.
	AlternativeUserID	U	not specialized
	UserName	U	not specialized
	UserIsRequestor	M	"false"
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

Audit Source AuditMessage/ AuditSourceIdentification	AuditSourceID	U	not specialized
	AuditEnterpriseSiteID	U	not specialized
	AuditSourceTypeCode	U	not specialized

Patient (AuditMessage/ ParticipantObjectIdentification)	ParticipantObjectTypeCode	M	"1" (person)
	ParticipantObjectTypeCodeRole	M	"1" (patient)
	ParticipantObjectDataLifeCycle	U	not specialized
	ParticipantObjectIDTypeCode	M	not specialized
	ParticipantObjectSensitivity	U	not specialized
	ParticipantObjectID	M	the patient ID in HL7 CX format..
	ParticipantObjectName	U	not specialized
	ParticipantObjectQuery	U	not specialized
	ParticipantObjectDetail	U	not specialized

8745

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

Submission Set (AuditMessage/ ParticipantObjectIdentification)	ParticipantObjectTypeCode	M	"2" (System)
	ParticipantObjectTypeCodeRole	M	"20" (job)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectIDTypeCode	M	EV("urn:uuid:a54d6aa5-d40d-43f9-88c5-b4633d873bdd", "IHE XDS Metadata", "submission set classificationNode")
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	ParticipantObjectID	M	The submissionSet unique ID
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>	

3.61.7.1.2 Document Registry audit message:

	Field Name	Opt	Value Constraints
Event AuditMessage/ EventIdentification	EventID	M	EV(110107, DCM, "Import")
	EventActionCode	M	"C" (Create)
	<i>EventDateTime</i>	<i>M</i>	<i>not specialized</i>
	<i>EventOutcomeIndicator</i>	<i>M</i>	<i>not specialized</i>
	EventTypeCode	M	EV("ITI-61", "IHE Transactions", "Register On-Demand Document Entry")
Source (On-Demand Document Source) (1)			
Destination (Document Registry) (1)			
Audit Source (Document Registry) (1)			
Patient (1)			
SubmissionSet (1)			

Where:

Source AuditMessage/ ActiveParticipant	UserID	M	If Asynchronous Web Services Exchange is being used, the content of the <wsa:ReplyTo/> element. Otherwise, not specialized.
	<i>AlternativeUserID</i>	<i>U</i>	<i>not specialized</i>
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	<i>UserIsRequestor</i>	<i>U</i>	<i>not specialized</i>
	RoleIDCode	M	EV(110153, DCM, "Source")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

Destination AuditMessage/ ActiveParticipant	UserID	M	SOAP endpoint URI
	AlternativeUserID	M	the process ID as used within the local operating system in the local system logs.
	<i>UserName</i>	<i>U</i>	<i>not specialized</i>
	UserIsRequestor	M	"false"
	RoleIDCode	M	EV(110152, DCM, "Destination")
	NetworkAccessPointTypeCode	M	"1" for machine (DNS) name, "2" for IP address
	NetworkAccessPointID	M	The machine name or IP address.

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.

8750

Audit Source (AuditMessage/ AuditSourceIdentification)	<i>AuditSourceID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditEnterpriseSiteID</i>	<i>U</i>	<i>not specialized</i>
	<i>AuditSourceTypeCode</i>	<i>U</i>	<i>not specialized</i>

Patient (AuditMessage/ ParticipantObjectIdentification)	<i>ParticipantObjectTypeCode</i>	<i>M</i>	"1" (person)
	<i>ParticipantObjectTypeCodeRole</i>	<i>M</i>	"1" (patient)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectTypeCode</i>	<i>M</i>	<i>not specialized</i>
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectID</i>	<i>M</i>	the patient ID in HL7 CX format.
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>	

Submission Set (AuditMessage/ ParticipantObjectIdentification)	<i>ParticipantObjectTypeCode</i>	<i>M</i>	"2" (System)
	<i>ParticipantObjectTypeCodeRole</i>	<i>M</i>	"20" (job)
	<i>ParticipantObjectDataLifeCycle</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectTypeCode</i>	<i>M</i>	EV("urn:uuid:a54d6aa5-d40d-43f9-88c5-b4633d873bdd", "IHE XDS Metadata", "submission set classificationNode")
	<i>ParticipantObjectSensitivity</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectID</i>	<i>M</i>	The submissionSet unique ID
	<i>ParticipantObjectName</i>	<i>U</i>	<i>not specialized</i>
	<i>ParticipantObjectQuery</i>	<i>U</i>	<i>not specialized</i>
<i>ParticipantObjectDetail</i>	<i>U</i>	<i>not specialized</i>	

3.62 Reserved for Delete Document Set

8755 **3.63 Reserved for Cross Gateway Fetch**

3.64 Reserved for Notify XAP-PID Link Change

HL7, HEALTH LEVEL SEVEN and CDA are the registered trademarks of Health Level Seven International.